

138
PLANNING

MISSOURI

VITAL STATISTICS

1969

Division of Health PUBLIC HEALTH STATISTICS

PHYSICIAN, HOSPITAL, OR FUNERAL HOME RECORD

Send Completed Certificate to Proper Local Registrar Immediately.

Use only BLACK ink or ribbon on certificate; colors frequently fade.

1. FULL NAME OF CHILD (Give exact spelling)

2. a) DATE OF BIRTH
b) HOUR OF BIRTH

3. SEX

4. THIS DELIVERY:
a) Single, Twin, Triplet, etc. (Specify)

5. PLACE OF BIRTH:
a) If not single birth born to:
b) If single birth born to:
c) State of Birth (If not in U.S.A., name country)

6. NAME OF HOSPITAL (If not in hospital, street and number)

7. FATHER OF CHILD:
a) Full Name
b) Age (At time of this birth)
c) State of Birth (If not in U.S.A., name country)

8. MOTHER OF CHILD:
a) Full Name
b) Age (At time of this birth)
c) State of Birth (If not in U.S.A., name country)

9. INFORMANT:
a) Informant
b) Relation to Child

10. Race (Father)

11. Education (Specify highest grade)

12. Race (Mother)

13. Education (Specify highest grade)

14. Date this certificate sent to local registrar

Be sure to complete items 12-29 on cert.

PHYSICIAN, HOSPITAL, OR FUNERAL HOME RECORD

Send Completed Certificate to Proper Local Registrar Immediately.

Use only BLACK ink or ribbon on certificate; colors frequently fade.

1. FULL NAME OF FETUS

2. a) DATE OF DELIVERY
b) HOUR OF DELIVERY

3. SEX

4. THIS DELIVERY:
a) Single, Twin, Triplet, etc. (Specify)

5. PLACE OF DELIVERY:
a) If not single delivery born: 1st _____ 2nd _____
b) If single delivery born to:
c) State of Birth (If not in U.S.A., name country)

6. NAME OF HOSPITAL (If not in hospital, give street and number)

7. FATHER OF CHILD:
a) Full Name
b) Age (At time of this birth)
c) State of Birth (If not in U.S.A., name country)

8. MOTHER OF CHILD:
a) Full Name
b) Age (At time of this birth)
c) State of Birth (If not in U.S.A., name country)

9. INFORMANT:
a) Informant
b) Relation to Child

10. Race (Father)

11. Education (Specify highest grade completed)

12. Race (Mother)

13. Education (Specify highest grade completed)

14. Date this certificate sent to local registrar

Be sure to complete items 12-29 on cert.

CERTIFICATE OF FETAL DEATH

DEPARTMENT OF PUBLIC HEALTH AND WELFARE - MISSOURI DIVISION OF HEALTH

Registration District No. _____

VS 375 Rev. 1-68

1. DECEASED - NAME

2. a) DATE OF DEATH
b) HOUR OF DEATH

3. SEX

4. THIS DELIVERY:
a) Single, Twin, Triplet, etc. (Specify)

5. PLACE OF DEATH:
a) If not single death born to:
b) If single death born to:
c) State of Birth (If not in U.S.A., name country)

6. NAME OF HOSPITAL (If not in hospital, street and number)

7. FATHER OF CHILD:
a) Full Name
b) Age (At time of this birth)
c) State of Birth (If not in U.S.A., name country)

8. MOTHER OF CHILD:
a) Full Name
b) Age (At time of this birth)
c) State of Birth (If not in U.S.A., name country)

9. INFORMANT:
a) Informant
b) Relation to Child

10. Race (Father)

11. Education (Specify highest grade completed)

12. Race (Mother)

13. Education (Specify highest grade completed)

14. Date this certificate sent to local registrar

Be sure to complete items 12-29 on cert.

CERTIFICATE OF LIVE BIRTH

DEPARTMENT OF PUBLIC HEALTH AND WELFARE - MISSOURI DIVISION OF HEALTH

Registration District No. _____

VS 100 Rev. 1-68

1. CHILD - NAME

2. a) DATE OF BIRTH
b) HOUR OF BIRTH

3. SEX

4. THIS DELIVERY:
a) Single, Twin, Triplet, etc. (Specify)

5. PLACE OF BIRTH:
a) If not single birth born to:
b) If single birth born to:
c) State of Birth (If not in U.S.A., name country)

6. NAME OF HOSPITAL (If not in hospital, street and number)

7. FATHER OF CHILD:
a) Full Name
b) Age (At time of this birth)
c) State of Birth (If not in U.S.A., name country)

8. MOTHER OF CHILD:
a) Full Name
b) Age (At time of this birth)
c) State of Birth (If not in U.S.A., name country)

9. INFORMANT:
a) Informant
b) Relation to Child

10. Race (Father)

11. Education (Specify highest grade completed)

12. Race (Mother)

13. Education (Specify highest grade completed)

14. Date this certificate sent to local registrar

Be sure to complete items 12-29 on cert.

CERTIFICATE OF DEATH

DEPARTMENT OF PUBLIC HEALTH AND WELFARE - MISSOURI DIVISION OF HEALTH

Registration District No. _____

VS 300 Rev. 1-68

1. DECEASED - NAME

2. a) DATE OF DEATH
b) HOUR OF DEATH

3. SEX

4. THIS DELIVERY:
a) Single, Twin, Triplet, etc. (Specify)

5. PLACE OF DEATH:
a) If not single death born to:
b) If single death born to:
c) State of Birth (If not in U.S.A., name country)

6. NAME OF HOSPITAL (If not in hospital, street and number)

7. FATHER OF CHILD:
a) Full Name
b) Age (At time of this birth)
c) State of Birth (If not in U.S.A., name country)

8. MOTHER OF CHILD:
a) Full Name
b) Age (At time of this birth)
c) State of Birth (If not in U.S.A., name country)

9. INFORMANT:
a) Informant
b) Relation to Child

10. Race (Father)

11. Education (Specify highest grade completed)

12. Race (Mother)

13. Education (Specify highest grade completed)

14. Date this certificate sent to local registrar

Be sure to complete items 12-29 on cert.

CERTIFICATE OF LIVE BIRTH

DEPARTMENT OF PUBLIC HEALTH AND WELFARE - MISSOURI DIVISION OF HEALTH

Registration District No. _____

VS 100 Rev. 1-68

1. CHILD - NAME

2. a) DATE OF BIRTH
b) HOUR OF BIRTH

3. SEX

4. THIS DELIVERY:
a) Single, Twin, Triplet, etc. (Specify)

5. PLACE OF BIRTH:
a) If not single birth born to:
b) If single birth born to:
c) State of Birth (If not in U.S.A., name country)

6. NAME OF HOSPITAL (If not in hospital, street and number)

7. FATHER OF CHILD:
a) Full Name
b) Age (At time of this birth)
c) State of Birth (If not in U.S.A., name country)

8. MOTHER OF CHILD:
a) Full Name
b) Age (At time of this birth)
c) State of Birth (If not in U.S.A., name country)

9. INFORMANT:
a) Informant
b) Relation to Child

10. Race (Father)

11. Education (Specify highest grade completed)

12. Race (Mother)

13. Education (Specify highest grade completed)

14. Date this certificate sent to local registrar

Be sure to complete items 12-29 on cert.

**MISSOURI
PUBLIC HEALTH STATISTICS
VITAL STATISTICS**

1969

**Prepared by
Bureau of Statistical Services
June, 1970**

DEPARTMENT OF PUBLIC HEALTH AND WELFARE OF MISSOURI

**DIVISION OF HEALTH
BROADWAY STATE OFFICE BUILDING
JEFFERSON CITY, MISSOURI 65101**

PREFACE

This is the final tabulation of statistical data relating to vital events in Missouri during 1969. This annual report of Missouri Vital Statistics was compiled for use in public health and related fields, as an aid for studying births, deaths, marriages, and divorces. This publication is part of the Public Health Statistics series which also includes the publication Monthly Vital Statistics.

As anticipated last year, this report will be published the earliest it has ever been published; that is, six months following the year to which it relates, and three months following the close of vital record files. Data for the year of the report is accepted through March 15 of the following year before it is cut off, allowing information reflecting events in that year to be as complete as possible. This decreased time lapse was made possible through the use of electronic data processing.

BUREAU OF STATISTICAL SERVICES

1970

BACKGROUND

COMPILATION AND UTILIZATION

Vital Statistics in Missouri are compiled from five documents which are filed with the Division of Health by State Law. To obtain the fullest use of these records, many sources of data must be utilized, including population, social science, medical, statistical, and demographic literature. Vital data are of little value unless special care is taken to analyze the cause and effect of the trends in vital events. To do this, knowledge and understanding of considerable background material are necessary. In Missouri, the five basic records on file with the Division of Health are: (1) birth records, (2) death records, and (3) fetal death records, each beginning with 1910; (4) marriage, and (5) divorce records; beginning with 1948. Much use is made of the data concerning vital events because they play such an important part in both our economy and social structure. The births that occur today will affect the sale of childrens' toys, the construction of schools, the number of homes to be built for future families and the aging population. People interested in these problems and others must turn to vital statistics for source and background data.

The economic and social factors which are affected by the occurrence of vital events, in turn, are significant in the present and future health of the people of Missouri.

RELIABILITY OF THE DATA

Statistics are neither more true nor more false than the interpretation given to them. Figures cannot be wrong until we interpret them as representing a specific thing. The value of the data lessens as the knowledge of the person using a specific kind of data decreases. Reports published by the Bureau of Vital Statistics are limited in their scope by the amount of time and money available for their publication. They are published in a form standardized for use by vital statisticians. This means that certain facts must be realized if knowledge is to be gained from the use of these reports. A novice can best ask for advice from a person trained in the use of statistics, their collection, tabulation, and interpretation. The main sources of error found in vital statistics are: underregistration¹, improper tabulation procedure, poor response or indifference on the part of those responsible for completing vital records, and probably the most dangerous source of error, improper interpretation.

Age and sex distribution together with social and economic conditions play a large part in the health of the people of any state. Missouri counties have a range in age from one county with one-half of its people under 21 years of age to another with one-half of the people over 40 years of age. A county that has a population composed primarily of younger persons might present a fictitious picture of good health if the number of deaths is used as a measure of health. The reverse could be true in a county composed predominantly of older persons.

POPULATION

Population data used for computing rates shown in this report were obtained from the following sources: Population Estimates, 1911-1950, taken from the United States Bureau of the Census Release, Series P-25, No. 139, June 27, 1956; 1960 population taken from United States Census of Population, "General Characteristics," PC(1) 27B; 1951-1959 and 1961 to date as computed by the Missouri Division of Health, Statistical Services. The components used to compute the 1961 to date estimates² were the net change, natural increase and net migration. The net migration based upon the experience during the period 1950-1960.

USE OF THE TERMS "RECORDED" AND "RESIDENT"

Historically, vital statistics have been presented in two forms, "Recorded" and "Resident." It is important to understand the significance of these terms when analyzing vital statistics. As an example, this report might show birth data as follows for two selected areas (1965 figures):

Recorded live births, City of Springfield — 3,377
Resident live births, City of Springfield — 1,780
Recorded live births, Gasconade County — 3
Resident live births, Gasconade County — 156

What accounts for the difference in the above birth numbers? The differences are between the recorded and resident births of an area, due mainly to facilities available in the area. In the first case, people are coming into a city to have their babies, because of the medical facilities available. In the second case, people are leaving an area to have their babies.

"Recorded" data are based on the number of vital events that occur in an area. These data are used to analyze events that might be affected by the place in which they occur.

"Resident" data are compiled for vital events that relate to persons residing in an area independent of where the events occurred. (A person is considered to be a resident of an area if he has resided there six months or more. In the case of live births, fetal deaths, and infant deaths, the residence of the mother is considered to be the residence of the child).

RACE AND COLOR

The category "White" includes, in addition to persons reported as white, those reported as Mexican, Puerto Rican, Chinese, Japanese, Indian, except Negro. In other words, persons reported as Negro are recorded as "Nonwhite"; all other classes are recorded as "White." Any person reported as a mixed race which includes Negro is recorded as "Nonwhite."

CAUSE OF DEATH CLASSIFICATION

The causes of death presented here were classified in accordance with the Eight Revision International Classification of Diseases, Adapted, Public Health Service Publication No. 1693, from the U. S. Government Printing Office.

PROCEDURES FOR RATES AND WHOLE NUMBERS

The rounding of numbers in this report was accomplished by dropping any digit in the hundredths position of the calculated rate or percent. Therefore, when the rate or percent is less than one-tenth the entry has been left blank.

In the case of whole numbers if a blank or dash (—) is shown, this means none or zero (0).

¹This report includes the marriages and divorces reported to this office. There are a few counties which did not report any of these events. In some cases this may be a true picture of the occurrences in those counties; in others, it represents under-reporting. This report does not include information from those Missouri residents who marry and seek divorce outside of the State. As yet, there is no interchange between states of these events. As State laws change, this causes changes in the rate which may not represent a true picture. Thus, a tightening of divorce laws may drop the reported divorce rate but not the resident rate. These data are recorded.

²Estimates computed as of April 1970.

TABLE OF CONTENTS **BIRTHS, FETAL DEATHS, DEATHS, INFANT DEATHS, MATERNAL DEATHS, ACCIDENTS**

Table/Graph		Page
A	Trends in Live Birth and Death Rates, 1911-1969	2
1	Population, Recorded Births and Deaths with Rates per 1,000 Population and Excess of Births Over Deaths, Missouri: 1911-1944	3
2	Population, Recorded and Resident Births and Deaths with Rates per 1,000 Population and Excess of Resident Births over Deaths, Missouri: 1945-1969	4
3	Selected Resident Live Birth Statistics with Percentages, By Sex, Color, Attendant, Legitimacy, Deformity, Weight, Place of Delivery, and Month of Occurrence, Urban and Rural, Missouri: 1969	5
4	Resident and Recorded Births and Fetal Deaths by Counties With Rates, Missouri: 1969	8
5	Resident and Recorded Births and Fetal Deaths by Cities Over 2,500 Population, Missouri: 1969	12
6	Resident Live Births, Urban and Rural, By Age of Mother, Sex and Color of Child, Missouri: 1969	17
B	Trends in Fetal Death Rates by Color, 1932-1969	18
7	Resident and Recorded Fetal Deaths by Color and Weight, Missouri: 1969	19
8	Legitimacy of Resident Live Births With Percentages by Color by Counties and Cities of 10,000 Population and Over, Missouri: 1969	20
9	Ten Leading Causes of Death and Rates, Resident Data, Missouri: 1969	26
10	Five Causes of Death for Selected Age Groups, Number of Resident Deaths, Missouri: 1969	27
C	Trends in Maternal Death Rates by Color, 1932-1969	29
11	Resident Maternal Deaths by Cause and Color with Rates, Missouri: 1969	30
12	Resident Deaths, Age Groups by Sex and Color and by Selected Causes of Death, Missouri: 1969	31
13	Resident and Recorded Deaths, Infant Deaths, and Maternal Deaths by Counties with Rates, Missouri: 1969	35
14	Resident and Recorded Deaths, Infant Deaths, and Maternal Deaths by Cities 2,500 Population, Missouri: 1969	39
D	Trends in Infant Death Rates by Color, 1932-1969	44
15	Resident Infant Deaths by Age, Cause, and Color with Rates by Cause and Color, Missouri: 1969	45
16	Resident Live Births and Fetal Deaths by Color and Attendant; Infant Deaths, Maternal Deaths and Selected Causes of Death by Color; State Total and Population Groups, County Areas Including Cities and Cities of 10,000 Population and Over, Missouri: 1969	46
17	Recorded Deaths by Type of Accident, Age and Sex, Missouri: 1969	130

MARRIAGES

E	Trends in Marriage Rates, 1949-1969	132
18	Reported Marriages by Age of Groom, by Age of Bride, Missouri: 1969	133
19	Reported Marriages by Marital Status and Selected Age Groups, Grooms and Brides, Missouri: 1969 ...	135
20	Reported Marriages by Marital Status, Missouri: 1969	136
21	Reported Marriages by Color of Groom, Missouri: 1969	136

DIVORCES


F	Trends in Divorce Rates, 1949-1969	137
22	Reported Divorces and Annulments by Number of Previous Marriages, Husband Versus Wife, Missouri: 1969	138
23	Reported Divorces and Annulments by Duration of Marriages, Missouri: 1969	139
24	Reported Divorces and Annulments by Number of Children Affected, Missouri: 1969	140
25	Reported Divorces and Annulments by Complainant Versus to Whom Decree Granted, Missouri: 1969 .	140
26	Reported Divorces and Annulments by Complainant Versus Disposition of Children, Missouri: 1969 ...	140
27	Reported Divorces and Annulments by Alimony and Settlement, Missouri: 1969	141
28	Reported Divorces and Annulments by Legal Grounds for Decree, Missouri: 1969	141
29	Reported Divorces and Annulments by Color, Husband Versus Wife, Missouri: 1969	142
30	Reported Divorces and Annulments by Number of Cases Contested, Missouri: 1969	142



**BIRTHS, FETAL DEATHS,
DEATHS, INFANT DEATHS,
MATERNAL DEATHS,
ACCIDENTS**

GRAPH A.

LIVE BIRTH AND DEATH RATES 1911-1969
(per 1,000 population)



Source: Missouri State Board of Health, Vital Statistics, 1911-1934 and 1937-1944; Division of Health of Missouri, Vital Statistics Reports, 1945-date; Special Reports of the United States Bureau of the Census, 1935-36. Population estimates 1911 to 1950 taken from United States Bureau of the Census Release, Series P-25, No. 139, June 27, 1956; 1951-1959 and 1961-date as computed by the Division of Health of Missouri; 1960, taken from the United States Census of Population, PC (1) 27B. Recorded data 1911 to 1944 and Resident data 1945 to date.

Year	Live Births	Deaths	Year	Live Births	Deaths	Year	Live Births	Deaths	Year	Live Births	Deaths
1911	22.3	13.1	1926	18.7	10.0	1941	17.4	11.4	1956	23.1	10.7
1912	22.6	12.6	1927	18.6	11.4	1942	19.0	11.0	1957	23.1	11.3
1913	22.1	12.4	1928	17.6	12.6	1943	20.2	12.0	1958	22.8	11.0
1914	21.3	12.0	1929	16.8	12.2	1944	19.7	11.9	1959	23.3	11.0
1915	20.5	11.7	1930	17.0	11.8	1945	18.7	12.1	1960	22.6	11.2
1916	20.8	12.7	1931	16.2	11.9	1946	21.5	11.3	1961	22.3	10.8
1917	19.3	13.1	1932	16.0	11.7	1947	23.4	11.6	1962	21.3	11.1
1918	19.2	15.6	1933	15.3	11.5	1948	22.1	11.1	1963	20.4	11.4
1919	18.2	11.7	1934	15.9	12.3	1949	21.5	11.1	1964	19.8	11.1
1920	19.2	12.5	1935	15.1	11.4	1950	21.6	11.0	1965	18.1	11.2
1921	19.5	10.6	1936	14.7	12.8	1951	22.5	11.0	1966	17.4	11.5
1922	18.7	11.2	1937	15.1	11.9	1952	22.4	11.2	1967	16.6	11.2
1923	19.3	12.1	1938	15.7	11.3	1953	22.5	11.1	1968	16.4	11.5
1924	19.7	11.5	1939	15.8	11.3	1954	22.8	10.7	1969	17.3	11.5
1925	19.4	11.7	1940	16.5	11.6	1955	22.7	10.4			

TABLE 1
POPULATION, RECORDED BIRTHS AND DEATHS WITH RATES PER 1,000 POPULATION
AND EXCESS OF BIRTHS OVER DEATHS, MISSOURI: 1911-1944

Year	Estimated Mid-Year Population (Thousands)	Births		Deaths		Excess Births Over Deaths	Year	Estimated Mid-Year Population (Thousands)	Births		Deaths		Excess Births Over Deaths
		Number	Rate	Number	Rate				Number	Rate	Number	Rate	
1911	3,317	74,130	22.3	43,479	13.1	30,651	1928	3,601	63,401	17.6	45,219	12.6	18,182
1912	3,344	75,452	22.6	42,139	12.6	33,313	1929	3,622	60,980	16.8	44,262	12.2	16,718
1913	3,409	75,231	22.1	42,130	12.4	33,101	1930	3,646	62,011	17.0	42,924	11.8	19,087
1914	3,467	73,925	21.3	41,743	12.0	32,182	1931	3,711	60,201	16.2	43,999	11.9	16,202
1915	3,492	71,543	20.5	40,863	11.7	30,680	1932	3,746	59,755	16.0	43,695	11.7	16,060
1916	3,527	73,486	20.8	44,705	12.7	28,781	1933	3,773	57,717	15.3	43,368	11.5	14,349
1917	3,470	67,041	19.3	45,564	13.1	21,477	1934	3,784	60,317	15.9	46,685	12.3	13,632
1918	3,325	64,001	19.2	51,925	15.6	12,076	1935	3,798	57,299	15.1	43,201	11.4	14,098
1919	3,371	61,193	18.2	39,282	11.7	21,911	1936	3,801	55,916	14.7	48,767	12.8	7,149
1920	3,404	65,416	19.2	42,572	12.5	22,844	1937	3,794	57,270	15.1	45,160	11.9	12,110
1921	3,429	66,970	19.5	36,210	10.6	30,760	1938	3,781	59,365	15.7	42,578	11.3	16,787
1922	3,427	64,388	18.7	38,417	11.2	25,971	1939	3,783	59,688	15.8	42,693	11.3	16,995
1923	3,454	66,691	19.3	41,853	12.1	24,838	1940	3,786	62,545	16.5	43,950	11.6	18,595
1924	3,508	68,961	19.7	40,463	11.5	28,498	1941	3,811	66,268	17.4	43,295	11.4	22,973
1925	3,526	68,293	19.4	41,332	11.7	26,961	1942	3,829	72,575	19.0	42,117	11.0	30,458
1926	3,556	66,611	18.7	42,684	10.0	23,927	1943	3,705	74,820	20.2	44,437	12.0	30,383
1927	3,576	66,401	18.6	40,853	11.4	25,548	1944	3,560	69,982	19.7	42,347	11.9	27,635

Sources: 1911-1934 and 1937-1944 Vital Statistics Reports of the Missouri State Board of Health. 1935-1936, Special Reports of the United States Bureau of the Census. Population estimates 1911 to 1944 taken from United States Bureau of the Census Release, Series P-25, No. 139, June 27, 1956.

TABLE 2

**POPULATION, RECORDED AND RESIDENT BIRTHS AND DEATHS WITH RATES PER 1,000
POPULATION AND EXCESS OF RESIDENT BIRTHS OVER DEATHS, MISSOURI: 1945-1969**

Year	Estimated Mid-Year Population (Thousands)	Recorded				Resident				Excess Births Over Deaths
		Births		Deaths		Births		Deaths		
		Number	Rate	Number	Rate	Number	Rate	Number	Rate	
1945	3,516	67,693	19.3	42,757	12.2	65,691	18.7	42,496	12.1	23,195
1946	3,746	82,901	22.1	42,640	11.4	80,698	21.5	42,377	11.3	38,321
1947	3,845	92,369	24.0	44,762	11.6	89,902	23.4	44,474	11.6	45,428
1948	3,844	87,005	22.6	42,921	11.2	85,096	22.1	42,753	11.1	42,342
1949	3,955	87,372	22.1	43,995	11.1	85,206	21.5	43,708	11.1	41,498
1950	3,961	87,948	22.2	43,962	11.1	85,704	21.6	43,714	11.0	41,990
1951	3,992	92,664	23.2	44,318	11.1	89,977	22.5	44,051	11.0	45,926
1952	4,026	92,931	23.1	45,245	11.2	90,118	22.4	45,051	11.2	45,067
1953	4,061	94,419	23.3	45,686	11.2	91,447	22.5	45,148	11.1	46,299
1954	4,095	97,278	23.8	44,404	10.8	93,453	22.8	43,835	10.7	49,618
1955	4,124	97,591	23.7	43,531	10.6	93,797	22.7	43,000	10.4	50,797
1956	4,163	100,163	24.0	45,003	10.8	96,099	23.1	44,458	10.7	51,641
1957	4,206	101,287	24.1	47,784	11.4	97,161	23.1	47,333	11.3	49,828
1958	4,240	100,729	23.8	47,338	11.2	96,721	22.8	46,729	11.0	49,992
1959	4,233	102,461	24.2	47,099	11.1	98,537	23.3	46,465	11.0	52,072
1960	4,320	101,778	23.6	48,955	11.3	97,723	22.6	48,287	11.2	49,436
1961	4,366	101,462	23.2	47,933	11.0	97,321	22.3	47,303	10.8	50,018
1962	4,400	97,658	22.2	49,685	11.3	93,879	21.3	49,016	11.1	44,863
1963	4,429	93,545	21.1	51,159	11.6	90,363	20.4	50,538	11.4	39,825
1964	4,455	90,918	20.4	50,271	11.3	88,335	19.8	49,617	11.1	38,718
1965	4,476	84,162	18.8	51,101	11.4	81,216	18.1	50,249	11.2	30,967
1966	4,492	80,750	18.0	52,476	11.7	77,946	17.4	51,581	11.5	26,365
1967	4,504	77,940	17.3	51,245	11.4	74,823	16.6	50,544	11.2	24,279
1968	4,513	77,028	17.0	52,834	11.7	74,304	16.4	52,019	11.5	22,285
1969	4,524	81,313	17.9	53,172	11.8	78,396	17.3	52,314	11.5	26,082

Sources: Vital Statistics Reports of the Missouri Division of Health. Population estimates 1945-1950 taken from United States Bureau of the Census Release, Series P-25, No. 139, June 27, 1956; 1951-1959 and 1961-date as computed by the Missouri Division of Health; 1960, taken from the United States Census of Population, PC(1) 27B.

TABLE 3

SELECTED RESIDENT LIVE BIRTH STATISTICS WITH PERCENTAGES, BY SEX, COLOR, ATTENDANT,
LEGITIMACY, DEFORMITY, WEIGHT, PLACE OF DELIVERY, AND MONTH OF OCCURENCE,
URBAN AND RURAL, MISSOURI 1969

	NUMBER			PERCENTAGES		
LIVE BIRTHS	STATE TOTAL	URBAN	RURAL	STATE TOTAL	URBAN	RURAL
SEX-COLOR						
GRAND TOTAL	78,396	38,834	39,562	100.0	100.0	100.0
TOTAL MALE	40,360	19,986	20,374	51.5	51.5	51.5
TOTAL FEMALE	38,036	18,848	19,188	48.5	48.5	48.5
WHITE TOTAL	66,732	28,660	38,072	100.0	100.0	100.0
MALE	34,497	14,869	19,628	51.7	51.9	51.6
FEMALE	32,235	13,791	18,444	48.3	48.1	48.4
NONWHITE TOTAL	11,664	10,174	1,490	100.0	100.0	100.0
MALE	5,863	5,117	746	50.3	50.3	50.1
FEMALE	5,801	5,057	744	49.7	49.7	49.9
ATTENDANT-COLOR						
GRAND TOTAL	78,396	38,834	39,562	100.0	100.0	100.0
M. D.	69,975	36,432	33,543	89.3	93.8	84.8
D. O.	8,248	2,344	5,904	10.5	6.0	14.9
MIDWIFE	97	25	72	.1	.1	.2
OTHERS	76	33	43	.1	.1	.1
WHITE TOTAL	66,732	28,660	38,072	100.0	100.0	100.0
M. D.	58,800	26,471	32,329	88.1	92.4	84.9
D. O.	7,845	2,166	5,679	11.8	7.6	14.9
MIDWIFE	29	4	25	.1	.1	.1
OTHERS	58	19	39	.1	.1	.1
NONWHITE TOTAL	11,664	10,174	1,490	100.0	100.0	100.0
M. D.	11,175	9,961	1,214	95.8	97.9	81.5
D. O.	403	178	225	3.5	1.7	15.1
MIDWIFE	68	21	47	.6	.2	3.2
OTHERS	18	14	4	.2	.1	.3

PERCENTAGES ARE COMPUTED ON THE BASIS OF TOTAL WHITE AND NONWHITE LIVE BIRTHS.
URBAN AREAS INCLUDE CITIES OVER 10,000 POP. ACCORDING TO 1960 CENSUS.
ALL OTHER AREAS ARE INCLUDED IN 'RURAL'.

TABLE 3 CONT

SELECTED RESIDENT LIVE BIRTH STATISTICS WITH PERCENTAGES, BY SEX, COLOR, ATTENDANT,
LEGITIMACY, DEFORMITY, WEIGHT, PLACE OF DELIVERY, AND MONTH OF OCCURENCE,
URBAN AND RURAL, MISSOURI 1969

	NUMBER						PERCENTAGES					
LIVE BIRTHS	STATE TOTAL		URBAN		RURAL		STATE TOTAL		URBAN		RURAL	
LEGITIMACY-COLOR	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
LIVE BIRTH TOTAL	66,732	11,664	28,660	10,174	38,072	1,490	100.0	100.0	100.0	100.0	100.0	100.0
LEGITIMATE	63,167	6,706	26,751	5,847	36,416	859	94.7	57.5	93.3	57.5	95.7	57.7
ILLEGITIMATE	3,470	4,928	1,866	4,298	1,604	630	5.2	42.2	6.5	42.2	4.2	42.3
NOT STATED	95	30	43	29	52	1	.1	.3	.2	.3	.1	.1
DEFORMITY-COLOR												
LIVE BIRTH TOTAL	66,732	11,664	28,660	10,174	38,072	1,490	100.0	100.0	100.0	100.0	100.0	100.0
DEFORMED TOTAL	987	197	381	168	606	29	1.5	1.7	1.3	1.7	1.6	1.9
NOT DEFORMED TOTAL	63,307	11,048	26,892	9,632	36,415	1,416	94.9	94.7	93.8	94.7	95.6	95.0
NOT STATED/UNKNOWN	2,438	419	1,387	374	1,051	45	3.7	3.6	4.8	3.7	2.8	3.0
BIRTH WGT-ATTENDANT												
OVER 5.5 LBS TOTAL	62,173	10,022	26,624	8,730	35,549	1,292	100.0	100.0	100.0	100.0	100.0	100.0
M. D.	54,909	9,584	24,618	8,540	30,291	1,044	88.3	95.6	92.5	97.8	85.2	80.8
D. O.	7,194	361	1,989	160	5,205	201	11.6	3.6	7.5	1.8	14.6	15.6
MIDWIFE	27	67	4	21	23	46		.7		.2	.1	3.6
OTHERS	43	10	13	9	30	1	.1	.1		.1	.1	.1
UNDER 5.5 LBS TOTAL	4,421	1,629	1,989	1,440	2,432	189	100.0	100.0	100.0	100.0	100.0	100.0
M. D.	3,788	1,580	1,812	1,417	1,976	163	85.7	97.0	91.1	98.4	81.3	86.2
D. O.	622	42	172	18	450	24	14.1	2.6	8.6	1.3	18.5	12.7
MIDWIFE	2				2						.1	
OTHERS	9	7	5	5	4	2	.2	.4	.3	.3	.2	1.1
NOT STATED TOTAL	138	13	47	4	91	9	100.0	100.0	100.0	100.0	100.0	100.0
M. D.	103	11	41	4	62	7	74.6	84.6	87.2	100.0	68.1	77.8
D. O.	29		5		24		21.0		10.6		26.4	
MIDWIFE		1				1		7.7				11.1
OTHERS	6	1	1		5	1	4.3	7.7	2.1		5.5	11.1
DELIVERIES BY PLACE												
PLACE OF BIRTH TOTAL	66,732	11,664	28,660	10,174	38,072	1,490	100.0	100.0	100.0	100.0	100.0	100.0
HOSPITAL	65,438	11,265	28,519	10,119	36,919	1,146	98.1	96.6	99.5	99.5	97.0	76.9
CLINIC	1,038	281	76	4	962	277	1.6	2.4	.3		2.5	18.6
RESIDENCE	223	112	60	49	163	63	.3	1.0	.2	.5	.4	4.2
OTHER	33	6	5	2	28	4		.1			.1	.3

TABLE 3 CONT

SELECTED RESIDENT LIVE BIRTH STATISTICS WITH PERCENTAGES, BY SEX, COLOR, ATTENDANT,
LEGITIMACY, DEFORMITY, WEIGHT, PLACE OF DELIVERY, AND MONTH OF OCCURENCE,
URBAN AND RURAL, MISSOURI 1969

LIVE BIRTHS	NUMBER						PERCENTAGES					
	STATE TOTAL		URBAN		RURAL		STATE TOTAL		URBAN		RURAL	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
MONTH OF OCCURENCE												
TOTAL	66,732	11,664	28,660	10,174	38,072	1,490	100.0	100.0	100.0	100.0	100.0	100.0
JANUARY	5,574	948	2,301	805	3,273	143	8.4	8.1	8.0	7.9	8.6	9.6
FEBRUARY	4,948	810	2,173	714	2,775	96	7.4	6.9	7.6	7.0	7.3	6.4
MARCH	5,390	895	2,360	770	3,030	125	8.1	7.7	8.2	7.6	8.0	8.4
APRIL	5,220	861	2,264	740	2,956	121	7.8	7.4	7.9	7.3	7.8	8.1
MAY	5,281	950	2,338	827	2,943	123	7.9	8.1	8.2	8.1	7.7	8.3
JUNE	5,457	932	2,363	822	3,094	110	8.2	8.0	8.2	8.1	8.1	7.4
JULY	5,989	1,090	2,588	961	3,401	129	9.0	9.3	9.0	9.4	8.9	8.7
AUGUST	6,051	1,110	2,587	964	3,464	146	9.1	9.5	9.0	9.5	9.1	9.8
SEPTEMBER	5,911	1,007	2,487	882	3,424	125	8.9	8.6	8.7	8.7	9.0	8.4
OCTOBER	5,727	1,054	2,440	943	3,287	111	8.6	9.0	8.5	9.3	8.6	7.4
NOVEMBER	5,361	973	2,319	854	3,042	119	8.0	8.3	8.1	8.4	8.0	8.0
DECEMBER	5,823	1,034	2,440	892	3,383	142	8.7	8.9	8.5	8.8	8.9	9.5

TABLE 4

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY COUNTIES WITH RATES, MISSOURI 1969

COUNTIES	POPULATION	NUMBER				RATES			
		RESIDENT		RECORDED		RESIDENT		RECORDED	
		LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTH	FETAL DTMS.	LIVE BIRTHS	FETAL DTMS.
STATE TOTAL	4,523,987	78,396	1,035	81,313	1,059	17.3	13.2	17.9	13.0
COUNTIES INCLUDING CITIES									
ADAIR	18,466	424	1	747	3	22.9	2.3	40.4	4.0
ANDREW	9,519	151	3	1	1	15.8	19.8	.1	1000.0
ATCHISON	6,958	128		200	3	18.3		28.7	15.0
AUDRIAN	24,574	369	1	500	3	15.0	2.7	20.3	6.0
BARRY	14,721	271	3	260	4	18.4	11.0	17.6	15.3
BARTON	8,512	124		103	1	14.5		12.1	9.7
BATES	12,834	179	1	187	2	13.9	5.5	14.5	10.6
BENTON	7,299	114	2	4		15.6	17.5	.5	
BOLLINGER	6,910	108	2	54	2	15.6	18.5	7.8	37.0
BOONE	58,745	1,534	12	2,155	33	26.1	7.8	36.6	15.3
BUCHANAN	79,121	1,461	19	1,891	26	18.4	13.0	23.9	13.7
BUTLER	27,729	524	3	933	8	18.8	5.7	33.6	8.5
CALDWELL	6,897	99	2			14.3	20.2		
CALLAWAY	21,803	375	4	180	1	17.1	10.6	8.2	5.5
CAMDEN	9,203	156	2	27	1	16.9	12.8	2.9	37.0
CAPE GIRARDEAU	40,103	727	18	1,228	25	18.1	24.7	30.6	20.3
CARROLL	10,962	167	2	123	1	15.2	11.9	11.2	8.1
CARTER	2,996	55		4		18.3		1.3	
CASS	43,100	792	6	752	5	18.3	7.5	17.4	6.6
CEDAR	7,236	118	3	163	4	16.3	25.4	22.5	24.5
CHARITON	9,669	132		2		13.6		.2	
CHRISTIAN	10,998	245	2	1		22.2	8.1		
CLARK	7,644	131	1	3	1	17.1	7.6	.3	333.3
CLAY	164,313	2,190	24	1,737	14	13.3	10.9	10.5	8.0
CLINTON	10,271	161	2	116	3	15.6	12.4	11.2	25.8
COLE	41,728	733	9	1,352	16	17.5	12.2	32.4	11.8
COOPER	12,845	202	2	120	1	15.7	9.9	9.3	8.3
CRAWFORD	12,217	255	7	381	6	20.8	27.4	31.1	15.7
DADE	5,504	65				11.8			
DALLAS	7,225	105		2		14.5		.2	
DAVISS	7,197	122		14		16.9		1.9	
DEKALB	5,738	81	2			14.1	24.6		
DENT	8,691	155	2	3		17.8	12.9	.3	

LIVE BIRTH RATES ARE PER 1,000 POPULATION, FETAL DEATH RATES ARE PER 1,000 LIVE BIRTHS, POPULATION USED WAS THE JULY 1969 ESTIMATE.

TABLE 4 CONT

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY COUNTIES WITH RATES, MISSOURI 1969

COUNTIES	POPULATION	NUMBER				RATES			
		RESIDENT		RECORDED		RESIDENT		RECORDED	
		LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTH	FETAL DTHS.	LIVE BIRTHS	FETAL DTHS.
DOUGLAS	6,797	109	2	3	1	16.0	18.3	.4	333.3
DUNKLIN	29,826	560	8	576	8	18.7	14.2	19.3	13.8
FRANKLIN	49,467	975	21	601	13	19.7	21.5	12.1	21.6
GASCONADE	10,474	143		110		13.6		10.5	
GENTRY	6,432	108		134	1	16.7		20.8	7.4
GREENE	134,781	2,637	33	3,699	40	19.5	12.5	27.4	10.8
GRUNDY	9,832	168	4	192	2	17.0	23.8	19.5	10.4
HARRISON	8,378	102	2	110	2	12.1	19.6	13.1	18.1
HENRY	16,364	271	1	374	2	16.5	3.6	22.8	5.3
HICKORY	3,279	41		17		12.5		5.1	
HOLT	5,644	73	1			12.9	13.6		
HOWARD	9,007	145	4	129	2	16.0	27.5	14.3	15.5
HOWELL	18,632	353	7	525	6	18.9	19.8	28.1	11.4
IRON	6,250	162	3	145	4	25.9	18.5	23.2	27.5
JACKSON	628,450	12,206	164	14,994	179	19.4	13.4	23.8	11.9
JASPER	69,327	1,322	15	1,511	20	19.0	11.3	21.7	13.2
JEFFERSON	111,258	2,088	23	562	10	18.7	11.0	5.0	17.7
JOHNSON	37,460	633	11	629	8	16.8	17.3	16.7	12.7
KNOX	5,094	79	1			15.5	12.6		
LACLEDE	16,702	327	7	404	5	19.5	21.4	24.1	12.3
LAFAYETTE	22,318	398	8	276	2	17.8	20.1	12.3	7.2
LAWRENCE	20,700	348	6	294	6	16.8	17.2	14.2	20.4
LEWIS	10,126	146	2			14.4	13.6		
LINCOLN	14,714	285	4	300	4	19.3	14.0	20.3	13.3
LINN	12,890	172	4	238	2	13.3	23.2	18.4	8.4
LIVINGSTON	13,444	240	3	331	6	17.8	12.5	24.6	18.1
MC DONALD	9,009	160	3	2		17.7	18.7	.2	
MACON	13,249	248	1	213	1	18.7	4.0	16.0	4.6
MADISON	7,170	117	1	253		16.3	8.5	35.2	
MARIES	6,229	79				12.6			
MARION	25,817	480	5	709	4	18.5	10.4	27.4	5.6
MERCER	4,011	58		39		14.4		9.7	
MILLER	12,238	223	4	54		18.2	17.9	4.4	

LIVE BIRTH RATES ARE PER 1,000 POPULATION, FETAL DEATH RATES ARE PER 1,000 LIVE BIRTHS, POPULATION USED WAS THE JULY 1969 ESTIMATE.

TABLE 4 CONT

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY COUNTIES WITH RATES, MISSOURI 1969

COUNTIES	POPULATION	NUMBER				RATES			
		RESIDENT		RECORDED		RESIDENT		RECORDED	
		LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTH	FETAL DTHS.	LIVE BIRTHS	FETAL DTHS.
MISSISSIPPI	16,738	322	8	187	7	19.2	24.8	11.1	37.4
MONITEAU	9,086	136	1			14.9	7.3		
MONROE	9,056	122		3		13.4		.3	
MONTGOMERY	9,739	170	2			17.4	11.7		
MORGAN	7,740	135	2		1	17.4	14.8		
NEW MADRID	22,559	414	7	38	1	18.3	16.9	1.6	26.3
NEWTON	28,139	477	8	506	8	16.9	16.7	17.9	15.8
NODAWAY	18,387	316	4	277	3	17.1	12.6	15.0	10.8
OREGON	7,220	114	1	47		15.7	8.7	6.5	
OSAGE	9,341	179				19.1			
OZARK	4,598	51	2	23		11.0	39.2	5.0	
PEMISCOT	28,803	547	7	595	13	18.9	12.7	20.6	21.8
PERRY	12,370	209	5	249	3	16.8	23.9	20.1	12.0
PETTIS	34,328	492	9	615	13	14.3	18.2	17.9	21.1
PHELPS	25,995	502	6	672	6	19.3	11.9	25.8	8.9
PIKE	14,760	281	3	272	2	19.0	10.6	18.4	7.3
PLATTE	33,859	526	5	2	1	15.5	9.5		500.0
POLK	10,568	217	2	40	1	20.5	9.2	3.7	25.0
PULASKI	43,286	337	8	1,006	11	7.7	23.7	23.2	10.9
PUTNAM	4,840	91	1	117	2	18.8	10.9	24.1	17.0
RALLS	6,683	101	1	2		15.1	9.9	.2	
RANDOLPH	18,793	345	8	366	5	18.3	23.1	19.4	13.6
RAY	14,622	272	5	241	6	18.6	18.3	16.4	24.8
REYNOLDS	3,656	95	2			25.9	21.0		
RIPLEY	6,548	109	5	62	3	16.6	45.8	9.4	48.3
ST. CHARLES	92,939	1,979	25	1,547	26	21.2	12.6	16.6	16.8
ST. CLAIR	6,098	85	1	31		13.9	11.7	5.0	
ST. FRANCOIS	32,287	569	3	589	7	17.6	5.2	18.2	11.8
STE. GENEVIEVE	11,114	183	2	131	1	16.4	10.9	11.7	7.6
ST. LOUIS CITY	586,764	12,246	206	16,980	266	20.8	16.8	28.9	15.6
ST. LOUIS COUNTY	1,114,646	15,358	173	13,520	147	13.7	11.2	12.1	10.8
SALINE	21,284	319	4	301	3	14.9	12.5	14.1	9.9
SCHUYLER	3,916	63				16.0			

LIVE BIRTH RATES ARE PER 1,000 POPULATION, FETAL DEATH RATES ARE PER 1,000 LIVE BIRTHS,
POPULATION USED WAS THE JULY 1969 ESTIMATE.

TABLE 4 CONT

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS BY COUNTIES WITH RATES, MISSOURI 1969

COUNTIES	POPULATION	NUMBER				RATES			
		RESIDENT		RECORDED		RESIDENT		RECORDED	
		LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTH	FETAL DTHS.	LIVE BIRTHS	FETAL DTHS.
SCOTLAND	5,178	74	3	1	1	14.2	40.5	.1	1000.0
SCOTT	28,779	595	7	723	11	20.6	11.7	25.1	15.2
SHANNON	5,573	130		10		23.3		1.7	
SHELBY	7,425	106				14.2			
STODDARD	22,883	362	3	312	2	15.8	8.2	13.6	6.4
STONE	6,373	140	3			21.9	21.4		
SULLIVAN	6,088	85	2	42		13.9	23.5	6.8	
TANEY	9,154	137		155		14.9		16.9	
TEXAS	14,550	254	2	322	3	17.4	7.8	22.1	9.3
VERNON	16,773	226	7	211	6	13.4	30.9	12.5	28.4
WARREN	9,042	129	1			14.2	7.7		
WASHINGTON	12,339	278	6	254	7	22.5	21.5	20.5	27.5
WAYNE	6,462	112	1			17.3	8.9		
WEBSTER	11,391	275	1	74		24.1	3.6	6.4	
WORTH	2,967	39		1		13.1		.3	
WRIGHT	11,151	183		122	1	16.4		10.9	8.1

LIVE BIRTH RATES ARE PER 1,000 POPULATION, FETAL DEATH RATES ARE PER 1,000 LIVE BIRTHS, POPULATION USED WAS THE JULY 1969 ESTIMATE.

TABLE 5

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS
BY CITIES OVER 2,500 POPULATION, MISSOURI 1969

CITIES	RESIDENT		RECORDED	
	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS
TOTAL CITIES 2,500 POP. & OVER	49,066	673	73,935	954
TOTAL CITIES 10,000 POP. & OVER	38,834	552	57,349	765
TOTAL CITIES OVER 2,500 POP. LESS THAN 10,000	10,232	121	16,586	189
CITIES OVER 10,000 POP.				
BELLEFONTAINE NEIGHBORS	60			
BERKELEY	283	7	1	
BRENTWOOD	198	1	1	
CAPE GIRARDEAU CITY	455	11	1,228	25
CARTHAGE	185	2	369	1
CLAYTON	152	5	719	8
COLUMBIA	955	9	2,153	33
CRESTWOOD	119			
FERGUSON	432	4	1	1
FLORISSANT	1,123	16	1,574	23
FULTON	130	1	179	1
GLADSTONE	281	2	1	
HANNIBAL	327	3	708	4
MARION CO. PART	325	3	708	4
RALLS CO. PART	2			
INDEPENDENCE	1,984	24	1,539	12
JEFFERSON CITY	492	7	1,351	15
JENNINGS	234	2	1	
JOPLIN	679	8	1,249	20
JASPER CO. PART	649	7	1,068	19
NEWTON CO. PART	30	1	181	1
KANSAS CITY	9,533	143	13,452	168
JACKSON CO. PART	8,190	127	13,451	167
CLAY CO. PART	1,146	14	1	1
PLATTE CO. PART	197	2		
KIRKSVILLE	306	1	747	3
KIRKWOOD	422	4	1,293	16
MAPLEWOOD	257	3		

TABLE 5 CONT

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS
BY CITIES OVER 2,500 POPULATION, MISSOURI 1969

	NUMBER			
	RESIDENT		RECORDED	
	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS
CITIES OVER 10,000 POP.				
MEXICO	168	1	487	3
MOBERLY	214	7	362	5
OVERLAND	488	5		
POPLAR BLUFF	278	1	927	8
RAYTOWN	430	2		
RICHMOND HEIGHTS	212	1	2,995	34
ROLLA	206	2	671	6
ST. ANN	319	7		
ST. CHARLES	811	8	1,545	25
ST. JOSEPH	1,232	16	1,889	26
ST. LOUIS CITY	12,246	206	16,980	266
SEDALIA	333	8	615	13
SIKESTON	274	1	612	9
SCOTT CO. PART	273	1	612	9
NEW MADRID CO. PART	1			
SPRINGFIELD	2,117	24	3,699	40
UNIVERSITY CITY	572	5		
WEBSTER GROVES	327	5	1	
CITIES OVER 2,500 POP.				
LESS THAN 10,000 POP.				
AURORA	92	1	242	6
BALLWIN	197	3		
BEL-RIDGE	79	2		
BELTON	264	2	2	
BETHANY	31		109	2
BLUE SPRINGS	105	1		
BOLIVER	59		23	
BONNE TERRE	50		160	1
BOONVILLE	114		120	1
BOWLING GREEN	38			
BRECKENRIDGE HILLS	60			
BRIDGETON	364	4		
BROOKFIELD	63	1	128	
BUTLER	48		184	2
CALIFORNIA	41			

TABLE 5 CONT

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS
BY CITIES OVER 2,500 POPULATION, MISSOURI 1969

CITIES OVER 2,500 POP. LESS THAN 10,000 POP.	RESIDENT LIVE BIRTHS		RECORDED LIVE BIRTHS	
	FETAL DEATHS		FETAL DEATHS	
CAMERON	57		112	1
CLINTON CO. PART	51		112	1
DE KALB CO. PART	6			
CANTON	37			
CARROLLTON	66		123	1
CARUTHERSVILLE	155	2	2	
CENTRALIA	61			
CHAFFEE	39	1	85	
CHARLESTON	91	2	164	6
CHILLICOTHE	167	1	330	6
CLINTON	99		310	1
CREVE COEUR	197	4	4,583	45
CRYSTAL CITY	70	1		
DELLWOOD	53	2		
DESOTO	106	3		
DES PERES	27			
DEXTER	71		277	2
EAST PRAIRIE	59	1	17	
ELDON	53			
EL DORADO SPRINGS	40	1	162	4
ELLISVILLE	59	1	72	
EXCELSIOR SPRINGS	145	1	166	
CLAY CO. PART	131	1	166	
RAY CO. PART	14			
FARMINGTON	91	1	348	5
FAYETTE	50		129	1
FESTUS	136			
FLAT RIVER	82			
FREDERICKTOWN	41		253	
FRONTENAC	16			
GLENDALE	85	1		
GRANDVIEW	362	4		
HANLEY HILLS	39			
HARRISONVILLE	109	1	340	3
HAYTI	83	1	584	13
HAZELWOOD	331	6	1	

TABLE 5 CONT

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS
BY CITIES OVER 2,500 POPULATION, MISSOURI 1969

CITIES OVER 2,500 POP. LESS THAN 10,000 POP.	NUMBER		NUMBER	
	RESIDENT LIVE BIRTHS	FETAL DEATHS	RECORDED LIVE BIRTHS	FETAL DEATHS
HERMANN	40		109	
HIGGINSVILLE	53			
HILLSDALE VILLAGE	42			
JACKSON	93	2		
KENNETT	168	3	507	8
KINLOCH	113	1		
LADUE	54		1	
LAMAR	44		102	1
LEBANON	156	2	402	5
LEE'S SUMMIT	306	2		
LEXINGTON	105	2	201	1
LIBERTY	228	2		1
LOUISIANA	64	3	267	2
MACON	93	1	208	1
MALDEN	84		68	
MARCELINE	28	1	110	2
MARSHALL	146	2	257	3
MARYVILLE	149	1	276	3
MOLINE ACRES	24			
MONETT	97		226	3
BARRY CO. PART	72		226	3
LAWRENCE CO. PART	25			
MOUNTAIN GROVE	47		44	
NEOSHO	108	1	242	4
NEVADA	122	4	211	6
NEW MADRID	70	2	2	
NORMANDY	120	2	715	6
NORTH KANSAS CITY	120		1,256	10
NORTHWOODS	40			
O'FALLON	161	1		
OLIVETTE	60	2		
PACIFIC	86	2		
FRANKLIN CO. PART	79	2		
ST. LOUIS CO. PART	7			
PAGEDALE	62	1	1	
PALMYRA	35	1	1	

TABLE 5 CONT

RESIDENT AND RECORDED BIRTHS AND FETAL DEATHS
BY CITIES OVER 2,500 POPULATION, MISSOURI 1969

CITIES OVER 2,500 POP. LESS THAN 10,000 POP.	RESIDENT		RECORDED	
	LIVE BIRTHS	FETAL DEATHS	LIVE BIRTHS	FETAL DEATHS
PERRYVILLE	83	2	249	3
PINELAWN	94	1		
PLEASANT HILL	67			
PORTAGEVILLE	44		3	
POTOSI	44			
RICHMOND	71	2	7	
RIVERVIEW	70			
ROCK HILL	83	2		
ST. CLAIR	60	1		
ST. JOHN	136	2		
STE. GENEVIEVE	70	1	129	1
SALEM	74	1		
SHREWSBURY	65	1		
SLATER	21	1		
SUGAR CREEK	95	1		
SULLIVAN	110		379	6
CRAWFORD CO. PART	25		379	6
FRANKLIN CO. PART	85			
SUNSET HILLS	18			
TRENTON	94	3	189	2
UNION	102	2		
VALLEY PARK	72		2	
VANDALIA	43			
WARRENSBURG	191	5	307	5
WASHINGTON	138	2	601	13
WEBB CITY	108	2	74	
WELLSTON	209	4		
WENTZVILLE	65			
WEST PLAINS	111	1	350	2
WINDSOR	43		64	1
WOODSON TERRACE	51	1		


TABLE 6

RESIDENT LIVE BIRTHS, URBAN AND RURAL, BY AGE OF MOTHER,
SEX AND COLOR OF CHILD, MISSOURI 1969

AGE OF MOTHER

URBAN	TOTAL	WHITE		NONWHITE	
		MALE	FEMALE	MALE	FEMALE
ALL AGES	38,834	14,869	13,791	5,117	5,057
10-14 YEARS	199	26	24	86	63
15-19 YEARS	7,943	2,507	2,172	1,624	1,640
20-24 YEARS	14,776	5,886	5,576	1,669	1,645
25-29 YEARS	9,379	3,904	3,729	873	873
30-34 YEARS	4,022	1,630	1,397	510	485
35-39 YEARS	1,927	713	683	264	267
40-44 YEARS	558	187	202	88	81
45-49 YEARS	22	12	5	3	2
50 YEARS AND OVER					
UNKNOWN	8	4	3		1
RURAL					
ALL AGES	39,562	19,628	18,444	746	744
10-14 YEARS	68	22	22	14	10
15-19 YEARS	6,452	3,060	2,950	230	212
20-24 YEARS	14,820	7,486	6,886	229	219
25-29 YEARS	10,595	5,314	5,020	124	137
30-34 YEARS	4,693	2,296	2,219	87	91
35-39 YEARS	2,197	1,108	997	43	49
40-44 YEARS	688	322	322	19	25
45-49 YEARS	45	19	25		1
50 YEARS AND OVER					
UNKNOWN	4	1	3		
COMBINED TOTALS					
ALL AGES	78,396	34,497	32,235	5,863	5,801
10-14 YEARS	267	48	46	100	73
15-19 YEARS	14,395	5,567	5,122	1,854	1,852
20-24 YEARS	29,596	13,372	12,462	1,898	1,864
25-29 YEARS	19,974	9,218	8,749	997	1,010
30-34 YEARS	8,715	3,926	3,616	597	576
35-39 YEARS	4,124	1,821	1,680	307	316
40-44 YEARS	1,246	509	524	107	106
45-49 YEARS	67	31	30	3	3
50 YEARS AND OVER					
UNKNOWN	12	5	6		1

GRAPH B.
FETAL DEATH RATES 1932-1969
(per 1,000 live births)



Year	Total	White	Nonwhite
1932	41.9	38.4	97.4
1933	37.5	34.2	88.9
1934	33.9	31.3	73.9
1935	38.5	35.8	79.2
1936	36.0	33.4	74.7
1937	33.9	31.3	70.1
1938	35.0	32.0	76.4
1939	30.7	27.8	71.3
1940	32.5	29.8	69.5
1941	32.5	29.7	71.4
1942	28.9	26.2	65.0
1943	26.1	23.6	59.0
1944	26.1	23.3	59.8

Year	Total	White	Nonwhite
1945	24.1	21.7	53.2
1946	23.6	21.4	51.2
1947	20.8	18.8	44.7
1948	20.7	18.7	42.7
1949	19.3	17.5	35.9
1950	19.2	17.2	37.2
1951	18.2	16.4	34.3
1952	17.5	16.1	29.7
1953	17.8	15.9	33.1
1954	17.2	15.9	27.7
1955	16.7	14.9	29.8
1956	16.6	15.4	25.4
1957	16.5	15.7	22.1

Year	Total	White	Nonwhite
1958	16.1	14.7	24.8
1959	15.4	14.0	24.2
1960	15.2	13.8	24.3
1961	14.7	12.8	27.0
1962	15.1	13.2	26.5
1963	13.9	12.1	24.7
1964	15.5	13.3	28.7
1965	14.3	12.8	23.0
1966	13.3	11.7	21.7
1967	13.8	12.6	20.5
1968	15.1	13.4	24.9
1969	13.2	12.1	19.6

Source: Missouri State Board of Health, Vital Statistics Reports, 1932-34 and 1937-48; U.S. Bureau of the Census, Mortality Statistics, 1935-36; Missouri Division of Health, Vital Statistics Reports, 1949-date. 1932-44 are recorded data and 1945 to date are resident.

TABLE 7

RESIDENT AND RECORDED FETAL DEATHS BY COLOR AND WEIGHT, MISSOURI 1969

WEIGHT	TOTAL	RESIDENT		TOTAL	RECORDED	
		WHITE	NON- WHITE		WHITE	NON- WHITE
2 POUNDS 3 OUNCES OR LESS	230	166	64	232	167	65
2 POUNDS 4 OUNCES - 3 POUNDS 4 OUNCES	100	77	23	103	81	22
3 POUNDS 5 OUNCES - 4 POUNDS 6 OUNCES	102	72	30	102	72	30
4 POUNDS 7 OUNCES - 5 POUNDS 8 OUNCES	88	68	20	91	72	19
5 POUNDS 9 OUNCES - 6 POUNDS 9 OUNCES	97	72	25	101	75	26
6 POUNDS 10 OUNCES - 7 POUNDS 11 OUNCES	74	58	16	80	63	17
7 POUNDS 12 OUNCES - 8 POUNDS 13 OUNCES	60	51	9	60	51	9
8 POUNDS 14 OUNCES - 9 POUNDS 14 OUNCES	21	15	6	21	15	6
9 POUNDS 15 OUNCES OR MORE	19	11	8	21	12	9
UNKNOWN OR NOT STATED	244	216	28	248	221	27
TOTALS	1,035	806	229	1,059	829	230

TABLE 8

LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR
BY COUNTIES AND CITIES OF 10,000 POPULATION AND OVER, MISSOURI 1969

COUNTIES AND CITIES OVER 10,000	GRAND TOTAL	WHITE TOTAL	WHITE		ILLEGITIMATE		NON- WHITE TOTAL	NON-WHITE		ILLEGITIMATE	
			LEGITIMATE	PER-	ILLEGITIMATE	PER-		LEGITIMATE	PER-	ILLEGITIMATE	PER-
			NO.	CENT	NO.	CENT		NO.	CENT	NO.	CENT
STATE TOTAL	78,396	66,732	63,167	94.7	3,470	5.2	11,664	6,706	57.5	4,928	42.2
CITIES OVER 10,000	38,834	28,660	26,751	93.3	1,866	6.5	10,174	5,847	57.5	4,298	42.2
RURAL	39,562	38,072	36,416	95.7	1,604	4.2	1,490	859	57.7	630	42.3
COUNTIES INCL.											
CITIES OVER 10,000											
ADAIR	424	420	402	95.7	17	4.0	4	4	100.0	-	-
ANDREW	151	151	145	96.0	6	4.0	-	-	-	-	-
ATCHISON	128	128	125	97.7	2	1.6	-	-	-	-	-
AUDRAIN	369	342	327	95.6	15	4.4	27	15	55.6	12	44.4
BARRY	271	271	259	95.6	8	3.0	-	-	-	-	-
BARTON	124	124	122	98.4	2	1.6	-	-	-	-	-
BATES	179	177	166	93.8	11	6.2	2	2	100.0	-	-
BENTON	114	113	110	97.3	3	2.7	1	-	-	1	100.0
BOLLINGER	108	108	106	98.1	2	1.9	-	-	-	-	-
BOONE	1,534	1,435	1,376	95.9	58	4.0	99	55	55.6	44	44.4
BUCHANAN	1,461	1,403	1,297	92.4	106	7.6	58	31	53.4	27	46.6
BUTLER	524	481	445	92.5	36	7.5	43	23	53.5	20	46.5
CALDWELL	99	99	93	93.9	5	5.1	-	-	-	-	-
CALLAWAY	375	354	334	94.4	20	5.6	21	7	33.3	14	66.7
CAMDEN	156	156	150	96.2	6	3.8	-	-	-	-	-
CAPE GIRARDEAU	727	677	646	95.4	31	4.6	50	26	52.0	24	48.0
CARROLL	167	161	154	95.7	7	4.3	6	2	33.3	4	66.7
CARTER	55	55	50	90.9	5	9.1	-	-	-	-	-
CASS	792	789	760	96.3	27	3.4	3	1	33.3	2	66.7
CEDAR	118	118	110	93.2	8	6.8	-	-	-	-	-
CHARITON	132	121	115	95.0	6	5.0	11	5	45.5	6	54.5
CHRISTIAN	245	245	232	94.7	12	4.9	-	-	-	-	-
CLARK	131	131	126	96.2	5	3.8	-	-	-	-	-
CLAY	2,190	2,182	2,085	95.6	92	4.2	8	5	62.5	3	37.5
CLINTON	161	156	145	92.9	11	7.1	5	1	20.0	4	80.0
COLE	733	709	683	96.3	26	3.7	24	17	70.8	7	29.2
COOPER	202	194	188	96.9	6	3.1	8	6	75.0	2	25.0
CRAWFORD	255	255	237	92.9	18	7.1	-	-	-	-	-
DADE	65	65	57	87.7	8	12.3	-	-	-	-	-
DALLAS	105	105	100	95.2	5	4.8	-	-	-	-	-
DAVISS	122	122	117	95.9	5	4.1	-	-	-	-	-

GRAND TOTAL INCLUDES NOT STATED

TABLE 8 CONT

LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR
BY COUNTIES AND CITIES OF 10,000 POPULATION AND OVER, MISSOURI 1969

COUNTIES AND CITIES OVER 10,000	GRAND TOTAL	WHITE				NON-WHITE			
		TOTAL	LEGITIMATE NO.	PER- CENT	ILLEGITIMATE NO.	PER- CENT	TOTAL	LEGITIMATE NO.	ILLEGITIMATE NO.
DEKALB	81	81	80	98.8	1	1.2	-	-	-
DENT	155	155	149	96.1	6	3.9	-	-	-
DOUGLAS	109	109	104	95.4	5	4.6	-	-	-
DUNKLIN	560	527	489	92.8	37	7.0	33	10	23
FRANKLIN	975	968	944	97.5	23	2.4	7	6	1
GASCONADE	143	143	138	96.5	5	3.5	-	-	-
GENTRY	108	108	105	97.2	3	2.8	-	-	-
GREENE	2,637	2,574	2,433	94.5	139	5.4	63	45	18
GRUNDY	168	168	159	94.6	9	5.4	-	-	-
HARRISON	102	102	96	94.1	6	5.9	-	-	-
HENRY	271	267	252	94.4	15	5.6	4	1	3
HICKORY	41	41	40	97.6	1	2.4	-	-	-
HOLT	73	73	69	94.5	4	5.5	-	-	-
HOWARD	145	126	122	96.8	4	3.2	19	8	11
HOWELL	353	352	335	95.2	17	4.8	1	1	-
IRON	162	162	150	92.6	12	7.4	-	-	-
JACKSON	12,206	9,248	8,580	92.8	647	7.0	2,958	1,769	1,171
JASPER	1,322	1,305	1,233	94.5	69	5.3	17	9	8
JEFFERSON	2,088	2,072	1,984	95.8	85	4.1	16	9	7
JOHNSON	633	600	579	96.5	16	2.7	33	30	3
KNOX	79	79	74	93.7	5	6.3	-	-	-
LACLEDE	327	326	313	96.0	12	3.7	1	-	1
LAFAYETTE	398	381	362	95.0	19	5.0	17	7	10
LAWRENCE	348	348	332	95.4	16	4.6	-	-	-
LEWIS	146	137	134	97.8	3	2.2	9	8	1
LINCOLN	285	277	267	96.4	9	3.2	8	5	3
LINN	172	168	158	94.0	9	5.4	4	3	1
LIVINGSTON	240	235	213	90.6	22	9.4	5	3	2
MC DONALD	160	160	157	98.1	3	1.9	-	-	-
MACON	248	242	234	96.7	8	3.3	6	5	1
MADISON	117	117	110	94.0	7	6.0	-	-	-
MARIES	79	79	74	93.7	4	5.1	-	-	-
MARION	480	458	429	93.7	29	6.3	22	12	10
MERCER	58	58	54	93.1	4	6.9	-	-	-
MILLER	223	223	211	94.6	12	5.4	-	-	-
MISSISSIPPI	322	233	218	93.6	14	6.0	89	39	50

GRAND TOTAL INCLUDES NOT STATED

TABLE 8 CONT

LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR
BY COUNTIES AND CITIES OF 10,000 POPULATION AND OVER, MISSOURI 1969

COUNTIES AND CITIES OVER 10,000	GRAND TOTAL	WHITE TOTAL	WHITE				NON-WHITE				
			LEGITIMATE		ILLEGITIMATE		LEGITIMATE		ILLEGITIMATE		
			NO.	PER- CENT	NO.	PER- CENT	NO.	PER- CENT	NO.	PER- CENT	
MONITEAU	136	135	131	97.0	4	3.0	1	-	-	1	100.0
MONROE	122	112	105	93.8	7	6.3	10	9	90.0	1	10.0
MONTGOMERY	170	159	152	95.6	7	4.4	11	3	27.3	8	72.7
MORGAN	135	132	125	94.7	7	5.3	3	2	66.7	1	33.3
NEW MADRID	414	289	271	93.8	17	5.9	125	56	44.8	68	54.4
NEWTON	477	476	454	95.4	21	4.4	1	1	100.0	-	-
NODAWAY	316	314	305	97.1	9	2.9	2	1	50.0	1	50.0
OREGON	114	114	110	96.5	4	3.5	-	-	-	-	-
OSAGE	179	179	176	98.3	2	1.1	-	-	-	-	-
OZARK	51	51	49	96.1	2	3.9	-	-	-	-	-
PEMISCOT	547	316	289	91.5	27	8.5	231	112	48.5	119	51.5
PERRY	209	209	196	93.8	12	5.7	-	-	-	-	-
PETTIS	492	464	445	95.9	18	3.9	28	23	82.1	5	17.9
PHELPS	502	501	473	94.4	28	5.6	1	1	100.0	-	-
PIKE	281	267	255	95.5	12	4.5	14	10	71.4	4	28.6
PLATTE	526	525	496	94.5	29	5.5	1	1	100.0	-	-
POLK	217	217	208	95.9	9	4.1	-	-	-	-	-
PULASKI	337	329	291	88.4	37	11.2	8	3	37.5	5	62.5
PUTNAM	91	91	89	97.8	2	2.2	-	-	-	-	-
RALLS	101	95	87	91.6	7	7.4	6	2	33.3	4	66.7
RANDOLPH	345	326	307	94.2	19	5.8	19	12	63.2	7	36.8
RAY	272	261	250	95.8	11	4.2	11	10	90.9	1	9.1
REYNOLDS	95	94	91	96.8	3	3.2	1	-	-	1	100.0
RIPLEY	109	109	102	93.6	7	6.4	-	-	-	-	-
ST. CHARLES	1,979	1,959	1,890	96.5	69	3.5	20	12	60.0	8	40.0
ST. CLAIR	85	85	80	94.1	5	5.9	-	-	-	-	-
ST. FRANCOIS	569	568	535	94.2	32	5.6	1	-	-	1	100.0
STE. GENEVIEVE	183	183	177	96.7	6	3.3	-	-	-	-	-
ST. LOUIS COUNTY	15,358	14,377	13,873	96.5	488	3.4	981	676	68.9	303	30.9
ST. LOUIS CITY	12,246	5,880	5,335	90.7	538	9.1	6,366	3,529	55.4	2,829	44.4
SALINE	319	303	288	95.0	15	5.0	16	10	62.5	6	37.5
SCHUYLER	63	63	62	98.4	1	1.6	-	-	-	-	-
SCOTLAND	74	74	70	94.6	4	5.4	-	-	-	-	-
SCOTT	595	511	475	93.0	34	6.7	84	40	47.6	43	51.2
SHANNON	130	130	121	93.1	9	6.9	-	-	-	-	-
SHELBY	106	105	104	99.0	1	1.0	1	-	-	1	100.0

GRAND TOTAL INCLUDES NOT STATED

TABLE 8 CONT

LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR
BY COUNTIES AND CITIES OF 10,000 POPULATION AND OVER, MISSOURI 1969

COUNTIES AND CITIES OVER 10,000	GRAND TOTAL	WHITE				NON-WHITE			
		WHITE TOTAL	LEGITIMATE NO.	PER- CENT	ILLEGITIMATE NO.	PER- CENT	NON- WHITE TOTAL	LEGITIMATE NO.	ILLEGITIMATE NO.
STODDARD	362	331	315	95.2	16	4.8	31	16	51.6
STONE	140	140	137	97.9	3	2.1	-	-	-
SULLIVAN	85	85	79	92.9	6	7.1	-	-	-
TANEY	137	137	124	90.5	13	9.5	-	-	-
TEXAS	254	254	240	94.5	13	5.1	-	-	-
VERNON	226	226	212	93.8	12	5.3	-	-	-
WARREN	129	122	118	96.7	4	3.3	7	5	71.4
WASHINGTON	278	276	265	96.0	11	4.0	2	2	100.0
WAYNE	112	112	106	94.6	6	5.4	-	-	-
WEBSTER	275	275	260	94.5	15	5.5	-	-	-
WORTH	39	39	36	92.3	2	5.1	-	-	-
WRIGHT	183	183	165	90.2	17	9.3	-	-	-

GRAND TOTAL INCLUDES NOT STATED

TABLE 8 CONT

**LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR
BY COUNTIES AND CITIES OF 10,000 POPULATION AND OVER, MISSOURI 1969**

CITIES OVER 10,000	GRAND TOTAL	WHITE TOTAL	WHITE		NON-WHITE	
			LEGITIMATE NO.	PER- CENT	LEGITIMATE NO.	PER- CENT
BELLEFONTAINE NEIGHBORS	60	60	59	98.3	1	1.7
BERKELEY	283	247	235	95.1	12	4.9
BRENTWOOD	198	188	180	95.7	8	4.3
CAPE GIRARDEAU CITY	455	410	387	94.4	23	5.6
CARTHAGE	185	181	175	96.7	6	3.3
CLAYTON	152	151	143	94.7	8	5.3
COLUMBIA	955	865	825	95.4	39	4.5
CRESTWOOD	119	115	114	99.1	1	.9
FERGUSON	432	425	408	96.0	17	4.0
FLORISSANT	1,123	1,118	1,096	98.0	20	1.8
FULTON	130	113	105	92.9	8	7.1
GLADSTONE	281	281	268	95.4	11	3.9
HANNIBAL	327	309	290	93.9	19	6.1
INDEPENDENCE	1,984	1,976	1,901	96.2	74	3.7
JEFFERSON CITY	492	468	446	95.3	22	4.7
JENNINGS	234	233	222	95.3	11	4.7
JOPLIN	679	666	613	92.0	51	7.7
KANSAS CITY	9,533	6,593	6,048	91.7	527	8.0
KIRKSVILLE	306	302	290	96.0	11	3.6
KIRKWOOD	422	365	349	95.6	15	4.1
MAPLEWOOD	257	253	229	90.5	24	9.5
MEXICO	168	151	144	95.4	7	4.6
MOBERLY	214	198	187	94.4	11	5.6
OVERLAND	488	481	441	91.7	38	7.9
POPLAR BLUFF	278	251	230	91.6	21	8.4
RAYTOWN	430	428	411	96.0	17	4.0
RICHMOND HEIGHTS	212	166	159	95.8	6	3.6
ROLLA	206	205	193	94.1	12	5.9
ST. ANN	319	316	306	96.8	10	3.2
ST. CHARLES	811	801	773	96.5	28	3.5
ST. JOSEPH	1,232	1,176	1,085	92.3	91	7.7
ST. LOUIS CITY	12,246	5,880	5,335	90.7	538	9.1
SEDALIA	333	305	289	94.8	16	5.2
SIKESTON	274	230	211	91.7	18	7.8
SPRINGFIELD	2,117	2,055	1,937	94.3	116	5.6
UNIVERSITY CITY	572	400	382	95.5	17	4.3
WEBSTER GROVES	327	298	285	95.6	12	4.0

GRAND TOTAL INCLUDES NOT STATED

TABLE 8 CONT

**LEGITIMACY OF RESIDENT LIVE BIRTHS WITH PERCENTAGES BY COLOR
BY COUNTIES AND CITIES OF 10,000 POPULATION AND OVER, MISSOURI 1969**

	GRAND TOTAL	WHITE TOTAL	WHITE		ILLEGITIMATE		NON- WHITE TOTAL	NON-WHITE		ILLEGITIMATE	
			LEGITIMATE NO.	PER- CENT	NO.	PER- CENT		LEGITIMATE NO.	PER- CENT	NO.	PER- CENT
INCLUDED IN CITIES OVER 10,000											
HANNIBAL-RALLS	2	2	2	100.0							
JOPLIN-NEWTON	30	30	25	83.3	5	16.7					
KANSAS CITY-CLAY	1,146	1,146	1,102	96.2	43	3.8					
SIKESTON-NEW MADRID	1	1	1	100.0							
KANSAS CITY-PLATTE	197	197	190	96.4	7	3.6					

GRAND TOTAL INCLUDES NOT STATED

TABLE 9

TEN LEADING CAUSES OF DEATH AND RATES, RESIDENT DATA, MISSOURI 1969

RANK	CAUSE OF DEATH	TOTAL	RATES	WHITE	NONWHITE
1.	HEART DISEASE (390-398,402,404,410-429)	19,577	432.7	18,060	1,517
2.	MALIGNANT NEOPLASMS (140-209)	8,501	187.9	7,690	811
3.	CEREBROVASCULAR DISEASE (430-438)	6,171	136.4	5,574	597
4.	ACCIDENTS (E800-E807,E810-E823,E825-E949)	2,967	65.5	2,673	294
5.	INFLUENZA & PNEUMONIA (470-474,480-486)	1,965	43.4	1,712	253
6.	ARTERIOSCLEROSIS (440)	1,119	24.7	1,035	84
7.	DIABETES MELLITUS (250)	1,057	23.3	903	154
8.	DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	981	21.6	747	234
9.	BRONCHITIS,EMPHYSEMA & ASTHMA (490-493)	857	18.9	791	66
10.	CIRRHOSIS OF LIVER (571)	531	11.7	436	95
	ALL OTHER CAUSES	8,588		7,093	1,495
	TOTALS	52,314		46,714	5,600

TOTAL RESIDENT DEATHS - 52,314
ESTIMATED POPULATION JULY 1, 1969 - 4,523,987.

DEATH RATES ARE PER 100,000 POP.

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 10

FIVE LEADING CAUSES OF DEATH FOR SELECTED AGE GROUPS,
NUMBER OF RESIDENT DEATHS, MISSOURI 1969

CAUSE BY AGE GROUPS	DEATHS
UNDER 1 YEAR	
1 DISEASE OF EARLY INFANCY (760-769.2) (769.4-772,774-778)	977
2 CONGENITAL ANOMALIES (740-759)	272
3 INFLUENZA/PNEUMONIA (470-474,480-486)	157
4 ACCIDENTS (E800-E949)	43
5 HEART DIS. (390-398,402,404,410-429)	7
1-4 YEARS	
1 ACCIDENTS (E800-E949)	112
2 CONGENITAL ANOMALIES (740-759)	33
3 INFLUENZA/PNEUMONIA (470-474,480-486)	26
4 MALIGNANT NEOPLASMS (140-209)	25
5 HOMICIDE (E960-E978)	8
5-14 YEARS	
1 ACCIDENTS (E800-E949)	217
2 MALIGNANT NEOPLASMS (140-209)	50
3 CONGENITAL ANOMALIES (740-759)	25
4 INFLUENZA/PNEUMONIA (470-474,480-486)	18
5 HOMICIDE (E960-E978)	8
15-24 YEARS	
1 ACCIDENTS (E800-E949)	628
2 HOMICIDE (E960-E978)	139
3 MALIGNANT NEOPLASMS (140-209)	61
4 SUICIDE (E950-E959)	38
5 INFLUENZA/PNEUMONIA (470-474,480-486)	25
25-34-YEARS	
1 ACCIDENTS (E800-E949)	304
2 HOMICIDE (E960-E978)	115
3 MALIGNANT NEOPLASMS (140-209)	86
4 HEART DIS. (390-398,402,404,410-429)	71
5 SUICIDE (E950-E959)	52


NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 10 CONT

FIVE LEADING CAUSES OF DEATH FOR SELECTED AGE GROUPS,
NUMBER OF RESIDENT DEATHS, MISSOURI 1969

CAUSE BY AGE GROUPS	DEATHS
35-44 YEARS	
1 MALIGNANT NEOPLASMS (140-209)	355
2 HEART DIS. (390-398,402,404,410-429)	301
3 ACCIDENTS (E800-E949)	278
4 CEREBROVASCULAR DISEASE (430-438)	81
5 HOMICIDE (E960-E978)	79
45-54 YEARS	
1 HEART DIS. (390-398,402,404,410-429)	1,139
2 MALIGNANT NEOPLASMS (140-209)	924
3 ACCIDENTS (E800-E949)	284
4 CEREBROVASCULAR DISEASE (430-438)	208
5 CIRRHOSIS OF LIVER (571)	123
55-64 YEARS	
1 HEART DIS. (390-398,402,404,410-429)	2,812
2 MALIGNANT NEOPLASMS (140-209)	2,020
3 CEREBROVASCULAR DISEASE (430-438)	483
4 ACCIDENTS (E800-E949)	323
5 BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	197
65-74 YEARS	
1 HEART DIS. (390-398,402,404,410-429)	4,984
2 MALIGNANT NEOPLASMS (140-209)	2,408
3 CEREBROVASCULAR DISEASE (430-438)	1,350
4 INFLUENZA/PNEUMONIA (470-474,480-486)	324
5 BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	313
75-84 YEARS	
1 HEART DIS. (390-398,402,404,410-429)	6,480
2 CEREBROVASCULAR DISEASE (430-438)	2,509
3 MALIGNANT NEOPLASMS (140-209)	1,939
4 INFLUENZA/PNEUMONIA (470-474,480-486)	592
5 ARTERIOSCLEROSIS (440)	453
85-YEARS & OVER	
1 HEART DIS. (390-398,402,404,410-429)	3,753
2 CEREBROVASCULAR DISEASE (430-438)	1,491
3 MALIGNANT NEOPLASMS (140-209)	627
4 ARTERIOSCLEROSIS (440)	480
5 INFLUENZA/PNEUMONIA (470-474,480-486)	458

GRAPH C.
MATERNAL DEATH RATES 1932-1969
(per 10,000 live births)



Year	Total	White	Nonwhite	Year	Total	White	Nonwhite	Year	Total	White	Nonwhite
1932	61.4	58.5	107.0	1945	16.9	15.3	36.1	1958	3.6	2.9	8.5
1933	51.6	50.0	77.9	1946	13.8	11.9	36.7	1959	3.8	3.3	6.7
1934	58.5	55.3	109.6	1947	12.9	11.8	26.2	1960	5.1	3.9	12.9
1935	57.0	55.0	87.0	1948	10.1	8.9	23.4	1961	2.4	1.7	6.8
1936	61.0	60.0	85.0	1949	8.5	7.2	20.2	1962	4.6	4.2	6.9
1937	51.3	49.9	71.2	1950	8.2	6.8	20.5	1963	3.7	2.8	8.8
1938	38.2	36.6	61.3	1951	7.6	6.7	15.7	1964	4.1	2.6	12.6
1939	37.0	35.4	59.9	1952	7.1	6.1	16.3	1965	2.7	2.5	4.0
1940	36.5	35.0	56.7	1953	6.6	5.4	16.2	1966	2.1	1.8	3.3
1941	31.7	28.6	75.1	1954	4.9	4.1	11.0	1967	2.4	1.9	5.2
1942	24.3	23.2	38.0	1955	4.7	4.0	9.7	1968	2.0	1.4	5.3
1943	22.7	21.9	33.7	1956	5.5	3.8	17.3	1969	1.9	1.7	2.5
1944	20.9	18.4	50.6	1957	3.3	2.5	8.7				

Source: Missouri State Board of Health, Vital Statistics Reports, 1932-34 and 1937-48; U.S. Bureau of the Census, Mortality Statistics, 1935-36, Missouri Division of Health, Vital Statistics Reports, 1949 to date. 1932-44 are recorded and 1945 to date are resident data.

TABLE 11

RESIDENT MATERNAL DEATHS BY CAUSE AND COLOR WITH RATES, MISSOURI 1969

CAUSE OF DEATH	TOTAL	NUMBER		RATES		
		WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
ALL CAUSES (630-678)	15	12	3	1.9	1.7	2.5
ECTOPIC PREGNANCY (631)	1	1		.1	.1	
TOXEMIAS, EXCEPT ABORTION (636-639)	1	1		.1	.1	
HEMORRHAGE (632,651-653)	1	1		.1	.1	
ABORTIONS (640-645)						
SEPSIS (670,671,673)	6	5	1	.7	.7	.8
ALL OTHER COMPLICATIONS (630,633-635, 654-662,672,674-678)	6	4	2	.7	.5	1.7
DELIVERY WITHOUT MENTION OF COMPLICATION (650)						

MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REVISION OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 12

RESIDENT DEATHS, AGE GROUPS BY SEX AND COLOR
AND BY SELECTED CAUSES OF DEATH, MISSOURI 1969

	ALL AGES	UNDER 1 YR.	1-4 YRS.	5-9 YRS.	10-14 YRS.	15-19 YRS.	20-24 YRS.	25-29 YRS.	30-34 YRS.	35-39 YRS.	40-44 YRS.
TOTAL DEATHS	52,314	1,670	287	215	203	512	583	441	428	691	1,016
MALE	28,939	958	162	140	130	366	427	307	282	438	631
FEMALE	23,375	712	125	75	73	146	156	134	146	253	385
TOTAL WHITE	46,714	1,245	220	186	169	437	457	323	306	524	800
MALE	25,772	726	122	122	108	311	321	227	200	335	490
FEMALE	20,942	519	98	64	61	126	136	96	106	189	310
TOTAL NONWHITE	5,600	425	67	29	34	75	126	118	122	167	216
MALE	3,167	232	40	18	22	55	106	80	82	103	141
FEMALE	2,433	193	27	11	12	20	20	38	40	64	75
CAUSES OF DEATH											
TUBERCULOSIS, ALL FORMS (010-019)	124		1			1	2		1	1	5
SYPHILIS AND ITS SEQUELAE (090-097)	12										
OTHER INFECTIVE & PARASITIC DISEASES											
REMAINDER OF (000-136)	249	39	12	8	6	7	6	3	4	7	4
MALIGNANT NEOPLASMS (140-209)	8,501	3	25	31	19	25	36	39	47	124	231
DIGEST. ORGANS (150-159)	2,365		1			1		6	10	17	41
RESPIRATORY SYSTEM (160-163)	1,765				1			2	2	17	42
BREAST (174)	685							6	4	22	34
GENITAL ORGANS (180-187)	1,105			1		1	7	3	7	27	37
URINARY ORGANS (188-189)	409		1	1					2		1
LEUKEMIA (204-207)	422	2	13	16	7	8	7	3	6	6	10
OTHER (140-209)	1,750	1	10	13	11	15	22	19	16	35	66
DIABETES MELLITUS (250)	1,057	1	1			2	5	8	8	17	20
MAJOR CARDIOVASCULAR DISEASE (390-448)	27,740	9	5	4	7	15	17	33	66	135	273
DISEASES OF HEART											
(390-398, 402, 404, 410-429)	19,577	7	3	1	5	8	8	24	47	96	205
RHEUMATIC FEVER & CHRONIC											
RHEUMATIC HEART DISEASE (390-398)	369	1	1		2	1	3	3	7	8	16
HYPERTENSIVE HEART (402, 404)	513									2	2
ISCHEMIC HEART (410-414)	17,537				1	2	4	10	30	72	171
OTHER HEART DISEASE (420-429)	1,158	6	2	1	2	5	1	11	10	14	16

ALL AGES INCLUDES AGE UNKNOWN

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 12 CONT

RESIDENT DEATHS, AGE GROUPS BY SEX AND COLOR
AND BY SELECTED CAUSES OF DEATH, MISSOURI 1969

	ALL AGES	UNDER 1 YR.	1-4 YRS.	5-9 YRS.	10-14 YRS.	15-19 YRS.	20-24 YRS.	25-29 YRS.	30-34 YRS.	35-39 YRS.	40-44 YRS.
HYPERTENSION (400,401,403)	254					1	1	2	2	7	7
CEREBROVASCULAR DISEASE (430-438)	6,171	2	2	3	2	5	5	6	16	28	53
ARTERIOSCLEROSIS (440)	1,119										2
OTHER CIRCULATORY (441-448)	619					1	3	1	1	4	6
INFLUENZA/PNEUMONIA (470-474,480-486)	1,965	157	26	6	12	14	11	7	7	28	30
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	857	1	6	1	2	2	1	3	3	2	8
PEPTIC ULCER (531-533)	227					2		1	1	5	4
CIRRHOSIS OF LIVER (571)	531		1	2				4	9	25	44
NEPHRITIS AND NEPHROSIS (580-584)	260		1	2	4	3	7	2	2	8	5
COMPLICATIONS OF PREG, CHILD BIRTH, & PUERPERIUM (630-678)	15				1	3	3	2	5	1	
CONGENITAL ANOMALIES (740-759)	406	272	33	18	7	13	5	4	3	4	10
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	981	977	3							1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	1,874	71	8	2	5	7	7	14	20	27	50
ALL OTHER DISEASES (RESIDUAL)	3,436	88	43	21	27	22	37	38	40	76	109
ACCIDENTAL DEATHS (E800-E807,E810-E823,E825-E949)	2,967	43	112	114	103	328	300	177	127	144	134
MOTOR VEHICLE (E810-E823)	1,527	3	30	64	53	244	240	123	80	91	69
OTHER TRANS. (E800-E807,E825-E845)	87		1	2	5	5	7	7	6	7	11
POISONING (E850-E877)	61		7		1	6	3	5	4	4	6
FALLS (E880-E887)	476	7	6	6		2	4	5	4	7	10
FIRES (E890-E899)	216	6	30	19	5	5	5	6	1	9	6
DROWNING & SUBMERSIONS (E910)	139	1	19	9	15	33	16	6	10	4	3
FIREARM MISSILES (E922)	76		4	6	10	15	10	8	2	3	3
INDUSTRIAL (E916-E921,E923-E928)	185	1	7	3	5	13	11	14	13	13	17
OTHER ACCIDENTS (E900-E949)	200	25	8	5	9	5	4	3	7	6	9
SUICIDE (E950-E959)	446				2	12	26	34	18	29	37
HOMICIDE (E960-E978)	474	3	8	4	4	39	100	61	54	44	35
ALL OTHER EXTERNAL CAUSES (E980-E999)	192	6	2	2	4	17	20	11	13	13	17

ALL AGES INCLUDES AGE UNKNOWN

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 12 CONT

RESIDENT DEATHS, AGE GROUPS BY SEX AND COLOR
AND BY SELECTED CAUSES OF DEATH, MISSOURI 1969

	45-49 YRS.	50-54 YRS.	55-59 YRS.	60-64 YRS.	65-69 YRS.	70-74 YRS.	75-79 YRS.	80-84 YRS.	85-89 YRS.	90-94 YRS.	OVER 94
TOTAL DEATHS	1,589	2,167	3,325	4,429	5,525	6,481	7,580	7,132	5,062	2,283	675
MALE	1,029	1,411	2,192	2,897	3,486	3,729	3,931	3,283	2,090	824	217
FEMALE	560	756	1,133	1,532	2,039	2,752	3,649	3,849	2,972	1,459	458
TOTAL WHITE	1,289	1,814	2,851	3,880	4,886	5,866	7,050	6,769	4,824	2,178	626
MALE	856	1,206	1,926	2,584	3,123	3,415	3,637	3,096	1,983	780	200
FEMALE	433	608	925	1,296	1,763	2,451	3,413	3,673	2,841	1,398	426
TOTAL NONWHITE	300	353	474	549	639	615	530	363	238	105	49
MALE	173	205	266	313	363	314	294	187	107	44	17
FEMALE	127	148	208	236	276	301	236	176	131	61	32
CAUSES OF DEATH											
TUBERCULOSIS, ALL FORMS (010-019)	8	10	9	11	15	19	18	12	11		
SYPHILIS AND ITS SEQUELAE (090-097)				1	2	2	3	2	1	1	
OTHER INFECTIVE & PARASITIC DISEASES											
REMAINDER OF (000-136)	8	11	16	20	20	15	25	17	14	6	1
MALIGNANT NEOPLASMS (140-209)	371	553	900	1,120	1,254	1,154	1,127	812	454	146	27
DIGEST. ORGANS (150-159)	64	133	198	268	342	353	381	294	181	62	11
RESPIRATORY SYSTEM (160-163)	91	145	266	304	326	258	161	93	46	9	2
BREAST (174)	57	59	83	115	76	79	65	47	24	12	2
GENITAL ORGANS (180-187)	45	68	92	126	166	127	186	114	76	20	2
URINARY ORGANS (188-189)	19	14	35	41	62	64	67	60	29	12	1
LEUKEMIA (204-207)	18	21	21	40	46	61	52	54	25	6	
OTHER (140-209)	77	113	205	226	236	212	215	150	73	25	9
DIABETES MELLITUS (250)	23	37	83	113	148	164	193	144	72	14	4
MAJOR CARDIOVASCULAR DISEASE (390-448)	526	858	1,367	2,069	2,904	3,837	4,783	4,952	3,665	1,705	497
DISEASES OF HEART											
(390-398, 402, 404, 410-429)	423	716	1,135	1,677	2,198	2,786	3,246	3,234	2,345	1,083	325
RHEUMATIC FEVER & CHRONIC											
RHEUMATIC HEART DISEASE (390-398)	28	29	44	62	40	39	40	29	11	5	
HYPERTENSIVE HEART (402, 404)	5	5	16	31	44	55	89	101	85	57	21
ISCHEMIC HEART (410-414)	359	625	1,007	1,500	2,012	2,560	2,935	2,916	2,085	959	284
OTHER HEART DISEASE (420-429)	31	57	68	84	102	132	182	188	164	62	20

ALL AGES INCLUDES AGE UNKNOWN

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 12 CONT

RESIDENT DEATHS, AGE GROUPS BY SEX AND COLOR
AND BY SELECTED CAUSES OF DEATH, MISSOURI 1969

	45-49 YRS.	50-54 YRS.	55-59 YRS.	60-64 YRS.	65-69 YRS.	70-74 YRS.	75-79 YRS.	80-84 YRS.	85-89 YRS.	90-94 YRS.	OVER 94
HYPERTENSION (400,401,403)	9	7	15	10	20	39	40	50	26	12	6
CEREBROVASCULAR DISEASE (430-438)	83	125	177	306	545	805	1,218	1,291	957	419	115
ARTERIOSCLEROSIS (440)		3	8	20	37	116	170	283	272	160	48
OTHER CIRCULATORY (441-448)	11	7	32	56	104	91	109	94	65	31	3
INFLUENZA/PNEUMONIA (470-474,480-486)	43	55	91	104	128	196	307	285	249	158	51
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	25	39	73	124	140	173	145	68	27	12	2
PEPTIC ULCER (531-533)	13	12	22	24	27	28	39	28	14	4	3
CIRRHOSIS OF LIVER (571)	76	47	79	92	62	44	27	12	4	2	1
NEPHRITIS AND NEPHROSIS (580-584)	11	7	22	24	34	20	30	32	26	14	6
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)											
CONGENITAL ANOMALIES (740-759)	7	7	6	3	6	3	2		2	1	
DISEASES OF EARLY INFANCY (760-769,2,769.4-772,774-778)											
SYMPTOMS & ILL-DEFINED COND. (780-796)	109	141	180	218	211	221	235	177	101	40	28
ALL OTHER DISEASES (RESIDUAL)	128	150	216	293	372	426	469	417	304	118	41
ACCIDENTAL DEATHS (800-807,810-823,825-949)	135	149	172	151	140	144	158	158	106	58	14
MOTOR VEHICLE (810-823)	74	75	87	77	56	72	50	30	5	4	
OTHER TRANS. (800-807,825-845)	8	6	8	4	6		2	1	1		
POISONING (850-877)	9	4	5	1	1	3		1	1		
FALLS (880-887)	9	17	22	21	25	35	64	95	77	46	14
FIRES (890-899)	9	5	16	18	14	9	19	19	10	5	
DROWNING & SUBMERSIONS (910)	3	7	5	2	5		1				
FIREARM MISSILES (922)	1	4	1	3	1	2	2	1			
INDUSTRIAL TYPE (916-921,923-928)	15	16	11	11	19	7	7	2			
OTHER ACCIDENTS (900-949)	7	15	17	14	13	16	13	9	12	3	
SUICIDE (950-959)	41	51	52	38	41	23	16	13	9	4	
HOMICIDE (960-978)	40	24	18	13	16	7	3	1			
ALL OTHER EXTERNAL CAUSES (980-999)	25	16	19	11	5	5		2	3		

ALL AGES INCLUDES AGE UNKNOWN

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 13

RESIDENT AND RECORDED DEATHS, INFANT DEATHS AND MATERNAL
DEATHS BY COUNTIES, WITH RATES, MISSOURI 1969

COUNTIES	POP.	NUMBER						RATES					
		RESIDENT			RECORDED			RESIDENT			RECORDED		
		INFANT	MAT.		INFANT	MAT.		INF.	MAT.		INF.	MAT.	
		DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.
STATE TOTAL	4,523,987	52,314	1,670	15	53,172	1,726	12	11.5	21.3	1.9	11.8	21.2	1.5
COUNTIES INCL. CITIES													
ADAIR	18,466	258	12	-	437	21	-	14.0	28.3	-	23.7	28.1	-
ANDREW	9,519	135	2	-	75	-	-	14.2	13.2	-	7.9	-	-
ATCHISON	6,958	95	1	-	118	-	-	13.7	7.8	-	17.0	-	-
AUDRAIN	24,574	310	3	-	359	1	-	12.6	8.1	-	14.6	2.0	-
BARRY	14,721	279	7	-	225	1	-	19.0	25.8	-	15.3	3.8	-
BARTON	8,512	169	2	-	138	-	-	19.9	16.1	-	16.2	-	-
BATES	12,834	278	2	-	233	-	-	21.7	11.2	-	18.2	-	-
BENTON	7,299	167	2	-	80	-	-	22.9	17.5	-	11.0	-	-
BOLLINGER	6,910	121	2	-	52	1	-	17.5	18.5	-	7.5	18.5	-
BOONE	58,745	551	33	-	1,071	87	1	9.4	21.5	-	18.2	40.4	4.6
BUCHANAN	79,121	1,218	33	-	1,501	38	-	15.4	22.6	-	19.0	20.1	-
BUTLER	27,729	470	9	-	828	18	-	16.9	17.2	-	29.9	19.3	-
CALDWELL	6,897	131	3	-	65	-	-	19.0	30.3	-	9.4	-	-
CALLAWAY	21,803	265	11	-	311	4	-	12.2	29.3	-	14.3	22.2	-
CANDEN	9,203	169	2	-	73	-	-	18.4	12.8	-	7.9	-	-
CAPE GIRARDEAU	40,103	458	13	-	764	17	-	11.4	17.9	-	19.1	13.8	-
CARROLL	10,962	204	2	-	162	1	-	18.6	12.0	-	14.8	8.1	-
CARTER	2,996	62	1	-	19	-	-	20.7	18.2	-	6.3	-	-
CASS	43,100	324	10	-	217	8	-	7.5	12.6	-	5.0	10.6	-
CEDAR	7,236	156	3	-	140	1	-	21.6	25.4	-	19.3	6.1	-
CHARITON	9,669	184	3	-	52	-	-	19.0	22.7	-	5.4	-	-
CHRISTIAN	10,998	162	4	1	46	-	-	14.7	16.3	40.8	4.2	-	-
CLARK	7,644	119	2	-	51	1	-	15.6	15.3	-	6.7	333.3	-
CLAY	164,313	763	43	-	775	34	-	4.6	19.6	-	4.7	19.6	-
CLINTON	10,271	160	3	-	150	1	-	15.6	18.6	-	14.6	8.6	-
COLE	41,728	400	12	-	711	11	-	9.6	16.4	-	17.0	8.1	-
COOPER	12,845	205	6	-	181	3	-	16.0	29.7	-	14.1	25.0	-
CRAWFORD	12,217	205	5	-	180	3	-	16.8	19.6	-	14.7	7.9	-
DADE	5,504	119	1	-	85	-	-	21.6	15.4	-	15.4	-	-
DALLAS	7,225	164	3	-	74	1	-	22.7	28.6	-	10.2	500.0	-
DAVISS	7,197	137	1	-	68	-	-	19.0	8.2	-	9.4	-	-
DEKALB	5,738	96	2	-	45	-	-	16.7	24.7	-	7.8	-	-
DENT	8,691	156	2	-	82	1	-	17.9	12.9	-	9.4	333.3	-

DEATH RATES ARE PER 1,000 POP., INFANT DEATH RATES ARE PER 1,000 LIVE BIRTHS,
MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.

TABLE 13 CONT

RESIDENT AND RECORDED DEATHS, INFANT DEATHS AND MATERNAL
DEATHS BY COUNTIES, WITH RATES, MISSOURI 1969

COUNTIES	POP.	NUMBER						RATES					
		RESIDENT			RECORDED			RESIDENT			RECORDED		
		INFANT	MAT.		INFANT	MAT.		INF.	MAT.		INF.	MAT.	
		DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.
DOUGLAS	6,797	99	3	-	43	1	-	14.6	27.5	-	6.3	333.3	-
DUNKLIN	29,826	507	10	-	444	9	-	17.0	17.9	-	14.9	15.6	-
FRANKLIN	49,467	544	30	-	421	18	-	11.0	30.8	-	8.5	30.0	-
GASCONADE	10,474	202	2	-	178	3	-	19.3	14.0	-	17.0	27.3	-
GENTRY	6,432	137	-	-	126	1	-	21.3	-	-	19.6	7.5	-
GREENE	134,781	1,555	43	1	2,353	79	1	11.5	16.3	3.8	17.5	21.4	2.7
GRUNDY	9,832	210	7	-	211	7	-	21.4	41.7	-	21.5	36.5	-
HARRISON	8,378	186	4	-	155	-	-	22.2	39.2	-	18.5	-	-
HENRY	16,364	332	7	1	342	4	1	20.3	25.8	36.9	20.9	10.7	26.7
HICKORY	3,279	63	1	-	15	-	-	19.2	24.4	-	4.6	-	-
HOLT	5,644	119	1	-	33	-	-	21.1	13.7	-	5.8	-	-
HOWARD	9,007	187	3	-	171	3	-	20.8	20.7	-	19.0	23.3	-
HOWELL	18,632	336	6	-	381	11	-	18.0	17.0	-	20.4	21.0	-
IRON	6,250	135	6	-	163	5	-	21.6	37.0	-	26.1	34.5	-
JACKSON	628,450	7,102	285	4	7,858	335	2	11.3	23.3	3.3	12.5	22.3	1.3
JASPER	69,327	1,129	31	1	1,106	25	1	16.3	23.4	7.6	16.0	16.5	6.6
JEFFERSON	111,258	713	45	-	557	15	-	6.4	21.6	-	5.0	26.7	-
JOHNSON	37,460	293	8	-	269	3	1	7.8	12.6	-	7.2	4.8	15.9
KNOX	5,094	67	2	-	32	-	-	13.2	25.3	-	6.3	-	-
LACLEDE	16,702	215	7	-	237	5	-	12.9	21.4	-	14.2	12.4	-
LAFAYETTE	22,318	343	1	1	292	-	-	15.4	2.5	25.1	13.1	-	-
LAWRENCE	20,700	328	8	-	366	8	-	15.8	23.0	-	17.7	27.2	-
LEWIS	10,126	151	2	-	85	2	-	14.9	13.7	-	8.4	-	-
LINCOLN	14,714	232	3	-	216	2	-	15.8	10.5	-	14.7	6.7	-
LINN	12,890	298	2	-	284	2	-	23.1	11.6	-	22.0	8.4	-
LIVINGSTON	13,444	210	7	-	258	6	-	15.6	29.2	-	19.2	18.1	-
MC DONALD	9,009	161	5	-	52	2	-	17.9	31.3	-	5.8	.0	-
MACON	13,249	260	6	1	202	4	-	19.6	24.2	40.3	15.2	18.8	-
MADISON	7,170	150	1	-	163	-	-	20.9	8.5	-	22.7	-	-
MARIES	6,229	94	4	-	28	-	-	15.1	50.6	-	4.5	-	-
MARION	25,817	445	10	-	563	17	-	17.2	20.8	-	21.8	24.0	-
MERCER	4,011	81	2	-	69	1	-	20.2	34.5	-	17.2	25.6	-
MILLER	12,238	170	5	-	81	1	-	13.9	22.4	-	6.6	18.5	-
MISSISSIPPI	16,738	220	12	-	124	5	-	13.1	37.3	-	7.4	26.7	-
MONITEAU	9,086	162	2	-	68	-	-	17.8	14.7	-	7.5	-	-

DEATH RATES ARE PER 1,000 POP., INFANT DEATH RATES ARE PER 1,000 LIVE BIRTHS,
MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.

TABLE 13 CONT

RESIDENT AND RECORDED DEATHS, INFANT DEATHS AND MATERNAL
DEATHS BY COUNTIES, WITH RATES, MISSOURI 1969

COUNTIES	POP.	NUMBER						RATES					
		RESIDENT			RECORDED			RESIDENT			RECORDED		
		INFANT MAT.			INFANT MAT.			INF. MAT.			INF. MAT.		
		DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.
MONROE	9,056	165	2	-	84	-	-	18.2	16.4	-	9.3	-	-
MONTGOMERY	9,739	195	5	-	69	1	-	20.0	29.4	-	7.1	-	-
MORGAN	7,740	167	2	-	103	1	-	21.6	14.8	-	13.3	-	-
NEW MADRID	22,559	293	11	-	139	7	-	13.0	26.6	-	6.2	184.2	-
NEWTON	28,139	346	10	-	394	8	-	12.3	21.0	-	14.0	15.8	-
NODAWAY	18,387	240	3	-	213	1	-	13.1	9.5	-	11.6	3.6	-
OREGON	7,220	141	6	-	63	1	-	19.5	52.6	-	8.7	21.3	-
OSAGE	9,341	125	1	-	46	-	-	13.4	5.6	-	4.9	-	-
OZARK	4,598	93	2	-	44	-	-	20.2	39.2	-	9.6	-	-
PENISCOT	28,803	393	23	-	338	22	-	13.6	42.0	-	11.7	37.0	-
PERRY	12,370	178	5	-	158	4	-	14.4	23.9	-	12.8	16.1	-
PETTIS	34,328	502	9	-	562	13	-	14.6	18.3	-	16.4	21.1	-
PHELPS	25,995	300	6	-	368	7	-	11.5	12.0	-	14.2	10.4	-
PIKE	14,760	263	9	-	250	6	-	17.8	32.0	-	16.9	22.1	-
PLATTE	33,859	204	6	-	125	1	-	6.0	11.4	-	3.7	500.0	-
POLK	10,568	234	3	-	127	-	-	22.1	13.8	-	12.0	-	-
PULASKI	43,286	169	12	-	186	14	-	3.9	35.6	-	4.3	13.9	-
PUTNAM	4,840	117	1	-	108	1	-	24.2	11.0	-	22.3	8.5	-
RALLS	6,683	120	5	-	40	-	-	18.0	49.5	-	6.0	-	-
RANDOLPH	18,793	357	6	-	404	2	-	19.0	17.4	-	21.5	5.5	-
RAY	14,622	234	5	-	215	1	-	16.0	18.4	-	14.7	4.1	-
REYNOLDS	3,656	74	3	-	23	1	-	20.2	31.6	-	6.3	-	-
RIPLEY	6,548	140	8	-	109	6	-	21.4	73.4	-	16.6	96.8	-
ST. CHARLES	92,939	531	27	-	506	21	-	5.7	13.6	-	5.4	13.6	-
ST. CLAIR	6,098	146	-	-	119	-	-	23.9	-	-	19.5	-	-
ST. FRANCOIS	32,287	488	10	-	551	12	-	15.1	17.6	-	17.1	20.4	-
STE. GENEVIEVE	11,114	124	3	-	87	2	-	11.2	16.4	-	7.8	15.3	-
ST. LOUIS COUNTY	1,114,646	6,871	231	-	5,373	164	1	6.2	15.0	-	4.8	12.1	.7
ST. LOUIS CITY	586,764	9,598	376	3	12,491	556	2	16.4	30.7	2.4	21.3	32.7	1.2
SALINE	21,284	357	5	-	347	4	-	16.8	15.7	-	16.3	13.3	-
SCHUYLER	3,916	68	-	-	24	-	-	17.4	-	-	6.1	-	-
SCOTLAND	5,178	82	1	-	41	-	-	15.8	13.5	-	7.9	-	-
SCOTT	28,779	379	12	-	353	20	1	13.2	20.2	-	12.3	27.7	13.8
SHANNON	5,573	97	5	-	42	-	-	17.4	38.5	-	7.5	-	-
SHELBY	7,425	160	4	-	72	-	-	21.5	37.7	-	9.7	-	-

DEATH RATES ARE PER 1,000 POP., INFANT DEATH RATES ARE PER 1,000 LIVE BIRTHS,
MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.

TABLE 13 CONT

RESIDENT AND RECORDED DEATHS, INFANT DEATHS AND MATERNAL
DEATHS BY COUNTIES, WITH RATES, MISSOURI 1969

COUNTIES	POP.	NUMBER						RATES					
		RESIDENT			RECORDED			RESIDENT			RECORDED		
		INFANT	MAT.		INFANT	MAT.		INF.	MAT.		INF.	MAT.	
		DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.	DTHS.
STODDARD	22,883	364	11	1	227	4	-	15.9	30.4	27.6	9.9	12.8	-
STONE	6,373	123	1	-	41	-	-	19.3	7.1	-	6.4	-	-
SULLIVAN	6,088	161	1	-	137	1	-	26.4	11.8	-	22.5	23.8	-
TANEY	9,154	188	2	-	182	2	-	20.5	14.6	-	19.9	12.9	-
TEXAS	14,550	273	4	1	258	4	1	18.8	15.7	39.4	17.7	12.4	31.1
VERNON	16,773	277	4	-	369	5	-	16.5	17.7	-	22.0	23.7	-
WARREN	9,042	115	1	-	69	-	-	12.7	7.8	-	7.6	-	-
WASHINGTON	12,339	177	10	-	118	5	-	14.3	36.0	-	9.6	19.7	-
WAYNE	6,462	111	1	-	38	-	-	17.2	8.9	-	5.9	-	-
WEBSTER	11,391	204	6	-	85	2	-	17.9	21.8	-	7.5	27.0	-
WORTH	2,967	54	-	-	21	-	-	18.2	-	-	7.1	-	-
WRIGHT	11,151	190	1	-	139	-	-	17.0	5.5	-	12.5	-	-

DEATH RATES ARE PER 1,000 POP., INFANT DEATH RATES ARE PER 1,000 LIVE BIRTHS,
MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.

TABLE 14

RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND
MATERNAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI 1969

CITIES	DEATHS	RESIDENT INFANT DEATHS	MATERNAL DEATHS	DEATHS	RECORDED INFANT DEATHS	MATERNAL DEATHS
TOTAL CITIES 2,500 POP. AND OVER	33,152	1,140	8	43,207	1,599	9
TOTAL CITIES 10,000 POP. AND OVER	25,861	930	8	34,332	1,358	7
TOTAL CITIES OVER 2,500 POP. LESS THAN 10,000 POP.	7,291	210	-	8,875	241	2
CITIES 10,000 POP. AND OVER						
BELLEFONTAINE NEIGHBORS	79	1	-	29	-	-
BERKELEY	98	7	-	10	-	-
BRENTWOOD	88	1	-	5	-	-
CAPE GIRARDEAU CITY	278	11	-	691	17	-
CARTHAGE	185	6	-	220	8	-
CLAYTON	155	1	-	1,165	20	-
COLUMBIA	317	27	-	945	87	1
CRESTWOOD	75	2	-	5	-	-
FERGUSON	173	11	-	31	-	-
FLORISSANT	305	18	-	354	17	-
FULTON	126	7	-	260	4	-
GLADSTONE	57	5	-	14	1	-
HANNIBAL	347	8	-	540	17	-
MARION CO. PART	343	7	-	540	17	-
RALLS CO. PART	4	1	-	-	-	-
INDEPENDENCE	796	35	-	667	28	-
JEFFERSON CITY	292	7	-	679	11	-
JENNINGS	233	3	-	19	-	-
JOPLIN	587	19	-	775	20	-
JASPER CO. PART	569	17	-	679	17	-
NEWTON CO. PART	18	2	-	96	3	-
KANSAS CITY	6,019	236	4	7,138	306	2
CLAY CO. PART	260	18	-	50	-	-
JACKSON CO. PART	5,721	216	4	7,075	306	2
PLATTE CO. PART	38	2	-	13	-	-
KIRKSVILLE	178	9	-	419	21	-
KIRKWOOD	256	5	-	401	21	-
MAPLEWOOD	173	4	-	22	-	-

TABLE 14 CONT

RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND
MATERNAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI 1969

CITIES 10,000 POP. AND OVER	DEATHS	RESIDENT INFANT DEATHS	MATERNAL DEATHS	DEATHS	RECORDED INFANT DEATHS	MATERNAL DEATHS
MEXICO	162	-	-	302	1	-
MOBERLY	250	3	-	364	2	-
OVERLAND	281	7	-	45	-	-
POPLAR BLUFF	274	4	-	773	17	-
RAYTOWN	165	7	-	12	-	-
RICHMOND HEIGHTS	167	3	-	599	27	-
ROLLA	107	4	-	294	7	-
ST. ANN	83	6	-	3	-	-
ST. CHARLES	279	16	-	433	21	-
ST. JOSEPH	1,101	29	-	1,483	38	-
ST. LOUIS CITY	9,598	376	3	12,491	556	2
SEDALIA	376	6	-	500	13	-
SIKESTON	172	6	-	286	18	1
NEW MADRID CO. PART	-	-	-	-	-	-
SCOTT CO. PART	172	6	-	286	18	1
SPRINGFIELD	1,213	31	1	2,236	79	1
UNIVERSITY CITY	525	5	-	81	-	-
WEBSTER GROVES.	291	4	-	41	-	-
CITIES OVER 2,500 POPULATION LESS THAN 10,000						
AURORA	75	3	-	141	6	-
BALLWIN	43	3	-	6	1	-
BEL-RIDGE	29	-	-	2	-	-
BELTON	46	4	-	10	-	-
BETHANY	61	-	-	129	-	-
BLUE SPRINGS	42	5	-	7	-	-
BOLIVAR	76	-	-	41	-	-
BONNE TERRE	51	-	-	144	8	-
BOONVILLE	109	4	-	153	3	-
BOWLING GREEN	48	-	-	38	-	-
BRECKENRIDGE HILLS	16	-	-	3	-	-
BRIDGETON	115	9	-	8	-	-
BROOKFIELD	115	2	-	160	-	-
BUTLER	80	-	-	165	-	-

TABLE 14 CONT

RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND
MATERNAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI 1969

CITIES OVER 2,500 POPULATION LESS THAN 10,000	DEATHS	RESIDENT INFANT DEATHS	MATERNAL DEATHS	DEATHS	RECORDED INFANT DEATHS	MATERNAL DEATHS
CALIFORNIA	58	1	-	32	-	-
CAMERON	68	-	-	96	-	-
CLINTON CO. PART	64	-	-	95	-	-
DE KALB CO. PART	4	-	-	1	-	-
CANTON	30	1	-	14	1	-
CARROLLTON	87	1	-	125	1	-
CARUTHERSVILLE	132	3	-	35	1	-
CENTRALIA	53	-	-	26	-	-
CHAFFEE	18	-	-	10	1	-
CHARLESTON	88	6	-	79	5	-
CHILLICOTHE	144	5	-	225	6	-
CLINTON	127	3	-	239	4	-
CREVE COEUR	136	1	-	821	46	-
CRYSTAL CITY	37	2	-	11	1	-
DELLWOOD	26	-	-	1	-	-
DESOTO	71	4	-	21	-	-
DES PERES	28	-	-	33	-	-
DEXTER	97	4	-	128	2	-
EAST PRAIRIE	54	4	-	9	-	-
ELDON	46	3	-	21	-	-
ELDORADO SPRINGS	80	3	-	119	1	-
ELLISVILLE	18	1	-	75	-	-
EXCELSIOR SPRINGS	115	4	-	142	4	-
CLAY CO. PART	115	4	-	142	4	-
RAY CO. PART	-	-	-	-	-	-
FARMINGTON	109	-	-	140	-	-
FAYETTE	77	1	-	130	3	-
FESTUS	70	7	-	29	1	-
FLAT RIVER	54	1	-	5	-	-
FREDERICKTOWN	72	-	-	139	-	-
FRONTENAC	31	2	-	6	-	-
GLENDALE	55	-	-	8	-	-
GRANDVIEW	88	7	-	29	-	-
HANLEY HILLS	21	-	-	1	-	-
HARRISONVILLE	61	1	-	110	4	-
HAYTI	56	6	-	245	14	-

TABLE 14 CONT

RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND
MATERNAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI 1969


CITIES OVER 2,500 POPULATION LESS THAN 10,000	DEATHS	RESIDENT		DEATHS	DEATHS	RECORDED		DEATHS
		INFANT DEATHS	MATERNAL DEATHS			INFANT DEATHS	MATERNAL DEATHS	
HAZELWOOD	81	15	-	4	1	-	-	-
HERMANN	45	-	-	99	3	-	-	-
HIGGINSVILLE	61	-	-	37	-	-	-	-
HILLSDALE VILLAGE	26	-	-	2	-	-	-	-
JACKSON	49	-	-	21	-	-	-	-
KENNETT	139	4	-	295	9	-	-	-
KINLOCH	66	2	-	1	-	-	-	-
LADUE	74	-	-	14	-	-	-	-
LAMAR	65	1	-	110	-	-	-	-
LEBANON	109	3	-	202	5	-	-	-
LEE'S SUMMIT	92	4	-	27	1	-	-	-
LEXINGTON	82	-	-	120	-	-	-	-
LIBERTY	98	3	-	82	2	-	-	-
LOUISIANA	88	4	-	172	6	-	-	-
MACON	96	3	-	131	4	-	-	-
MALDEN	77	4	-	58	-	-	-	-
MARCELINE	51	-	-	96	2	-	-	-
MARSHALL	154	3	-	249	4	-	-	-
MARYVILLE	101	-	-	162	1	-	-	-
MOLINE ACRES	29	-	-	2	-	-	-	-
MONETT	82	2	-	125	1	-	-	-
BARRY CO. PART	72	2	-	122	1	-	-	-
LAWRENCE CO. PART	10	-	-	3	-	-	-	-
MOUNTAIN GROVE	58	-	-	20	-	-	-	-
NEOSHO	98	1	-	137	2	-	-	-
NEVADA	156	3	-	207	5	-	-	-
NEW MADRID	30	1	-	11	-	-	-	-
NORMANDY	110	1	-	377	20	1	-	-
NORTH KANSAS CITY	71	5	-	294	23	-	-	-
NORTHWOODS	18	-	-	2	-	-	-	-
O'FALLON	42	1	-	11	-	-	-	-
OLIVETTE	48	1	-	19	-	-	-	-
PACIFIC	24	-	-	6	-	-	-	-
FRANKLIN CO. PART	24	-	-	6	-	-	-	-
ST. LOUIS CO. PART	-	-	-	-	-	-	-	-
PAGEDALE	55	-	-	3	-	-	-	-

TABLE 14 CONT

RESIDENT AND RECORDED DEATHS, INFANT DEATHS, AND
MATERNAL DEATHS BY CITIES OVER 2,500 POPULATION, MISSOURI 1969

CITIES OVER 2,500 POPULATION LESS THAN 10,000	RESIDENT			RECORDED		
	DEATHS	INFANT DEATHS	MATERNAL DEATHS	DEATHS	INFANT DEATHS	MATERNAL DEATHS
PALMYRA	41	1	-	14	-	-
PERRYVILLE	72	2	-	122	4	-
PINELAWN	64	3	-	11	-	-
PLEASANT HILL	55	-	-	18	-	-
PORTAGEVILLE	51	1	-	23	1	-
POTOSI	50	1	-	13	-	-
RICHMOND	84	1	-	43	-	-
RIVERVIEW	31	1	-	4	-	-
ROCK HILL	52	1	-	18	-	-
ST. CLAIR	27	1	-	8	-	-
ST. JOHN	55	3	-	6	-	-
STE. GENEVIEVE	46	-	-	54	2	-
SALEM	70	1	-	42	1	-
SHREWSBURY	48	-	-	3	-	-
SLATER	53	-	-	17	-	-
SUGAR CREEK	30	4	-	5	-	-
SULLIVAN	51	1	-	123	3	-
CRAWFORD CO. PART	12	-	-	117	3	-
FRANKLIN CO. PART	39	1	-	6	-	-
SUNSET HILLS	21	-	-	5	-	-
TRENTON	125	5	-	174	7	-
UNION	54	2	-	13	-	-
VALLEY PARK	42	1	-	33	-	-
VANDALIA	59	-	-	15	-	-
WARRENSBURG	114	3	-	187	1	1
WASHINGTON	98	7	-	314	17	-
WEBB CITY	96	2	-	75	-	-
WELLSTON	86	1	-	6	-	-
WENTZVILLE	27	1	-	8	-	-
WEST PLAINS	122	1	-	236	3	-
WINDSOR	58	1	-	77	-	-
WOODSON TERRACE	21	3	-	1	-	-

GRAPH D.
INFANT DEATH RATES BY COLOR 1932-1969
(per 1,000 live births)



INFANT DEATH TRENDS

Year	Total	White	Nonwhite
1932	57.4	53.9	112.9
1933	56.8	54.5	94.3
1934	62.3	59.4	107.6
1935	56.9	55.2	83.1
1936	57.9	55.7	90.0
1937	64.0	61.7	96.5
1938	51.1	48.1	93.0
1939	45.0	42.2	83.8
1940	47.0	44.7	78.4
1941	46.8	44.2	83.0
1942	39.0	37.1	64.8
1943	39.8	37.5	69.5
1944	37.3	35.1	63.7
1945	37.5	35.1	65.8
1946	33.0	31.1	55.8
1947	32.4	30.1	59.9
1948	30.4	28.6	49.3
1949	30.0	28.7	43.4
1950	29.2	27.1	49.0
1951	27.7	25.8	45.0
1952	28.3	25.9	49.4
1953	27.7	25.4	46.9
1954	26.8	24.2	46.6
1955	25.3	23.1	41.7
1956	24.5	22.4	38.9
1957	24.8	22.4	40.5
1958	26.4	23.2	46.9
1959	24.5	21.5	43.6
1960	24.7	21.4	45.9
1961	24.5	21.9	41.6
1962	25.5	23.2	40.0
1963	24.3	21.5	41.5
1964	24.4	21.2	43.2
1965	25.4	22.2	42.7
1966	23.4	19.8	43.0
1967	22.6	19.1	41.9
1968	21.3	19.1	33.9
1969	21.3	18.6	36.4

Source: Missouri State Board of Health, Vital Statistics Reports, 1932-34 and 1937-48; U.S. Bureau of the Census, Mortality Statistics, 1935-36; Missouri Division of Health, Vital Statistics Reports, 1949 to date. 1932-44 Recorded data and 1945 to date Resident.

TABLE 15 RESIDENT INFANT DEATHS BY AGE, CAUSE, AND COLOR WITH RATES BY CAUSE AND COLOR, MISSOURI 1969

CAUSE	COLOR	NUMBER	RATE	UNDER 1 HR.	OVER 1 HR.	OVER 1 DAY	OVER 7 DAS	OVER 28 DAS	OVER 3 MOS	OVER 6 MOS	OVER 1 YEAR
					UNDER 1 DAY	UNDER 7 DAS	UNDER 28 DAS	UNDER 3 MOS	UNDER 6 MOS	UNDER 1 YEAR	
ALL CAUSES	WHITE	1,245	18.6	88	441	357	92	127	78	59	
	NONWHITE	425	36.4	28	161	78	36	55	43	24	
	TOTAL	1,670	21.3	116	602	435	128	182	121	83	
GASTRO-INTESTINAL DISEASES (004,006-009,535,561,563)	WHITE	9	.1				1	2	2	4	
	NONWHITE	6	.5			1		3	1	1	
	TOTAL	15	.1			1	1	5	3	5	
INFLUENZA & PNEUMONIA (470-474,480-486)	WHITE	99	1.4		7	16	12	31	23	10	
	NONWHITE	58	4.9		2	5	11	16	15	9	
	TOTAL	157	2.0		9	21	23	47	38	19	
CONGENITAL ANOMALIES (740-759)	WHITE	221	3.3	17	44	50	35	37	20	17	
	NONWHITE	51	4.3	4	9	11	6	10	8	3	
	TOTAL	272	3.4	21	53	61	41	47	28	20	
BIRTH INJURIES (764-768 (.0-.3),772)	WHITE	25	.3	1	7	15		1	1		
	NONWHITE	6	.5		2	4					
	TOTAL	31	.3	1	9	19		1	1		
ASPHYXIA OF NEWBORN, UNSPECIFIED (776.9)	WHITE	205	3.0	16	124	56	6	2	1		
	NONWHITE	69	5.9	3	44	16	5	1			
	TOTAL	274	3.4	19	168	72	11	3	1		
IMMATUREITY, UNQUALIFIED (777)	WHITE	138	2.0	16	81	37	4				
	NONWHITE	88	7.5	10	59	16	3				
	TOTAL	226	2.8	26	140	53	7				
OTHER DISEASES OF EARLY INFANCY (REMAINDER OF 760-778)	WHITE	376	5.6	35	168	154	12	2	1	2	
	NONWHITE	73	6.2	11	39	19	3		1		
	TOTAL	449	5.7	46	207	173	15	2	2	2	
ALL OTHER CAUSES (RESIDUAL)	WHITE	172	2.5	3	10	29	22	52	30	26	
	NONWHITE	74	6.3		6	6	8	25	18	11	
	TOTAL	246	3.1	3	16	35	30	77	48	37	

INFANT DEATH RATES ARE PER 1,000 LIVE BIRTHS.

NUMBER IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REVISION OF THE INTERNATIONAL STATISTICAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

NUMBER INCLUDES AGE UNKNOWN.

TABLE 16

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969

TOTAL EST. POP. JULY 1, 1969 4,523,987	STATE TOTAL		UNDER 2,500		2,500 - LESS THAN 5,000			
	TOTAL	RATE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	78,396	17.3	66,732	11,664	28,601	729	3,921	206
ATTENDED BY M.D.	69,975		58,800	11,175	24,096	531	3,202	180
ATTENDED BY D.O.	8,248		7,845	403	4,452	154	717	21
ATTENDED BY MIDWIFES	97		29	68	23	41		5
OTHERS OR UNSPECIFIED	76		58	18	30	3	2	
TOTAL FETAL DEATHS	1,035	13.2	806	229	337	25	39	3
ATTENDED BY M.D.	925		714	211	284	19	34	3
ATTENDED BY D.O.	99		87	12	50	5	5	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED	11		5	6	3	1		
TOTAL DEATHS	52,314	11.5	46,714	5,600	18,686	476	3,106	149
UNDER ONE YEAR OF AGE	1,670	21.3	1,245	425	499	31	60	7
NEONATAL DEATHS	1,281	16.3	978	303	386	11	46	4
MATERNAL DEATHS	15	1.9	12	3	6	1		
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	124	2.7	93	31	36	4	4	
SYPHILIS AND ITS SEQUELAE (090-097)	12	.2	9	3	3		2	
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	249	5.5	212	37	95	6	15	1
MALIGNANT NEOPLASMS (140-209)	8,501	187.9	7,690	811	2,993	59	485	16
DIGEST. ORGANS (150-159)	2,365	52.2	2,121	244	791	18	146	7
RESPIRATORY SYSTEM (160-163)	1,765	39.0	1,591	174	593	13	82	3
BREAST (174)	685	15.1	635	50	230	4	40	
GENITAL ORGANS (180-187)	1,105	24.4	966	139	408	12	65	3
URINARY ORGANS (188-189)	409	9.0	378	31	138	1	26	1
LEUKEMIA (204-207)	422	9.3	400	22	177		23	
OTHER REMAINDER OF (140-209)	1,750	38.6	1,599	151	656	11	103	2
DIABETES MELLITUS (250)	1,057	23.3	903	154	349	16	59	4
MAJOR CARDIOVASCULAR DISEASE (390-448)	27,740	613.1	25,441	2,299	10,246	210	1,783	75
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	19,577	432.7	18,060	1,517	7,197	139	1,256	50

MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.

LIVE BIRTH AND DEATH RATES ARE PER 1,000 POP.

INFANT DEATHS, NEONATAL DEATHS AND FETAL DEATH RATES ARE PER 1,000 LIVE BIRTHS.

RATES FOR SPECIFIC CAUSES OF DEATH ARE PER 100,000 POPULATION.

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969

	STATE TOTAL		UNDER 2,500		2,500 - LESS THAN 5,000	
	TOTAL	RATE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC						
RHEUMATIC HEART DISEASE (390-398)	369	8.1	345	24	113	2
HYPERTENSIVE HEART (402,404)	513	11.3	456	57	201	7
ISCHEMIC HEART (410-414)	17,537	387.6	16,230	1,307	6,346	117
OTHER HEART DISEASE (420-429)	1,158	25.5	1,029	129	537	13
HYPERTENSION (400,401,403)	254	5.6	199	55	82	5
CEREBROVASCULAR DISEASE (430-438)	6,171	136.4	5,574	597	2,364	60
ARTERIOSCLEROSIS (440)	1,119	24.7	1,035	84	391	4
OTHER CIRCULATORY (441-448)	619	13.6	573	46	212	2
INFLUENZA/PNEUMONIA (470-474,480-486)	1,965	43.4	1,712	253	710	25
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	857	18.9	791	66	336	3
PEPTIC ULCER (531-533)	227	5.0	205	22	84	1
CIRRHOSIS OF LIVER (571)	531	11.7	436	95	114	4
NEPHRITIS AND NEPHROSIS (580-584)	260	5.7	213	47	90	6
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)	15	.3	12	3	6	1
CONGENITAL ANOMALIES (740-759)	406	8.9	337	69	140	7
DISEASES OF EARLY INFANCY (760-769,2,769.4-772,774-778)	981	21.6	747	234	277	7
SYMPTOMS & ILL-DEFINED COND. (780-796)	1,874	41.4	1,531	343	508	44
ALL OTHER DISEASES (RESIDUAL)	3,436	75.9	2,982	454	1,166	22
ACCIDENTAL DEATHS						
(E800-E807,E810-E823,E825-E949)	2,967	65.5	2,673	294	1,285	40
MOTOR VEHICLE (E810-E823)	1,527	33.7	1,417	110	712	16
OTHER TRANS. (E800-E807,E825-E845)	87	1.9	85	2	42	1
POISONING (E850-E877)	61	1.3	49	12	25	1
FALLS (E880-E887)	476	10.5	440	36	170	2
FIRES (E890-E899)	216	4.7	170	46	69	5
DROWNING & SUBMERSIONS (E910)	139	3.0	110	29	56	7
FIREARM MISSILES (E922)	76	1.6	63	13	37	3
INDUS. TYPE (E916-E921,E923-E928)	185	4.0	170	15	104	3
OTHER ACCIDENTS (E900-E949)	200	4.4	169	31	70	5
SUICIDE (E950-E959)	446	9.8	427	19	171	2
HOMICIDE (E960-E978)	474	10.4	177	297	46	14
ALL OTHER EXTERNAL CAUSES (E980-E999)	192	4.2	123	69	31	5

MATERNAL DEATH RATES ARE PER 10,000 LIVE BIRTHS.

LIVE BIRTH AND DEATH RATES ARE PER 1,000 POP.

INFANT DEATHS, NEONATAL DEATHS AND FETAL DEATH RATES ARE PER 1,000 LIVE BIRTHS.

RATES FOR SPECIFIC CAUSES OF DEATH ARE PER 100,000 POPULATION.

TABLE 16 CONT

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969

	5,000 - LESS THAN 10,000		10,000 - LESS THAN 15,000		15,000 - LESS THAN 25,000		25,000 - LESS THAN 50,000	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	5,550	555	2,593	124	4,207	228	3,780	218
ATTENDED BY M.D.	5,031	503	2,116	93	3,938	217	3,496	204
ATTENDED BY D.O.	510	50	472	9	265	10	283	13
ATTENDED BY MIDWIFES	2	1	2	19	2	1		
OTHERS OR UNSPECIFIED	7	1	3	3	2		1	1
TOTAL FETAL DEATHS	66	13	26	2	51	6	41	8
ATTENDED BY M.D.	61	11	23	2	50	5	40	7
ATTENDED BY D.O.	5	2	3		1	1	1	1
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	3,787	249	1,651	84	2,716	110	1,919	129
UNDER ONE YEAR OF AGE	131	12	50	4	82	2	72	8
NEONATAL DEATHS	103	7	42	3	67	2	60	6
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	4	2	1		2	2	5	1
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	22	3	4		9		6	2
MALIGNANT NEOPLASMS (140-209)	622	39	280	17	465	21	343	26
DIGEST. ORGANS (150-159)	199	15	92	2	101	6	91	9
RESPIRATORY SYSTEM (160-163)	129	6	58	1	100	3	78	4
BREAST (174)	34	2	22	2	44		24	4
GENITAL ORGANS (180-187)	80	8	28	4	62	5	37	4
URINARY ORGANS (188-189)	26	4	15		27	2	18	
LEUKEMIA (204-207)	41	1	22	1	27	2	13	1
OTHER REMAINDER OF (140-209)	113	3	43	7	104	3	82	4
DIABETES MELLITUS (250)	67	8	33	1	51	5	28	5
MAJOR CARDIOVASCULAR DISEASE (390-448)	2,067	109	902	34	1,501	54	996	57
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	1,396	77	662	27	1,068	31	699	38

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969

	5,000 - LESS THAN 10,000 NON- WHITE		10,000 - LESS THAN 15,000 NON- WHITE		15,000 - LESS THAN 25,000 NON- WHITE		25,000 - LESS THAN 50,000 NON- WHITE	
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	33		11	1	21		17	1
HYPERTENSIVE HEART (402,404)	51	4	24	2	12		15	2
ISCHEMIC HEART (410-414)	1,235	66	592	20	996	31	639	34
OTHER HEART DISEASE (420-429)	77	7	35	4	39		28	1
HYPERTENSION (400,401,403)	23	1	4		14	2	7	1
CEREBROVASCULAR DISEASE (430-438)	505	27	190	6	312	17	224	13
ARTERIOSCLEROSIS (440)	86	2	27		66	1	37	2
OTHER CIRCULATORY (441-448)	57	2	19	1	41	3	29	3
INFLUENZA/PNEUMONIA (470-474,480-486)	138	14	66	5	98	6	73	4
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	54		23	2	43		33	1
PEPTIC ULCER (531-533)	22	1	3	1	8		9	
CIRRHOSIS OF LIVER (571)	40		16		25	2	18	5
NEPHRITIS AND NEPHROSIS (580-584)	15	2	7		9	1	8	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	33		9	1	22		23	1
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	85	5	33	2	48	2	46	4
SYMPTOMS & ILL-DEFINED COND. (780-796)	102	21	54	9	75	4	60	3
ALL OTHER DISEASES (RESIDUAL)	245	19	88	6	169	8	146	11
ACCIDENTAL DEATHS								
(E800-E807,E810-E823,E825-E949)	200	15	101	1	137	3	91	5
MOTOR VEHICLE (E810-E823)	122	2	50		77	1	51	3
OTHER TRANS. (E800-E807,E825-E845)	6		5		5		2	
POISONING (E850-E877)	3	3	4		2		2	
FALLS (E880-E887)	22		19	1	22		15	1
FIRES (E890-E899)	11	5	7		8		5	
DROWNING & SUBMERSIONS (E910)	10	1	4		4		4	1
FIREARM MISSILES (E922)	3	2	1		2		4	
INDUSTRIAL (E916-E921,E923-E928)	11	1	5		10		2	
OTHER ACCIDENTS (E900-E949)	12	1	6		7	2	6	
SUICIDE (E950-E959)	47	1	18		29		20	1
HOMICIDE (E960-E978)	14	7	8	4	14	1	6	3
ALL OTHER EXTERNAL CAUSES (E980-E999)	10	3	5	1	11	1	8	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969

	50,000 - LESS THAN 75,000		75,000 - LESS THAN 100,000		100,000 - LESS THAN 500,000		500,000 AND OVER	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	2,376	180	3,231	118	6,593	2,940	5,880	6,366
ATTENDED BY M.O.	2,262	180	3,153	116	5,743	2,791	5,763	6,360
ATTENDED BY D.O.	114		74	2	844	138	114	6
ATTENDED BY MIDWIFES						1		
OTHERS OR UNSPECIFIED			4		6	10	3	
TOTAL FETAL DEATHS	28	1	39	1	93	50	86	120
ATTENDED BY M.O.	25	1	37	1	80	46	80	116
ATTENDED BY D.O.	3		2		13	3	4	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED						1	2	4
TOTAL DEATHS	1,285	36	2,232	82	4,819	1,200	6,513	3,085
UNDER ONE YEAR OF AGE	38	2	52	8	133	103	128	248
NEONATAL DEATHS	27	2	38	7	105	73	104	188
MATERNAL DEATHS			1		4		1	2
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	2		2		16	4	21	18
SYPHILIS AND ITS SEQUELAE (090-097)			1		1	1	2	2
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1	1	8	1	32	8	20	15
MALIGNANT NEOPLASMS (140-209)	255	9	355	4	795	155	1,097	465
DIGEST. ORGANS (150-159)	72	2	88	2	204	37	337	146
RESPIRATORY SYSTEM (160-163)	44	1	75	1	185	36	247	106
BREAST (174)	27	1	40	1	79	12	95	24
GENITAL ORGANS (180-187)	22		41		100	27	123	76
URINARY ORGANS (188-189)	13		14		46	10	55	13
LEUKEMIA (204-207)	12		16		31	3	38	14
OTHER REMAINDER OF (140-209)	65	5	81		150	30	202	86
DIABETES MELLITUS (250)	35	2	37	2	92	20	152	91
MAJOR CARDIOVASCULAR DISEASE (390-448)	651	14	1,238	41	2,296	388	3,761	1,317
DISEASES OF HEART								
(390-398,402,404,410-429)	487	11	845	26	1,585	248	2,865	870

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969

	50,000 - LESS THAN 75,000		75,000 - LESS THAN 100,000		100,000 - LESS THAN 500,000		500,000 AND OVER	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	13		16		45	4	55	15
HYPERTENSIVE HEART (402,404)	7		30	1	30	7	44	28
ISCHEMIC HEART (410-414)	445	9	773	23	1,430	214	2,681	760
OTHER HEART DISEASE (420-429)	22	2	26	2	80	23	85	67
HYPERTENSION (400,401,403)	4		11	2	10	6	32	36
CEREBROVASCULAR DISEASE (430-438)	123	3	287	7	524	114	635	331
ARTERIOSCLEROSIS (440)	15		66	6	122	9	151	57
OTHER CIRCULATORY (441-448)	22		29		55	11	78	23
INFLUENZA/PNEUMONIA (470-474,480-486)	52	1	68	1	158	45	243	145
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	25	1	35	1	85	15	109	42
PEPTIC ULCER (531-533)	3		10		20	3	34	16
CIRRHOSIS OF LIVER (571)	15		18		51	17	116	67
NEPHRITIS AND NEPHROSIS (580-584)	5	2	4		25	9	23	27
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)			1		4		1	2
CONGENITAL ANOMALIES (740-759)	12		16	1	38	13	30	44
DISEASES OF EARLY INFANCY (760-769,2,769.4-772,774-778)	22	1	30	7	82	55	86	149
SYMPTOMS & ILL-DEFINED COND. (780-796)	55		126	8	429	223	34	18
ALL OTHER DISEASES (RESIDUAL)	68	3	149	8	344	84	425	283
ACCIDENTAL DEATHS								
(E800-E807,E810-E823,E825-E949)	61		103	5	265	75	250	136
MOTOR VEHICLE (E810-E823)	29		58	2	117	33	101	50
OTHER TRANS. (E800-E807,E825-E845)	3		4		9		6	1
POISONING (E850-E877)	3		1		4	2	1	5
FALLS (E880-E887)	8		10	2	56	5	87	24
FIRES (E890-E899)	2		8	1	27	13	18	21
DROWNING & SUBMERSIONS (E910)	1		4		11	9	10	7
FIREARM MISSILES (E922)	3				7	6	3	4
INDUSTRIAL (E916-E921,E923-E928)	2		6		10	2	9	9
OTHER ACCIDENTS (E900-E949)	10		12		24	5	15	15
SUICIDE (E950-E959)	11		20	1	39	5	47	9
HOMICIDE (E960-E978)	5	1	5	1	31	71	43	192
ALL OTHER EXTERNAL CAUSES (E980-E999)	7	1	6	1	16	9	19	47

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

**RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969**

	ADAIR		ANDREW		ATCHISON		AUDRAIN	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	420	4	151		128		342	27
ATTENDED BY M.D.	54	1	140		128		236	18
ATTENDED BY D.O.	366	3	11				101	9
ATTENDED BY MIDWIFES							4	
OTHERS OR UNSPECIFIED							1	
TOTAL FETAL DEATHS	1		3				1	
ATTENDED BY M.D.			2				1	
ATTENDED BY D.O.	1		1					
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	258		135		95		287	23
UNDER ONE YEAR OF AGE	12		2		1		3	
NEONATAL DEATHS	11		2				1	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)							2	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			1		2			
MALIGNANT NEOPLASMS (140-209)	46		21		16		47	6
DIGEST. ORGANS (150-159)	18		7		5		14	1
RESPIRATORY SYSTEM (160-163)	9		2		1		8	2
BREAST (174)	6		1		1		1	1
GENITAL ORGANS (180-187)	5		2		1		9	
URINARY ORGANS (188-189)			3		3		1	
LEUKEMIA (204-207)	3		1		1		4	
OTHER REMAINDER OF (140-209)	5		5		4		10	2
DIABETES MELLITUS (250)	6		2				6	
MAJOR CARDIOVASCULAR DISEASE (390-448)	142		84		57		168	9
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	104		64		43		109	8

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969

	ADAIR		ANDREW		ATCHISON		AUDRAIN	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1						2	1
HYPERTENSIVE HEART (402,404)	1		1				7	
ISCHEMIC HEART (410-414)	93		60		41		93	6
OTHER HEART DISEASE (420-429)	9		3		2		7	1
HYPERTENSION (400,401,403)	2		1		1		3	
CEREBROVASCULAR DISEASE (430-438)	27		18		11		45	
ARTERIOSCLEROSIS (440)	3				2		8	
OTHER CIRCULATORY (441-448)	6		1				3	1
INFLUENZA/PNEUMONIA (470-474,480-486)	8		7		4		7	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		1		1		5	2
PEPTIC ULCER (531-533)								1
CIRRHOSIS OF LIVER (571)	3						6	
NEPHRITIS AND NEPHROSIS (580-584)	1		1				4	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)					1		2	
DISEASES OF EARLY INFANCY (760-769,2,769.4-772,774-778)	10		2				1	
SYMPTOMS & ILL-DEFINED COND. (780-796)							7	3
ALL OTHER DISEASES (RESIDUAL)	19		2		4		14	1
ACCIDENTAL DEATHS								
(E800-E807,E810-E823,E825-E949)	15		13		9		16	
MOTOR VEHICLE (E810-E823)	8		9		5		11	
OTHER TRANS. (E800-E807,E825-E845)	1				1		2	
POISONING (E850-E877)								
FALLS (E880-E887)			1		2		1	
FIRES (E890-E899)	1							
DROWNING & SUBMERSIONS (E910)	1		1				1	
FIREARM MISSILES (E922)					1			
INDUSTRIAL (E916-E921,E923-E928)	2		2					
OTHER ACCIDENTS (E900-E949)	2						1	
SUICIDE (E950-E959)	5		1		1		2	
HOMICIDE (E960-E978)								1
ALL OTHER EXTERNAL CAUSES (E980-E999)								

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969

	BARRY		BARTON		BATES		BENTON	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	271		124		177	2	113	1
ATTENDED BY M.D.	223		120		165	2	63	1
ATTENDED BY D.O.	48		3		11		50	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED			1		1			
TOTAL FETAL DEATHS	3				1		2	
ATTENDED BY M.D.	3				1		1	
ATTENDED BY D.O.							1	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	279		169		274	4	166	1
UNDER ONE YEAR OF AGE	7		2		2		2	
NEONATAL DEATHS	6		2		2		2	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)					1			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			1		2		1	
MALIGNANT NEOPLASMS (140-209)	55		23		50	1	16	1
DIGEST. ORGANS (150-159)	11		10		11			1
RESPIRATORY SYSTEM (160-163)	15		3		10		4	
BREAST (174)	3		1		9			
GENITAL ORGANS (180-187)	8		5		6		3	
URINARY ORGANS (188-189)			2		1		1	
LEUKEMIA (204-207)	4		1		1		1	
OTHER REMAINDER OF (140-209)	14		1		12	1	7	
DIABETES MELLITUS (250)	3		4		7	1	2	
MAJOR CARDIOVASCULAR DISEASE (390-448)	154		103		143	1	115	
DISEASES OF HEART (390-398, 402, 404, 410-429)	111		73		99		74	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969

	BARRY		BARTON		BATES		BENTON	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2		1		3			
HYPERTENSIVE HEART (402,404)			3		6		1	
ISCHEMIC HEART (410-414)	98		61		86		62	
OTHER HEART DISEASE (420-429)	11		8		4		11	
HYPERTENSION (400,401,403)	1							
CEREBROVASCULAR DISEASE (430-438)	34		25		35	1	36	
ARTERIOSCLEROSIS (440)	2		2		7		1	
OTHER CIRCULATORY (441-448)	6		3		2		4	
INFLUENZA/PNEUMONIA (470-474,480-486)	6		9		16		3	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	6		5		6		6	
PEPTIC ULCER (531-533)	1		2					
CIRRHOSIS OF LIVER (571)	1							
NEPHRITIS AND NEPHROSIS (580-584)			2		8			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	4		1					
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	3		1		2		2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	11		2		11		1	
ALL OTHER DISEASES (RESIDUAL)	17		8		12	1	11	
ACCIDENTAL DEATHS								
(E800-E807,E810-E823,E825-E949)	16		7		15		6	
MOTOR VEHICLE (E810-E823)	9		5		11		4	
OTHER TRANS. (E800-E807,E825-E845)					1		1	
POISONING (E850-E877)	1							
FALLS (E880-E887)	1		1		2			
FIRES (E890-E899)								
DROWNING & SUBMERSIONS (E910)								
FIREARM MISSILES (E922)	3							
INDUSTRIAL (E916-E921,E923-E928)	1		1					
OTHER ACCIDENTS (E900-E949)	1				1		1	
SUICIDE (E950-E959)	2		1		1		3	
HOMICIDE (E960-E978)								
ALL OTHER EXTERNAL CAUSES (E980-E999)								

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969

	BOLLINGER		BOONE		BUCHANAN		BUTLER	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	108		1,435	99	1,403	58	481	43
ATTENDED BY M.D.	68		1,413	98	1,379	58	422	31
ATTENDED BY D.O.	40		21	1	23		57	8
ATTENDED BY MIDWIFES							1	4
OTHERS OR UNSPECIFIED			1		1		1	
TOTAL FETAL DEATHS	2		10	2	18	1	2	1
ATTENDED BY M.D.			10	2	17	1	2	1
ATTENDED BY D.O.	2				1			
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	121		493	58	1,172	46	439	31
UNDER ONE YEAR OF AGE	2		27	6	30	3	8	1
NEONATAL DEATHS	2		23	5	21	3	6	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)				1	1			
SYPHILIS AND ITS SEQUELAE (090-097)					1			
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		1	1	6		5	
MALIGNANT NEOPLASMS (140-209)	20		81	11	183	1	69	6
DIGEST. ORGANS (150-159)	5		27	2	42	1	11	1
RESPIRATORY SYSTEM (160-163)	3		12	3	43		17	1
BREAST (174)			8	2	20		2	
GENITAL ORGANS (180-187)	5		9	2	22		7	1
URINARY ORGANS (188-189)	2		8		8		4	1
LEUKEMIA (204-207)	2		3	1	8		4	
OTHER REMAINDER OF (140-209)	3		14	1	40		24	2
DIABETES MELLITUS (250)	2		11	1	24	1	10	
MAJOR CARDIOVASCULAR DISEASE (390-448)	71		265	25	645	22	253	18
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	48		177	15	448	14	172	11

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969

	BOLLINGER		BOONE		BUCHANAN		BUTLER	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			5		7		5	
HYPERTENSIVE HEART (402,404)	1				25	1	2	
ISCHEMIC HEART (410-414)	42		162	15	399	12	157	11
OTHER HEART DISEASE (420-429)	5		10		17	1	8	
HYPERTENSION (400,401,403)	2		2	1	8	1	1	
CEREBROVASCULAR DISEASE (430-438)	20		72	8	142	3	70	6
ARTERIOSCLEROSIS (440)	1		7		35	4	4	
OTHER CIRCULATORY (441-448)			7	1	12		6	1
INFLUENZA/PNEUMONIA (470-474,480-486)	4		28	1	41		6	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	4		8		17	1	9	
PEPTIC ULCER (531-533)					6		1	
CIRRHOSIS OF LIVER (571)	1		7	4	10		4	
NEPHRITIS AND NEPHROSIS (580-584)	1				3		4	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1		7	1	6		2	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			17	3	18	3	5	
SYMPTOMS & ILL-DEFINED COND. (780-796)	1		4		73	5	17	4
ALL OTHER DISEASES (RESIDUAL)	6		30	5	82	7	20	1
ACCIDENTAL DEATHS								
(E800-E807,E810-E823,E825-E949)	8		23	3	39	3	27	2
MOTOR VEHICLE (E810-E823)	7		13	2	19	2	16	
OTHER TRANS. (E800-E807,E825-E845)							2	
POISONING (E850-E877)			1				2	1
FALLS (E880-E887)			4		1		1	
FIRES (E890-E899)					4	1	1	
DROWNING & SUBMERSIONS (E910)			1	1	1		1	
FIREARM MISSILES (E922)					1			
INDUSTRIAL (E916-E921,E923-E928)	1				5		3	
OTHER ACCIDENTS (E900-E949)			4		8		1	1
SUICIDE (E950-E959)	1		6	1	10	1	3	
HOMICIDE (E960-E978)			4	1	5	1	2	
ALL OTHER EXTERNAL CAUSES (E980-E999)			1		2	1	2	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

**RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969**

	CALDWELL		CALLAWAY		CAMDEN		CAPE GIRARDEAU	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	99		354	21	156		677	50
ATTENDED BY M.D.	63		281	20	113		647	48
ATTENDED BY D.O.	36		73	1	43		30	2
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL FETAL DEATHS	2		4		2		15	3
ATTENDED BY M.D.			2		1		13	2
ATTENDED BY D.O.	2		2		1		2	1
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	131		242	23	169		440	18
UNDER ONE YEAR OF AGE	3		10	1	2		12	1
NEONATAL DEATHS	2		9	1	2		9	1
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)							1	1
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)							1	
MALIGNANT NEOPLASMS (140-209)	23		50	6	35		73	3
DIGEST. ORGANS (150-159)	11		15	1	12		18	
RESPIRATORY SYSTEM (160-163)	2		11		9		13	
BREAST (174)			4		1		7	
GENITAL ORGANS (180-187)	5		8	3	5		8	2
URINARY ORGANS (188-189)	1		4				2	
LEUKEMIA (204-207)			3		2		9	
OTHER REMAINDER OF (140-209)	4		5	2	6		16	1
DIABETES MELLITUS (250)	4		3	1	3		7	
MAJOR CARDIOVASCULAR DISEASE (390-448)	78		129	7	90		250	9
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	54		84	5	64		188	4

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969

	CALDWELL		CALLAWAY		CANDEN		CAPE GIRARDEAU	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		4		1		5	
HYPERTENSIVE HEART (402,404)			1	1	1			
ISCHEMIC HEART (410-414)	48		73	4	60		173	4
OTHER HEART DISEASE (420-429)	5		6		2		10	
HYPERTENSION (400,401,403)	1				1		2	1
CEREBROVASCULAR DISEASE (430-438)	20		42	2	20		51	3
ARTERIOSCLEROSIS (440)	2		3		2		5	
OTHER CIRCULATORY (441-448)	1				3		4	1
INFLUENZA/PNEUMONIA (470-474,480-486)	7		8	1	4		10	1
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		2		4		9	
PEPTIC ULCER (531-533)								
CIRRHOSIS OF LIVER (571)	1						4	
NEPHRITIS AND NEPHROSIS (580-584)	1			1			1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	2						3	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			7		2		7	1
SYMPTOMS & ILL-DEFINED COND. (780-796)	3		13	1	3		7	
ALL OTHER DISEASES (RESIDUAL)	3		15	3	10		38	1
ACCIDENTAL DEATHS								
(E800-E807,E810-E823,E825-E949)	6		12	1	14		23	1
MOTOR VEHICLE (E810-E823)	3		4		9		10	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)								
FALLS (E880-E887)	2		2	1	3		4	
FIRES (E890-E899)			1		1		2	
DROWNING & SUBMERSIONS (E910)			2				1	
FIREARM MISSILES (E922)	1						1	
INDUSTRIAL (E916-E921,E923-E928)			1				4	
OTHER ACCIDENTS (E900-E949)			2		1		1	1
SUICIDE (E950-E959)			2		4		3	
HOMICIDE (E960-E978)			1	2			1	1
ALL OTHER EXTERNAL CAUSES (E980-E999)	1						2	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

**RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969**

	CARROLL		CARTER		CASS		CEDAR	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	161	6	55		789	3	118	
ATTENDED BY M.D.	121	3	52		604	3	66	
ATTENDED BY D.O.	40	3	3		184		52	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED					1			
TOTAL FETAL DEATHS	2				5	1	3	
ATTENDED BY M.D.	2				3	1	1	
ATTENDED BY D.O.					2		2	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	195	9	62		320	4	156	
UNDER ONE YEAR OF AGE	2		1		9	1	3	
NEONATAL DEATHS	2		1		8	1	2	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)								1
MALIGNANT NEOPLASMS (140-209)	26		6		55		23	
DIGEST. ORGANS (150-159)	9		1		17		4	
RESPIRATORY SYSTEM (160-163)	2		3		8		4	
BREAST (174)	1				4			
GENITAL ORGANS (180-187)	6				7		5	
URINARY ORGANS (188-189)	1				3			
LEUKEMIA (204-207)	2				6		1	
OTHER REMAINDER OF (140-209)	5		2		10		9	
DIABETES MELLITUS (250)	4	1			3			
MAJOR CARDIOVASCULAR DISEASE (390-448)	118	4	41		179	2	105	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	87	4	27		120	1	61	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969

	CARROLL		CARTER		CASS		CEDAR	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)		1			4		3	
HYPERTENSIVE HEART (402,404)	3				1		2	
ISCHEMIC HEART (410-414)	76	3	26		106	1	51	
OTHER HEART DISEASE (420-429)	8		1		9		5	
HYPERTENSION (400,401,403)			1		4		1	
CEREBROVASCULAR DISEASE (430-438)	23		9		47	1	39	
ARTERIOSCLEROSIS (440)	4		3		5		3	
OTHER CIRCULATORY (441-448)	4		1		3		1	
INFLUENZA/PNEUMONIA (470-474,480-486)	9		1		8		8	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		2		4		1	
PEPTIC ULCER (531-533)	3				2			
CIRRHOSIS OF LIVER (571)	1				6		1	
NEPHRITIS AND NEPHROSIS (580-584)	2				3			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1				2		1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			1		6	1	1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	2		2		8	1		
ALL OTHER DISEASES (RESIDUAL)	12		3		16		8	
ACCIDENTAL DEATHS								
(E800-E807,E810-E823,E825-E849)	14	4	4		22		6	
MOTOR VEHICLE (E810-E823)	10	3	3		17		2	
OTHER TRANS. (E800-E807,E825-E845)	1							
POISONING (E850-E877)					1		1	
FALLS (E880-E887)	1	1					1	
FIRES (E890-E899)					1		1	
DROWNING & SUBMERSIONS (E910)	1				1			
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)					1		1	
OTHER ACCIDENTS (E900-E949)	1		1		1			
SUICIDE (E950-E959)	1				3		1	
HOMICIDE (E960-E978)			1					
ALL OTHER EXTERNAL CAUSES (E980-E999)			1		3			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

**RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969**

	CHARITON		CHRISTIAN		CLARK		CLAY	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	121	11	245		131		2,182	8
ATTENDED BY M.D.	93	9	238		112		1,988	4
ATTENDED BY D.O.	28	1	7		19		193	4
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED		1					1	
TOTAL FETAL DEATHS			2		1		24	
ATTENDED BY M.D.			2				21	
ATTENDED BY D.O.					1		3	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	165	19	162		119		752	11
UNDER ONE YEAR OF AGE	2	1	4		2		42	1
NEONATAL DEATHS	1		1		1		30	1
MATERNAL DEATHS			1					
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			1				1	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)							3	
MALIGNANT NEOPLASMS (140-209)	19	2	24		22		144	2
DIGEST. ORGANS (150-159)	3		3		11		43	1
RESPIRATORY SYSTEM (160-163)	3	1	6		5		33	
BREAST (174)	2						10	
GENITAL ORGANS (180-187)	2		2		3		22	
URINARY ORGANS (188-189)	3		4				3	1
LEUKEMIA (204-207)	3				2		3	
OTHER REMAINDER OF (140-209)	3	1	9		1		30	
DIABETES MELLITUS (250)	1	2	3		4		7	1
MAJOR CARDIOVASCULAR DISEASE (390-448)	108	10	92		69		387	5
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	75	8	57		54		254	4

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

**RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969**

	CHARITON		CHRISTIAN		CLARK		CLAY	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)		1			1		5	
HYPERTENSIVE HEART (402,404)	3		1				2	1
ISCHEMIC HEART (410-414)	66	4	52		48		234	3
OTHER HEART DISEASE (420-429)	6	3	4		5		13	
HYPERTENSION (400,401,403)	3		1				4	
CEREBROVASCULAR DISEASE (430-438)	26	2	29		15		96	
ARTERIOSCLEROSIS (440)	3		4				21	
OTHER CIRCULATORY (441-448)	1		1				12	1
INFLUENZA/PNEUMONIA (470-474,480-486)	3		4		5		28	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	4		2		3		12	
PEPTIC ULCER (531-533)	1				1		2	
CIRRHOSIS OF LIVER (571)	1		2				10	
NEPHRITIS AND NEPHROSIS (580-584)	1		2				1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)			1					
CONGENITAL ANOMALIES (740-759)		1	2				11	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	1				1		24	1
SYMPTOMS & ILL-DEFINED COND. (780-796)	4	1	4				10	
ALL OTHER DISEASES (RESIDUAL)	15	3	10		4		48	2
ACCIDENTAL DEATHS								
(E800-E807,E810-E823,E825-E949)	6		14		8		50	
MOTOR VEHICLE (E810-E823)	4		9		4		28	
OTHER TRANS. (E800-E807,E825-E845)			1					
POISONING (E850-E877)							4	
FALLS (E880-E887)			3		1		4	
FIRES (E890-E899)					2		1	
DROWNING & SUBMERSIONS (E910)							1	
FIREARM MISSILES (E922)							2	
INDUSTRIAL (E916-E921,E923-E928)	2		1				4	
OTHER ACCIDENTS (E900-E949)					1		6	
SUICIDE (E950-E959)			1		1		8	
HOMICIDE (E960-E978)	1				1		3	
ALL OTHER EXTERNAL CAUSES (E980-E999)							3	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

**RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969**

	CLINTON		COLE		COOPER		CRAWFORD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	156	5	709	24	194	8	255	
ATTENDED BY M.D.	112	5	567	18	185	8	218	
ATTENDED BY D.O.	44		142	6	9		37	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL FETAL DEATHS	1	1	7	2	2		7	
ATTENDED BY M.D.	1	1	6	1	2		7	
ATTENDED BY D.O.			1	1				
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	158	2	380	20	192	13	205	
UNDER ONE YEAR OF AGE	3		12		6		5	
NEONATAL DEATHS	2		9		4		5	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			1					
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1							
MALIGNANT NEOPLASMS (140-209)	24		64	4	32	2	28	
DIGEST. ORGANS (150-159)	9		16	2	8	1	7	
RESPIRATORY SYSTEM (160-163)	1		19		6	1	11	
BREAST (174)	3		6	1	3		3	
GENITAL ORGANS (180-187)	4		5	1	3		3	
URINARY ORGANS (188-189)	1		4		1			
LEUKEMIA (204-207)			2		4			
OTHER REMAINDER OF (140-209)	6		12		7		4	
DIABETES MELLITUS (250)	3	1	8	1	3		1	
MAJOR CARDIOVASCULAR DISEASE (390-448)	80	1	222	11	115	10	118	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	55	1	166	6	80	7	95	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

**RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969**

	CLINTON		COLE		COOPER		CRAWFORD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		6		3			
HYPERTENSIVE HEART (402,404)	1							
ISCHEMIC HEART (410-414)	42	1	154	6	70	6	78	
OTHER HEART DISEASE (420-429)	11		6		7	1	17	
HYPERTENSION (400,401,403)			2					
CEREBROVASCULAR DISEASE (430-438)	22		42	3	27	3	17	
ARTERIOSCLEROSIS (440)	2		8	1	7		5	
OTHER CIRCULATORY (441-448)	1		4	1	1		1	
INFLUENZA/PNEUMONIA (470-474,480-486)	4		7		9		7	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		5		5		3	
PEPTIC ULCER (531-533)	2				2			
CIRRHOSIS OF LIVER (571)	2		3	1				
NEPHRITIS AND NEPHROSIS (580-584)			2		2		2	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)			4		2		1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	2		10		3		3	
SYMPTOMS & ILL-DEFINED COND. (780-796)	8		1		1			
ALL OTHER DISEASES (RESIDUAL)	10		29	1	8	1	15	
ACCIDENTAL DEATHS								
(E800-E807,E810-E823,E825-E949)	18		21	2	7		26	
MOTOR VEHICLE (E810-E823)	14		9	1	1		15	
OTHER TRANS. (E800-E807,E825-E845)			1		1		2	
POISONING (E850-E877)			1		1			
FALLS (E880-E887)	2		3	1			2	
FIRES (E890-E899)	1		2				2	
DROWNING & SUBMERSIONS (E910)	1		1					
FIREARM MISSILES (E922)			4		1		2	
INDUSTRIAL (E916-E921,E923-E928)					2		1	
OTHER ACCIDENTS (E900-E949)					1		2	
SUICIDE (E950-E959)	1		2				1	
HOMICIDE (E960-E978)			1		1			
ALL OTHER EXTERNAL CAUSES (E980-E999)					2			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

**RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969**

	DADE		DALLAS		DAVISS		DEKALB	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	65		105		122		81	
ATTENDED BY M.D.	60		82		85		55	
ATTENDED BY D.O.	5		22		37		26	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED			1					
TOTAL FETAL DEATHS							2	
ATTENDED BY M.D.							2	
ATTENDED BY D.O.								
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	118	1	164		136	1	96	
UNDER ONE YEAR OF AGE	1		3		1		2	
NEONATAL DEATHS	1		2		1		2	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)					2			
SYPHILIS AND ITS SEQUELAE (090-097)			1					
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			1		3			
MALIGNANT NEOPLASMS (140-209)	16		27		28	1	13	
DIGEST. ORGANS (150-159)	4		5		7		6	
RESPIRATORY SYSTEM (160-163)	5		4		7		2	
BREAST (174)								
GENITAL ORGANS (180-187)	4		3		5	1	4	
URINARY ORGANS (188-189)					2			
LEUKEMIA (204-207)			3		1			
OTHER REMAINDER OF (140-209)	3		12		6		1	
DIABETES MELLITUS (250)	5		3				1	
MAJOR CARDIOVASCULAR DISEASE (390-448)	66	1	92		72		58	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	52		62		47		47	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969

	DADE		DALLAS		DAVIESS		DEKALB	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		1				1	
HYPERTENSIVE HEART (402,404)			2		2			
ISCHEMIC HEART (410-414)	45		48		38		39	
OTHER HEART DISEASE (420-429)	6		11		7		7	
HYPERTENSION (400,401,403)	1		3					
CEREBROVASCULAR DISEASE (430-438)	10	1	21		24		7	
ARTERIOSCLEROSIS (440)	1		3		1		4	
OTHER CIRCULATORY (441-448)	2		3					
INFLUENZA/PNEUMONIA (470-474,480-486)	5		1		6		2	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1		5		3		1	
PEPTIC ULCER (531-533)			2					
CIRRHOSIS OF LIVER (571)	1		2					
NEPHRITIS AND NEPHROSIS (580-584)	2		1				1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)			1		1			
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	1		1		1		1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	6		5		2		1	
ALL OTHER DISEASES (RESIDUAL)	4		10		14		9	
ACCIDENTAL DEATHS								
(E800-E807,E810-E823,E825-E949)	8		11		4		7	
MOTOR VEHICLE (E810-E823)	6		6		3		3	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)			1				1	
FALLS (E880-E887)	1		1		1		1	
FIRES (E890-E899)	1		1					
DROWNING & SUBMERSIONS (E910)								
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)							2	
OTHER ACCIDENTS (E900-E949)			2					
SUICIDE (E950-E959)	3		1				1	
HOMICIDE (E960-E978)								
ALL OTHER EXTERNAL CAUSES (E980-E999)							1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969

	DENT		DOUGLAS		DUNKLIN		FRANKLIN	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	155		109		527	33	968	7
ATTENDED BY M.D.	106		79		485	23	820	6
ATTENDED BY D.O.	47		28		36	9	148	1
ATTENDED BY MIDWIFES					1	1		
OTHERS OR UNSPECIFIED	2		2		5			
TOTAL FETAL DEATHS	2		2		6	2	21	
ATTENDED BY M.D.	1		1		6	2	20	
ATTENDED BY D.O.	1		1				1	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	156		98	1	492	15	531	13
UNDER ONE YEAR OF AGE	2		2	1	10		30	
NEONATAL DEATHS	1		1		8		27	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)					1	1		
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)					4		4	
MALIGNANT NEOPLASMS (140-209)	21		18		77	2	81	1
DIGEST. ORGANS (150-159)	3		3		18		23	
RESPIRATORY SYSTEM (160-163)	4		6		16		11	1
BREAST (174)	3		2		5		8	
GENITAL ORGANS (180-187)	3		2		9	1	15	
URINARY ORGANS (188-189)	2		1		5	1	8	
LEUKEMIA (204-207)	1		2		6		2	
OTHER REMAINDER OF (140-209)	5		2		18		14	
DIABETES MELLITUS (250)	1		3		11		7	
MAJOR CARDIOVASCULAR DISEASE (390-448)	98		52		243	7	269	5
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	67		31		183	5	218	1

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

**RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969**

	DENT		DOUGLAS		DUNKLIN		FRANKLIN	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)					4		4	
HYPERTENSIVE HEART (402,404)	1		1		7		6	
ISCHEMIC HEART (410-414)	61		25		138	4	204	1
OTHER HEART DISEASE (420-429)	5		5		34	1	4	
HYPERTENSION (400,401,403)					1		1	
CEREBROVASCULAR DISEASE (430-438)	24		18		46	2	39	3
ARTERIOSCLEROSIS (440)	6		3		8		6	1
OTHER CIRCULATORY (441-448)	1				5		5	
INFLUENZA/PNEUMONIA (470-474,480-486)	4		3		22	1	14	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	5				17		8	
PEPTIC ULCER (531-533)					2		2	
CIRRHOSIS OF LIVER (571)	2		1		5		3	1
NEPHRITIS AND NEPHROSIS (580-584)			1		4		2	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)			1		1		8	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	1		1		8		21	
SYMPTOMS & ILL-DEFINED COND. (780-796)	11		1	1	32	1	14	5
ALL OTHER DISEASES (RESIDUAL)	8		7		34	1	46	
ACCIDENTAL DEATHS								
(E800-E807,E810-E823,E825-E949)	4		8		25	2	45	1
MOTOR VEHICLE (E810-E823)	2		6		10		32	1
OTHER TRANS. (E800-E807,E825-E845)					4		1	
POISONING (E850-E877)						1		
FALLS (E880-E887)	1		1				3	
FIRES (E890-E899)					5		3	
DROWNING & SUBMERSIONS (E910)	1				5		1	
FIREARM MISSILES (E922)						1		
INDUSTRIAL (E916-E921,E923-E928)			1				2	
OTHER ACCIDENTS (E900-E949)					1		3	
SUICIDE (E950-E959)	1		1		3		6	
HOMICIDE (E960-E978)			1		2			
ALL OTHER EXTERNAL CAUSES (E980-E999)					1		1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

**RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969**

	GASCONADE		GENTRY		GREENE		GRUNDY	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	143		108		2,574	63	168	
ATTENDED BY M.D.	84		92		2,497	61	149	
ATTENDED BY D.O.	59		16		74	2	19	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED					3			
TOTAL FETAL DEATHS					33		3	1
ATTENDED BY M.D.					32		3	1
ATTENDED BY D.O.					1			
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	202		137		1,516	39	210	
UNDER ONE YEAR OF AGE	2				37	6	7	
NEONATAL DEATHS	2				29	5	7	
MATERNAL DEATHS					1			
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	1				2			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1				7	1	2	
MALIGNANT NEOPLASMS (140-209)	32		21		245	3	17	
DIGEST. ORGANS (150-159)	12		6		59	1	6	
RESPIRATORY SYSTEM (160-163)	3		4		44	1	3	
BREAST (174)	4		2		23	1	1	
GENITAL ORGANS (180-187)	3		1		27		1	
URINARY ORGANS (188-189)	1		1		10		1	
LEUKEMIA (204-207)	2		1		14		2	
OTHER REMAINDER OF (140-209)	7		6		68		3	
DIABETES MELLITUS (250)	1				20	1	5	
MAJOR CARDIOVASCULAR DISEASE (390-448)	123		90		835	20	110	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	89		57		570	12	83	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969

	GASCONADE		GENTRY		GREENE		GRUNDY	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1				12			
HYPERTENSIVE HEART (402,404)	1		1		12		24	
ISCHEMIC HEART (410-414)	85		51		531	11	57	
OTHER HEART DISEASE (420-429)	2		5		15	1	2	
HYPERTENSION (400,401,403)	1		1		3	1		
CEREBROVASCULAR DISEASE (430-438)	24		28		197	5	21	
ARTERIOSCLEROSIS (440)	4		3		44	2	5	
OTHER CIRCULATORY (441-448)	5		1		21		1	
INFLUENZA/PNEUMONIA (470-474,480-486)	6		5		41	2	12	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	5		3		24		6	
PEPTIC ULCER (531-533)	1				7			
CIRRHOSIS OF LIVER (571)	1		1		12		1	
NEPHRITIS AND NEPHROSIS (580-584)	1				5		2	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)					1			
CONGENITAL ANOMALIES (740-759)					15	1		
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	2				21	5	5	
SYMPTOMS & ILL-DEFINED COND. (780-796)	4		2		70	3	8	
ALL OTHER DISEASES (RESIDUAL)	12		12		90	1	19	
ACCIDENTAL DEATHS								
(E800-E807,E810-E823,E825-E949)	10		2		99	2	17	
MOTOR VEHICLE (E810-E823)	5		1		57		11	
OTHER TRANS. (E800-E807,E825-E845)					5			
POISONING (E850-E877)					3			
FALLS (E880-E887)	3				14	2	1	
FIRES (E890-E899)	1				6		1	
DROWNING & SUBMERSIONS (E910)					3		1	
FIREARM MISSILES (E922)					1		1	
INDUSTRIAL (E916-E921,E923-E928)	1				4		2	
OTHER ACCIDENTS (E900-E949)			1		6			
SUICIDE (E950-E959)	2		1		14		5	
HOMICIDE (E960-E978)					2		1	
ALL OTHER EXTERNAL CAUSES (E980-E999)					6			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969

	HARRISON		HENRY		HICKORY		HOLT	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	102		267	4	41		73	
ATTENDED BY M.D.	79		117	2	23		72	
ATTENDED BY D.O.	23		150	2	18		1	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL FETAL DEATHS	2		1				1	
ATTENDED BY M.D.	2						1	
ATTENDED BY D.O.			1					
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	186		328	4	63		119	
UNDER ONE YEAR OF AGE	4		7		1		1	
NEONATAL DEATHS	4		4		1		1	
MATERNAL DEATHS			1					
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			1					
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		2		2			
MALIGNANT NEOPLASMS (140-209)	32		52	1	11		16	
DIGEST. ORGANS (150-159)	11		13				6	
RESPIRATORY SYSTEM (160-163)	6		11		1		2	
BREAST (174)	2		6		1			
GENITAL ORGANS (180-187)	4		6	1	1		4	
URINARY ORGANS (188-189)	2		1		1		1	
LEUKEMIA (204-207)	1		7		1			
OTHER REMAINDER OF (140-209)	6		8		6		3	
DIABETES MELLITUS (250)	1		10		1			
MAJOR CARDIOVASCULAR DISEASE (390-448)	101		187	3	32		75	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	69		116	3	24		48	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969

	HARRISON		HENRY		HICKORY		HOLT	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			1					
HYPERTENSIVE HEART (402,404)	6		1		1			
ISCHEMIC HEART (410-414)	58		100	1	18		45	
OTHER HEART DISEASE (420-429)	5		14	2	5		3	
HYPERTENSION (400,401,403)	1							
CEREBROVASCULAR DISEASE (430-438)	23		62		7		22	
ARTERIOSCLEROSIS (440)	5		7				2	
OTHER CIRCULATORY (441-448)	3		2		1		3	
INFLUENZA/PNEUMONIA (470-474,480-486)	8		16		1		8	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		6		2		1	
PEPTIC ULCER (531-533)	1		3					
CIRRHOSIS OF LIVER (571)	1		1		1		1	
NEPHRITIS AND NEPHROSIS (580-584)	8		3					
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)			1					
CONGENITAL ANOMALIES (740-759)			1					
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	4		4		1		1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	6		5		1			
ALL OTHER DISEASES (RESIDUAL)	8		20		6		11	
ACCIDENTAL DEATHS								
(E800-E807,E810-E823,E825-E949)	9		12		4		6	
MOTOR VEHICLE (E810-E823)	3		6		2		1	
OTHER TRANS. (E800-E807,E825-E845)	1						1	
POISONING (E850-E877)								
FALLS (E880-E887)	3		2				2	
FIRES (E890-E899)	1		2		1			
DROWNING & SUBMERSIONS (E910)	1		1					
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)							2	
OTHER ACCIDENTS (E900-E949)			1		1			
SUICIDE (E950-E959)	3		4					
HOMICIDE (E960-E978)					1			
ALL OTHER EXTERNAL CAUSES (E980-E999)								

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969

	HOWARD		HOWELL		IRON		JACKSON	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	126	19	352	1	162		9,248	2,958
ATTENDED BY M.D.	123	19	321	1	137		7,995	2,809
ATTENDED BY D.O.	3		30		25		1,248	138
ATTENDED BY MIDWIFES								1
OTHERS OR UNSPECIFIED			1				5	10
TOTAL FETAL DEATHS	2	2	7		3		114	50
ATTENDED BY M.D.	2	1	6		3		98	46
ATTENDED BY D.O.		1	1				16	3
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								1
TOTAL DEATHS	169	18	335	1	134	1	5,889	1,213
UNDER ONE YEAR OF AGE	2	1	6		6		182	103
NEONATAL DEATHS	1	1	4		5		141	73
MATERNAL DEATHS							4	
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)					1		18	4
SYPHILIS AND ITS SEQUELAE (090-097)							1	1
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			3				33	8
MALIGNANT NEOPLASMS (140-209)	19	3	47		18		979	157
DIGEST. ORGANS (150-159)	7		10		2		245	38
RESPIRATORY SYSTEM (160-163)		2	12		6		208	37
BREAST (174)	3		1		4		102	12
GENITAL ORGANS (180-187)	4	1	10		4		122	27
URINARY ORGANS (188-189)			1				59	9
LEUKEMIA (204-207)	1		3		1		41	3
OTHER REMAINDER OF (140-209)	4		10		1		202	31
DIABETES MELLITUS (250)	3	1	2		7		118	21
MAJOR CARDIOVASCULAR DISEASE (390-448)	108	10	194	1	70	1	2,786	394
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	84	8	128		49	1	1,964	252

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969

	HOWARD		HOWELL		IRON		JACKSON	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			3				58	4
HYPERTENSIVE HEART (402,404)			4				33	7
ISCHEMIC HEART (410-414)	74	6	118		44	1	1,775	217
OTHER HEART DISEASE (420-429)	10	2	3		5		98	24
HYPERTENSION (400,401,403)			9				10	6
CEREBROVASCULAR DISEASE (430-438)	18	2	44	1	12		609	116
ARTERIOSCLEROSIS (440)	5		4		8		134	9
OTHER CIRCULATORY (441-448)	1		9		1		69	11
INFLUENZA/PNEUMONIA (470-474,480-486)	3	1	15		9		207	45
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		10		1		106	16
PEPTIC ULCER (531-533)			2				25	3
CIRRHOSIS OF LIVER (571)	1		3		2		62	17
NEPHRITIS AND NEPHROSIS (580-584)			2		1		30	10
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)							4	
CONGENITAL ANOMALIES (740-759)	1		2		1		48	13
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)		1	4		5		111	55
SYMPTOMS & ILL-DEFINED COND. (780-796)		1	1		3		506	223
ALL OTHER DISEASES (RESIDUAL)	12	1	23		9		398	86
ACCIDENTAL DEATHS								
(E800-E807,E810-E823,E825-E949)	16		22		5		345	75
MOTOR VEHICLE (E810-E823)	8		17		2		167	33
OTHER TRANS. (E800-E807,E825-E845)							12	
POISONING (E850-E877)							7	2
FALLS (E880-E887)	4						62	5
FIRES (E890-E899)	1		2		1		31	13
DROWNING & SUBMERSIONS (E910)							12	9
FIREARM MISSILES (E922)			1				11	6
INDUSTRIAL (E916-E921,E923-E928)	3				2		12	2
OTHER ACCIDENTS (E900-E949)			2				31	5
SUICIDE (E950-E959)	2		4		1		52	5
HOMICIDE (E960-E978)			1				37	71
ALL OTHER EXTERNAL CAUSES (E980-E999)	1				1		23	9

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969

	JASPER		JEFFERSON		JOHNSON		KNOX	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	1,305	17	2,072	16	600	33	79	
ATTENDED BY M.D.	1,114	10	1,988	16	555	32	24	
ATTENDED BY D.O.	190	7	82		44	1	55	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED	1		2		1			
TOTAL FETAL DEATHS	14	1	23		10	1	1	
ATTENDED BY M.D.	14	1	23		7	1	1	
ATTENDED BY D.O.					3			
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	1,109	20	703	10	285	8	66	1
UNDER ONE YEAR OF AGE	30	1	42	3	7	1	2	
NEONATAL DEATHS	24	1	32	2	4	1	2	
MATERNAL DEATHS	1							
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	4							
SYPHILIS AND ITS SEQUELAE (090-097)	1							
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	3		2		1			
MALIGNANT NEOPLASMS (140-209)	151	3	117	1	39	1	8	
DIGEST. ORGANS (150-159)	35	1	29	1	15		1	
RESPIRATORY SYSTEM (160-163)	35	1	31		9			
BREAST (174)	6		10		3			
GENITAL ORGANS (180-187)	23	1	12		3		3	
URINARY ORGANS (188-189)	6		5		1	1		
LEUKEMIA (204-207)	5		7		6		1	
OTHER REMAINDER OF (140-209)	41		23		2		3	
DIABETES MELLITUS (250)	12	3	13		3		3	
MAJOR CARDIOVASCULAR DISEASE (390-448)	594	10	352	5	181	4	39	1
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	415	6	240	3	101	4	30	1

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

**RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969**

	JASPER		JEFFERSON		JOHNSON		KNOX	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	5	1	9		3			
HYPERTENSIVE HEART (402,404)	19	2	3		3		3	
ISCHEMIC HEART (410-414)	369	3	219	3	82	3	25	1
OTHER HEART DISEASE (420-429)	22		9		13	1	2	
HYPERTENSION (400,401,403)	4		1					
CEREBROVASCULAR DISEASE (430-438)	122	4	79	2	62		7	
ARTERIOSCLEROSIS (440)	32		17		14		2	
OTHER CIRCULATORY (441-448)	21		15		4			
INFLUENZA/PNEUMONIA (470-474,480-486)	46		46		14		3	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	24	1	9		1		2	
PEPTIC ULCER (531-533)	9		1		3			
CIRRHOSIS OF LIVER (571)	10		4		3		1	
NEPHRITIS AND NEPHROSIS (580-584)	11		1					
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)	1							
CONGENITAL ANOMALIES (740-759)	10		11	1	3			
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	18	1	26	1	2		1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	45		6		1			
ALL OTHER DISEASES (RESIDUAL)	100	2	42	2	17	1	6	
ACCIDENTAL DEATHS								
(E800-E807,E810-E823,E825-E949)	58		61		13	1	1	
MOTOR VEHICLE (E810-E823)	35		38		9	1		
OTHER TRANS. (E800-E807,E825-E845)	1		2					
POISONING (E850-E877)					1			
FALLS (E880-E887)	13		7					
FIRES (E890-E899)	3		3		2			
DROWNING & SUBMERSIONS (E910)			4		1		1	
FIREARM MISSILES (E922)	2		2					
INDUSTRIAL (E916-E921,E923-E928)	4		4					
OTHER ACCIDENTS (E900-E949)			1					
SUICIDE (E950-E959)	9		6		2		1	
HOMICIDE (E960-E978)	1		4		1	1	1	
ALL OTHER EXTERNAL CAUSES (E980-E999)	2		2		1			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

**RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969**

	LACLEDE		LAFAYETTE		LAWRENCE		LEWIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	326	1	381	17	348		137	9
ATTENDED BY M.D.	306	1	299	16	315		115	8
ATTENDED BY D.O.	19		82		33		22	1
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED	1			1				
TOTAL FETAL DEATHS	7		8		6		2	
ATTENDED BY M.D.	7		6		6		2	
ATTENDED BY D.O.			2					
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	213	2	325	18	328		143	8
UNDER ONE YEAR OF AGE	7		1		8		2	
NEONATAL DEATHS	7		1		6			
MATERNAL DEATHS			1					
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)					2			
SYPHILIS AND ITS SEQUELAE (090-097)					2			
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1				3		1	
MALIGNANT NEOPLASMS (140-209)	30		50	2	59		20	1
DIGEST. ORGANS (150-159)	10		11		19		6	
RESPIRATORY SYSTEM (160-163)	5		6	1	13		5	
BREAST (174)	1		4		8		1	
GENITAL ORGANS (180-187)	11		14	1	3		2	1
URINARY ORGANS (188-189)			1		3			
LEUKEMIA (204-207)	1		2		4		1	
OTHER REMAINDER OF (140-209)	2		12		9		5	
DIABETES MELLITUS (250)	4		6		4		2	
MAJOR CARDIOVASCULAR DISEASE (390-448)	107	1	181	11	184		92	4
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	67	1	137	7	125		55	4

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

**RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969**

	LACLEDE		LAFAYETTE		LAWRENCE		LEWIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	5		1		3			
HYPERTENSIVE HEART (402,404)	4		2		3		2	
ISCHEMIC HEART (410-414)	54	1	125	5	112		53	4
OTHER HEART DISEASE (420-429)	4		9	2	7			
HYPERTENSION (400,401,403)	1		1		1		2	
CEREBROVASCULAR DISEASE (430-438)	25		35	3	47		25	
ARTERIOSCLEROSIS (440)	12		3		8		5	
OTHER CIRCULATORY (441-448)	2		5	1	3		5	
INFLUENZA/PNEUMONIA (470-474,480-486)	12		15	2	17		3	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		6		6		2	
PEPTIC ULCER (531-533)	4		1				3	
CIRRHOSIS OF LIVER (571)	3		1		3		1	
NEPHRITIS AND NEPHROSIS (580-584)	2		3		1		3	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)			1					
CONGENITAL ANOMALIES (740-759)	4		1				1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	4				5			
SYMPTOMS & ILL-DEFINED COND. (780-796)	14		2		11		3	
ALL OTHER DISEASES (RESIDUAL)	11		26	1	11		8	1
ACCIDENTAL DEATHS								
(E800-E807,E810-E823,E825-E949)	11	1	25	2	16		4	2
MOTOR VEHICLE (E810-E823)	4		10		6		1	1
OTHER TRANS. (E800-E807,E825-E845)	1						2	
POISONING (E850-E877)					1			
FALLS (E880-E887)	1		4		4			
FIRES (E890-E899)	1		3		1			
DROWNING & SUBMERSIONS (E910)	2		2	1	1		1	
FIREARM MISSILES (E922)		1						
INDUSTRIAL (E916-E921,E923-E928)			5		1			
OTHER ACCIDENTS (E900-E949)	2		1	1	2			1
SUICIDE (E950-E959)	3		6		3			
HOMICIDE (E960-E978)			1		1			
ALL OTHER EXTERNAL CAUSES (E980-E999)								

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

**RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969**

	LINCOLN		LINN		LIVINGSTON		MCDONALD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	277	8	168	4	235	5	160	
ATTENDED BY M.D.	208	5	102	4	161	3	137	
ATTENDED BY D.O.	69	3	66		74	2	22	
ATTENDED BY MIDWIFES							1	
OTHERS OR UNSPECIFIED								
TOTAL FETAL DEATHS	4		4		3		3	
ATTENDED BY M.D.	3		3		2		1	
ATTENDED BY D.O.	1		1		1		2	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	226	6	293	5	202	8	161	
UNDER ONE YEAR OF AGE	3		2		7		5	
NEONATAL DEATHS	2				7		2	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	1				1			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		3		4		1	
MALIGNANT NEOPLASMS (140-209)	34		56	1	27	2	13	
DIGEST. ORGANS (150-159)	8		20	1	5	1	3	
RESPIRATORY SYSTEM (160-163)	12		11		7		3	
BREAST (174)	3		1		2		1	
GENITAL ORGANS (180-187)	3		7		8		3	
URINARY ORGANS (188-189)	3		4		1		1	
LEUKEMIA (204-207)	1		3		1		1	
OTHER REMAINDER OF (140-209)	4		10		3	1	1	
DIABETES MELLITUS (250)	3		4		6	2	1	
MAJOR CARDIOVASCULAR DISEASE (390-448)	126	5	163	3	115	4	90	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	82	2	106	2	66	2	67	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969

	LINCOLN		LINN		LIVINGSTON		MCDONALD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2		1		2		1	
HYPERTENSIVE HEART (402,404)	1		4		1	1		
ISCHEMIC HEART (410-414)	73	2	90	2	57	1	53	
OTHER HEART DISEASE (420-429)	6		11		6		13	
HYPERTENSION (400,401,403)	2	1	2			1	1	
CEREBROVASCULAR DISEASE (430-438)	34	2	51	1	37		20	
ARTERIOSCLEROSIS (440)	5		1		4	1	2	
OTHER CIRCULATORY (441-448)	3		3		8			
INFLUENZA/PNEUMONIA (470-474,480-486)	7	1	10		6		4	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		7		7		2	
PEPTIC ULCER (531-533)	3		3		2			
CIRRHOSIS OF LIVER (571)	4		2		3			
NEPHRITIS AND NEPHROSIS (580-584)	1				3		1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)			1				1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	2				7		2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	6		1	1			12	
ALL OTHER DISEASES (RESIDUAL)	16		27		8		19	
ACCIDENTAL DEATHS								
(E800-E807,E810-E823,E825-E949)	14		11		11		10	
MOTOR VEHICLE (E810-E823)	9		4		6		5	
OTHER TRANS. (E800-E807,E825-E845)							1	
POISONING (E850-E877)								
FALLS (E880-E887)	1		4		2		2	
FIRES (E890-E899)							1	
DROWNING & SUBMERSIONS (E910)	2		1		1			
FIREARM MISSILES (E922)			1				1	
INDUSTRIAL (E916-E921,E923-E928)	1		1		1			
OTHER ACCIDENTS (E900-E949)	1				1			
SUICIDE (E950-E959)	4		4		1		4	
HOMICIDE (E960-E978)								
ALL OTHER EXTERNAL CAUSES (E980-E999)	1		1		1		1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

**RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969**

	MACON		MADISON		MARIES		MARION	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	242	6	117		79		458	22
ATTENDED BY M.D.	88	1	101		33		452	21
ATTENDED BY D.O.	153	5	16		46		6	1
ATTENDED BY MIDWIFES	1							
OTHERS OR UNSPECIFIED								
TOTAL FETAL DEATHS	1		1				5	
ATTENDED BY M.D.			1				5	
ATTENDED BY D.O.	1							
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	254	6	148	2	94		423	22
UNDER ONE YEAR OF AGE	6		1		4		10	
NEONATAL DEATHS	5		1		4		7	
MATERNAL DEATHS	1							
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)		1	2		1		1	
MALIGNANT NEOPLASMS (140-209)	29	2	15		13		77	6
DIGEST. ORGANS (150-159)	10		5		4		26	3
RESPIRATORY SYSTEM (160-163)	4		4		1		9	1
BREAST (174)	2						15	
GENITAL ORGANS (180-187)	5				4		10	
URINARY ORGANS (188-189)		1	1				5	1
LEUKEMIA (204-207)	1		1		1		3	1
OTHER REMAINDER OF (140-209)	7	1	4		3		9	
DIABETES MELLITUS (250)	4		3		2		9	2
MAJOR CARDIOVASCULAR DISEASE (390-448)	148	2	99		46		217	10
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	104	1	70		32		144	5

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

**RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969**

	MACON		MADISON		MARIES		MARION	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2		1					
HYPERTENSIVE HEART (402,404)	11	1			4		2	
ISCHEMIC HEART (410-414)	84		68		26		130	5
OTHER HEART DISEASE (420-429)	7		1		2		12	
HYPERTENSION (400,401,403)	1						2	1
CEREBROVASCULAR DISEASE (430-438)	32	1	17		14		54	4
ARTERIOSCLEROSIS (440)	4		12				13	
OTHER CIRCULATORY (441-448)	7						4	
INFLUENZA/PNEUMONIA (470-474,480-486)	9		8		2		25	2
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	7		1		1		5	
PEPTIC ULCER (531-533)							3	
CIRRHOSIS OF LIVER (571)							5	
NEPHRITIS AND NEPHROSIS (580-584)	1				2			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)	1							
CONGENITAL ANOMALIES (740-759)	1				1		5	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	5		1		3		2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	5		6	1	6		12	
ALL OTHER DISEASES (RESIDUAL)	27		8	1	5		26	2
ACCIDENTAL DEATHS								
(E800-E807,E810-E823,E825-E949)	16	1	5		11		29	
MOTOR VEHICLE (E810-E823)	5		3		7		17	
OTHER TRANS. (E800-E807,E825-E845)	1							
POISONING (E850-E877)								
FALLS (E880-E887)	2						4	
FIRES (E890-E899)	3				1		3	
DROWNING & SUBMERSIONS (E910)	1		1					
FIREARM MISSILES (E922)							2	
INDUSTRIAL (E916-E921,E923-E928)	3		1		3			
OTHER ACCIDENTS (E900-E949)	1	1					3	
SUICIDE (E950-E959)	1				1		5	
HOMICIDE (E960-E978)							1	
ALL OTHER EXTERNAL CAUSES (E980-E999)							1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969

	MERCER		MILLER		MISSISSIPPI		MONITEAU	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	58		223		233	89	135	1
ATTENDED BY M.D.	27		73		117	7	109	1
ATTENDED BY D.O.	31		150		115	78	26	
ATTENDED BY MIDWIFES						3		
OTHERS OR UNSPECIFIED					1	1		
TOTAL FETAL DEATHS			4		2	6	1	
ATTENDED BY M.D.					1		1	
ATTENDED BY D.O.			4		1	5		
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED						1		
TOTAL DEATHS	81		170		178	42	157	5
UNDER ONE YEAR OF AGE	2		5		9	3	2	
NEONATAL DEATHS	2		5		8	1	1	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)							3	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)					1		2	
MALIGNANT NEOPLASMS (140-209)	10		28		21	3	24	2
DIGEST. ORGANS (150-159)	1		8		6	2	5	
RESPIRATORY SYSTEM (160-163)	2		3		5		4	1
BREAST (174)	2		4		1	1		
GENITAL ORGANS (180-187)	2		1		4		5	1
URINARY ORGANS (188-189)			1				1	
LEUKEMIA (204-207)			2		1		1	
OTHER REMAINDER OF (140-209)	3		9		4		8	
DIABETES MELLITUS (250)	1		1		1	1	4	
MAJOR CARDIOVASCULAR DISEASE (390-448)	47		89		91	21	96	1
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	32		64		70	13	74	1

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969

	MERCER		MILLER		MISSISSIPPI		MONITEAU	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1						1	
HYPERTENSIVE HEART (402,404)	1		1		3		2	
ISCHEMIC HEART (410-414)	30		57		57	13	65	1
OTHER HEART DISEASE (420-429)			6		10		6	
HYPERTENSION (400,401,403)			1					
CEREBROVASCULAR DISEASE (430-438)	11		19		18	8	18	
ARTERIOSCLEROSIS (440)	4		5		1		2	
OTHER CIRCULATORY (441-448)					2		2	
INFLUENZA/PNEUMONIA (470-474,480-486)	6		9		6	3	5	1
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		1		2		1	1
PEPTIC ULCER (531-533)	1		1		3			
CIRRHOSIS OF LIVER (571)			3				1	
NEPHRITIS AND NEPHROSIS (580-584)	1				1	1		
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)					2			
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	2		4		7	1	2	
SYMPTOMS & ILL-DEFINED COND. (780-796)					15	7		
ALL OTHER DISEASES (RESIDUAL)	5		13		13	1	9	
ACCIDENTAL DEATHS								
(E800-E807,E810-E823,E825-E949)	6		17		12	3	9	
MOTOR VEHICLE (E810-E823)	4		10		9	2	6	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)								
FALLS (E880-E887)	2		3		1		2	
FIRES (E890-E899)			1			1		
DROWNING & SUBMERSIONS (E910)			2					
FIREARM MISSILES (E922)					2			
INDUSTRIAL (E916-E921,E923-E928)			1				1	
OTHER ACCIDENTS (E900-E949)								
SUICIDE (E950-E959)			3		2		1	
HOMICIDE (E960-E978)						1		
ALL OTHER EXTERNAL CAUSES (E980-E999)			1		1			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969

	MONROE		MONTGOMERY		MORGAN		NEW MADRID	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	112	10	159	11	132	3	289	125
ATTENDED BY M.D.	90	9	86	9	113	3	240	67
ATTENDED BY D.O.	20	1	73	2	19		49	37
ATTENDED BY MIDWIFES	1							21
OTHERS OR UNSPECIFIED	1							
TOTAL FETAL DEATHS			1	1	2		2	5
ATTENDED BY M.D.			1	1	1		2	5
ATTENDED BY D.O.					1			
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	155	10	184	11	161	6	237	56
UNDER ONE YEAR OF AGE	1	1	3	2	1	1	5	6
NEONATAL DEATHS	1	1	2	1			2	2
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			3				1	3
MALIGNANT NEOPLASMS (140-209)	22	1	27		28		30	5
DIGEST. ORGANS (150-159)	6	1	13		10		12	4
RESPIRATORY SYSTEM (160-163)	1		5		5		4	
BREAST (174)	3		2		2			
GENITAL ORGANS (180-187)	4		2		1		5	
URINARY ORGANS (188-189)	1				5		4	
LEUKEMIA (204-207)	1		2		2		1	
OTHER REMAINDER OF (140-209)	6		3		3		4	1
DIABETES MELLITUS (250)	5	1	3	1	3		2	1
MAJOR CARDIOVASCULAR DISEASE (390-448)	91	5	109	6	93	4	119	16
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	65	3	75	3	64	1	75	10

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969

	MONROE		MONTGOMERY		MORGAN		NEW MADRID	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)					1			
HYPERTENSIVE HEART (402,404)	4		1		2		3	1
ISCHEMIC HEART (410-414)	51	3	71	3	58	1	68	7
OTHER HEART DISEASE (420-429)	10		3		3		4	2
HYPERTENSION (400,401,403)	1		1				1	
CEREBROVASCULAR DISEASE (430-438)	19	2	27	3	24	2	36	6
ARTERIOSCLEROSIS (440)	5		4		3	1	4	
OTHER CIRCULATORY (441-448)	1		2		2		3	
INFLUENZA/PNEUMONIA (470-474,480-486)	10		7		6	1	8	4
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		8				5	
PEPTIC ULCER (531-533)					1			
CIRRHOSIS OF LIVER (571)	1	1					2	
NEPHRITIS AND NEPHROSIS (580-584)					1		1	4
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)		1	1		2		2	1
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			1	1				1
SYMPTOMS & ILL-DEFINED COND. (780-796)	2		1				23	13
ALL OTHER DISEASES (RESIDUAL)	9	1	15	1	13		18	1
ACCIDENTAL DEATHS								
(E800-E807,E810-E823,E825-E949)	9		6	2	13	1	23	4
MOTOR VEHICLE (E810-E823)	6		3		8		10	2
OTHER TRANS. (E800-E807,E825-E845)						1		
POISONING (E850-E877)								
FALLS (E880-E887)	3		1	1	2		1	
FIRES (E890-E899)			1		1		6	1
DROWNING & SUBMERSIONS (E910)							2	
FIREARM MISSILES (E922)					1		1	
INDUSTRIAL (E916-E921,E923-E928)			1				1	
OTHER ACCIDENTS (E900-E949)				1	1		2	1
SUICIDE (E950-E959)	4		2		1		1	1
HOMICIDE (E960-E978)			1				1	2
ALL OTHER EXTERNAL CAUSES (E980-E999)							1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969

	NEWTON		NODAWAY		OREGON		OSAGE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	476	1	314	2	114		179	
ATTENDED BY M.D.	384		312	2	61		136	
ATTENDED BY D.O.	89	1	2		53		43	
ATTENDED BY MIDWIFES	2							
OTHERS OR UNSPECIFIED	1							
TOTAL FETAL DEATHS	8		4		1			
ATTENDED BY M.D.	7		4		1			
ATTENDED BY D.O.	1							
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	345	1	240		141		125	
UNDER ONE YEAR OF AGE	10		3		6		1	
NEONATAL DEATHS	10		3		4		1	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	1				3			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	2		2		2			
MALIGNANT NEOPLASMS (140-209)	50		38		17		17	
DIGEST. ORGANS (150-159)	15		18		11		4	
RESPIRATORY SYSTEM (160-163)	14		2		4			
BREAST (174)	4		4				3	
GENITAL ORGANS (180-187)	1		7				4	
URINARY ORGANS (188-189)	3		1		1		1	
LEUKEMIA (204-207)	3		1				1	
OTHER REMAINDER OF (140-209)	10		5		1		4	
DIABETES MELLITUS (250)	4	1	5		3		2	
MAJOR CARDIOVASCULAR DISEASE (390-448)	195		144		82		80	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	152		104		63		52	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969

	NEWTON		NODAWAY		OREGON		OSAGE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			1					
HYPERTENSIVE HEART (402,404)	3		6		2			
ISCHEMIC HEART (410-414)	137		89		56		51	
OTHER HEART DISEASE (420-429)	12		8		5		1	
HYPERTENSION (400,401,403)	2		1		1			
CEREBROVASCULAR DISEASE (430-438)	29		35		16		23	
ARTERIOSCLEROSIS (440)	3		1		1		2	
OTHER CIRCULATORY (441-448)	9		3		1		3	
INFLUENZA/PNEUMONIA (470-474,480-486)	14		8		4		3	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	8		3		1		2	
PEPTIC ULCER (531-533)	2				1			
CIRRHOSIS OF LIVER (571)	2		2		1		2	
NEPHRITIS AND NEPHROSIS (580-584)	1							
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	4		1		1		1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	5		1		4		1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	15				1		1	
ALL OTHER DISEASES (RESIDUAL)	17		20		12		7	
ACCIDENTAL DEATHS								
(E800-E807,E810 E823,E825-E949)	15		13		9		7	
MOTOR VEHICLE (E810-E823)	8		7		5		4	
OTHER TRANS. (E800-E807,E825-E845)					1			
POISONING (E850-E877)	2		1					
FALLS (E880-E887)	1				1		2	
FIRES (E890-E899)	1				1		1	
DROWNING & SUBMERSIONS (E910)			2		1			
FIREARM MISSILES (E922)	1							
INDUSTRIAL (E916-E921,E923-E928)			2					
OTHER ACCIDENTS (E900-E949)	2		1					
SUICIDE (E950-E959)	9		3				2	
HOMICIDE (E960-E978)	1							
ALL OTHER EXTERNAL CAUSES (E980-E999)								

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

**RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969**

	OZARK		PEMISCOT		PERRY		PETTIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	51		316	231	209		464	28
ATTENDED BY M.D.	33		315	230	209		408	28
ATTENDED BY D.O.	18			1			56	
ATTENDED BY MIDWIFES OTHERS OR UNSPECIFIED			1					
TOTAL FETAL DEATHS	2		4	3	5		7	2
ATTENDED BY M.D.	2		4	3	5		7	2
ATTENDED BY D.O.								
ATTENDED BY MIDWIFES OTHERS OR UNSPECIFIED								
TOTAL DEATHS	93		257	136	178		468	34
UNDER ONE YEAR OF AGE	2		9	14	5		9	
NEONATAL DEATHS	1		5	4	4		8	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			1	1				1
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES REMAINDER OF (000-136)	1		4	2			2	
MALIGNANT NEOPLASMS (140-209)	14		35	15	36		54	5
DIGEST. ORGANS (150-159)	2		5	7	15		11	1
RESPIRATORY SYSTEM (160-163)	5		12	4	4		9	1
BREAST (174)			1	1	4		5	
GENITAL ORGANS (180-187)			3	1	3		11	3
URINARY ORGANS (188-189)			1				3	
LEUKEMIA (204-207)	3		5	1	3		3	
OTHER REMAINDER OF (140-209)	4		8	1	7		12	
DIABETES MELLITUS (250)	2		3	3	1		12	2
MAJOR CARDIOVASCULAR DISEASE (390-448)	59		137	55	94		299	20
DISEASES OF HEART (390-398, 402, 404, 410-429)	40		94	41	81		198	14

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16. CONT

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969

	OZARK		PEMISCOT		PERRY		PETTIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2				6		2	
HYPERTENSIVE HEART (402,404)	4		6	7	2		3	
ISCHEMIC HEART (410-414)	33		78	30	70		186	14
OTHER HEART DISEASE (420-429)	1		10	4	3		7	
HYPERTENSION (400,401,403)	1		3	2	2		1	
CEREBROVASCULAR DISEASE (430-438)	16		36	12	5		72	4
ARTERIOSCLEROSIS (440)	2		4		4		23	1
OTHER CIRCULATORY (441-448)					2		5	1
INFLUENZA/PNEUMONIA (470-474,480-486)	4		7	8	7		16	1
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1		6				6	
PEPTIC ULCER (531-533)			3		2			
CIRRHOSIS OF LIVER (571)			3		1		1	
NEPHRITIS AND NEPHROSIS (580-584)	1		1	1			5	1
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)				3	1		2	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	1		4	2	3		7	
SYMPTOMS & ILL-DEFINED COND. (780-796)			23	23	1		4	
ALL OTHER DISEASES (RESIDUAL)	1		14	5	15		31	3
ACCIDENTAL DEATHS								
(E800-E807,E810-E823,E825-E949)	9		12	14	17		25	1
MOTOR VEHICLE (E810-E823)	4		5	3	9		10	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)				1				
FALLS (E880-E887)	3		4		3		7	
FIRES (E890-E899)				6				
DROWNING & SUBMERSIONS (E910)	1			2	1			
FIREARM MISSILES (E922)							1	
INDUSTRIAL (E916-E921,E923-E928)	1		2	1	2		4	
OTHER ACCIDENTS (E900-E949)			1	1	2		3	1
SUICIDE (E950-E959)			2				4	
HOMICIDE (E960-E978)			1	4				
ALL OTHER EXTERNAL CAUSES (E980-E999)			1					

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969

	PHELPS		PIKE		PLATTE		POLK	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	501	1	267	14	525	1	217	
ATTENDED BY M.D.	349	1	200	13	476		191	
ATTENDED BY D.O.	151		62	1	49	1	26	
ATTENDED BY MIDWIFES			5					
OTHERS OR UNSPECIFIED	1							
TOTAL FETAL DEATHS	6		2	1	5		2	
ATTENDED BY M.D.	3		2	1	4		1	
ATTENDED BY D.O.	3							
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED					1		1	
TOTAL DEATHS	300		234	29	200	4	233	1
UNDER ONE YEAR OF AGE	6		8	1	6		3	
NEONATAL DEATHS	6		4	1	4		2	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			1		2		2	
SYPHILIS AND ITS SEQUELAE (090-097)			1					
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			2				2	
MALIGNANT NEOPLASMS (140-209)	52		29	4	37	1	39	
DIGEST. ORGANS (150-159)	19		6	3	9		10	
RESPIRATORY SYSTEM (160-163)	7		7		4		4	
BREAST (174)	2		2	1	3		7	
GENITAL ORGANS (180-187)	7		3		5	1	6	
URINARY ORGANS (188-189)	2		3		2		3	
LEUKEMIA (204-207)	4		1		3		1	
OTHER REMAINDER OF (140-209)	11		7		11		8	
DIABETES MELLITUS (250)	5		7		6		7	
MAJOR CARDIOVASCULAR DISEASE (390-448)	174		140	17	85	3	125	1
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	118		92	10	52	2	81	1

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969

	PHELPS		PIKE		PLATTE		POLK	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		1		3		1	
HYPERTENSIVE HEART (402,404)	7		8				3	
ISCHEMIC HEART (410-414)	98		79	10	47	2	52	1
OTHER HEART DISEASE (420-429)	12		4		2		25	
HYPERTENSION (400,401,403)	2						1	
CEREBROVASCULAR DISEASE (430-438)	45		29	3	23	1	31	
ARTERIOSCLEROSIS (440)	6		12	3	9		8	
OTHER CIRCULATORY (441-448)	3		7	1	1		4	
INFLUENZA/PNEUMONIA (470-474,480-486)	16		13	2	5		5	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	4		4		2		4	
PEPTIC ULCER (531-533)	1			1			1	
CIRRHOSIS OF LIVER (571)	4		2				1	
NEPHRITIS AND NEPHROSIS (580-584)	1				2			
COMPLICATIONS OF PREG, CHILD BIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1		3	1	2		1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	5		2		4		1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	9				17		10	
ALL OTHER DISEASES (RESIDUAL)	13		10	1	17		16	
ACCIDENTAL DEATHS								
(E800-E807,E810-E823,E825-E949)	11		15	2	15		15	
MOTOR VEHICLE (E810-E823)	5		9		9		8	
OTHER TRANS. (E800-E807,E825-E845)	1						2	
POISONING (E850-E877)								
FALLS (E880-E887)	2		1		3		1	
FIRES (E890-E899)			1					
DROWNING & SUBMERSIONS (E910)	1		1	2				
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)	2		3		2		3	
OTHER ACCIDENTS (E900-E949)					1		1	
SUICIDE (E950-E959)	3		4		4		3	
HOMICIDE (E960-E978)					1		1	
ALL OTHER EXTERNAL CAUSES (E980-E999)	1		1	1	1			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

**RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969**

	PULASKI		PUTNAM		RALLS		RANDOLPH	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	329	8	91		95	6	326	19
ATTENDED BY M.D.	176	6	8		87	6	215	15
ATTENDED BY D.O.	153	2	83		8		107	3
ATTENDED BY MIDWIFES							3	
OTHERS OR UNSPECIFIED							1	1
TOTAL FETAL DEATHS	6	2	1		1		7	1
ATTENDED BY M.D.	5	2			1		5	1
ATTENDED BY D.O.	1		1				2	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	168	1	117		115	5	344	13
UNDER ONE YEAR OF AGE	12		1		5		5	1
NEONATAL DEATHS	8		1		4		5	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)							1	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			1				1	
MALIGNANT NEOPLASMS (140-209)	35		21		18	1	56	3
DIGEST. ORGANS (150-159)	7		8		3		18	
RESPIRATORY SYSTEM (160-163)	6		6		6	1	8	
BREAST (174)	4						8	
GENITAL ORGANS (180-187)	4		4		5		8	1
URINARY ORGANS (188-189)			1				1	
LEUKEMIA (204-207)	2				3		2	
OTHER REMAINDER OF (140-209)	12		2		1		11	2
DIABETES MELLITUS (250)	2				6		5	1
MAJOR CARDIOVASCULAR DISEASE (390-448)	65		69		57	3	200	8
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	51		49		36	1	154	7

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16. CONT

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969

	PULASKI		PUTNAM		RALLS		RANDOLPH	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1						1	
HYPERTENSIVE HEART (402,404)	3		1				15	
ISCHEMIC HEART (410-414)	44		43		33	1	128	6
OTHER HEART DISEASE (420-429)	3		5		3		10	1
HYPERTENSION (400,401,403)			2		1	1		
CEREBROVASCULAR DISEASE (430-438)	14		16		16		35	1
ARTERIOSCLEROSIS (440)			1		4	1	10	
OTHER CIRCULATORY (441-448)			1				1	
INFLUENZA/PNEUMONIA (470-474,480-486)	6		7		7		16	1
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	5		3		1		7	
PEPTIC ULCER (531-533)	1		2				1	
CIRRHOSIS OF LIVER (571)	2							
NEPHRITIS AND NEPHROSIS (580-584)	1				1			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	4				1		1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	5		1		3		2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	13				5		9	
ALL OTHER DISEASES (RESIDUAL)	11		6		3		25	
ACCIDENTAL DEATHS								
(E800-E807,E810-E823,E825-E949)	18	1	6		12	1	17	
MOTOR VEHICLE (E810-E823)	14		5		8		11	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)	1							
FALLS (E880-E887)	1		1		1		3	
FIRES (E890-E899)	1							
DROWNING & SUBMERSIONS (E910)		1				1	1	
FIREARM MISSILES (E922)							1	
INDUSTRIAL (E916-E921,E923-E928)					2		1	
OTHER ACCIDENTS (E900-E949)	1				1			
SUICIDE (E950-E959)					1		3	
HOMICIDE (E960-E978)			1					
ALL OTHER EXTERNAL CAUSES (E980-E999)								

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

**RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969**

	RAY		REYNOLDS		RIPLEY		ST CHARLES	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	261	11	94	1	109		1,959	20
ATTENDED BY M.D.	237	11	84	1	98		1,819	16
ATTENDED BY D.O.	24		10		10		137	4
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED					1		3	
TOTAL FETAL DEATHS	5		2		5		24	1
ATTENDED BY M.D.	4		2		5		23	
ATTENDED BY D.O.	1						1	1
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	224	10	74		140		517	14
UNDER ONE YEAR OF AGE	4	1	3		8		26	1
NEONATAL DEATHS	4	1	1		6		21	1
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)					1			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			2		3		1	
MALIGNANT NEOPLASMS (140-209)	37	1	9		15		87	1
DIGEST. ORGANS (150-159)	7				4		19	
RESPIRATORY SYSTEM (160-163)	11		1		3		18	
BREAST (174)		1			1		7	
GENITAL ORGANS (180-187)	4		2		2		11	1
URINARY ORGANS (188-189)			1				3	
LEUKEMIA (204-207)	5		2				9	
OTHER REMAINDER OF (140-209)	10		3		5		20	
DIABETES MELLITUS (250)	5		1				6	
MAJOR CARDIOVASCULAR DISEASE (390-448)	132	6	41		73		243	8
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	78	4	30		55		183	7

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969

	RAY		REYNOLDS		RIPLEY		ST CHARLES	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)							4	
HYPERTENSIVE HEART (402,404)	3		1		1			
ISCHEMIC HEART (410-414)	56	2	29		53		174	5
OTHER HEART DISEASE (420-429)	19	2			1		5	2
HYPERTENSION (400,401,403)	1				1		5	
CEREBROVASCULAR DISEASE (430-438)	38	2	11		15		43	1
ARTERIOSCLEROSIS (440)	11				2		6	
OTHER CIRCULATORY (441-448)	4						6	
INFLUENZA/PNEUMONIA (470-474,480-486)	8		2		6		22	1
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	5				7		10	
PEPTIC ULCER (531-533)							4	
CIRRHOSIS OF LIVER (571)	1				1		4	1
NEPHRITIS AND NEPHROSIS (580-584)			1		1			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1		1		1		10	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	2	1	1		5		15	1
SYMPTOMS & ILL-DEFINED COND. (780-796)					4		25	1
ALL OTHER DISEASES (RESIDUAL)	11	1	5		10		29	
ACCIDENTAL DEATHS								
(E800-E807,E810-E823,E825-E949)	20	1	11		11		45	1
MOTOR VEHICLE (E810-E823)	10		8		4		34	1
OTHER TRANS. (E800-E807,E825-E845)	1						1	
POISONING (E850-E877)	2	1						
FALLS (E880-E887)	3				4		4	
FIRES (E890-E899)			1		1		2	
DROWNING & SUBMERSIONS (E910)	1						2	
FIREARM MISSILES (E922)					1		1	
INDUSTRIAL (E916-E921,E923-E928)	2		2		1		1	
OTHER ACCIDENTS (E900-E949)	1							
SUICIDE (E950-E959)	2				1		7	
HOMICIDE (E960-E978)					1		7	
ALL OTHER EXTERNAL CAUSES (E980-E999)							2	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

**RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969**

	ST CLAIR		ST FRANCOIS		STE GENEVIEVE		ST LOUIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	85		568	1	183		14,377	981
ATTENDED BY M.D.	56		424	1	157		13,816	960
ATTENDED BY D.O.	29		144		26		553	19
ATTENDED BY MIDWIFES							2	
OTHERS OR UNSPECIFIED							6	2
TOTAL FETAL DEATHS	1		3		2		158	15
ATTENDED BY M.D.	1		3		2		152	15
ATTENDED BY D.O.							5	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED							1	
TOTAL DEATHS	144	2	484	4	120	4	6,549	322
UNDER ONE YEAR OF AGE			10		3		221	10
NEONATAL DEATHS			4		3		184	6
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	1		1			1	8	3
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	2		2				29	6
MALIGNANT NEOPLASMS (140-209)	19		88		19	1	1,276	59
DIGEST. ORGANS (150-159)	3		31		6		356	20
RESPIRATORY SYSTEM (160-163)	2		19		3		268	8
BREAST (174)			8				109	5
GENITAL ORGANS (180-187)	2		8		4		137	9
URINARY ORGANS (188-189)	1		3				61	2
LEUKEMIA (204-207)	4		2		1		71	1
OTHER REMAINDER OF (140-209)	7		17		5	1	274	14
DIABETES MELLITUS (250)	2	1	10		2		155	8
MAJOR CARDIOVASCULAR DISEASE (390-448)	87	1	267	2	65	2	3,406	116
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	68	1	174	2	48	2	2,498	78

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969

	ST CLAIR		ST FRANCOIS		STE GENEVIEVE		ST LOUIS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			5				62	1
HYPERTENSIVE HEART (402,404)			4		1		30	2
ISCHEMIC HEART (410-414)	63	1	160	2	43	2	2,323	68
OTHER HEART DISEASE (420-429)	5		5		4		83	7
HYPERTENSION (400,401,403)			2				28	1
CEREBROVASCULAR DISEASE (430-438)	15		70		16		657	32
ARTERIOSCLEROSIS (440)	2		16				132	3
OTHER CIRCULATORY (441-448)	2		5		1		91	2
INFLUENZA/PNEUMONIA (470-474,480-486)	5		16		6		180	23
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	4		4		1		94	2
PEPTIC ULCER (531-533)			5				32	1
CIRRHOSIS OF LIVER (571)			5		1		60	3
NEPHRITIS AND NEPHROSIS (580-584)			4		1		17	2
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)			1				75	1
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)			2		3		136	4
SYMPTOMS & ILL-DEFINED COND. (780-796)	3		19	2	3		217	23
ALL OTHER DISEASES (RESIDUAL)	7		30		8		375	24
ACCIDENTAL DEATHS								
(E800-E807,E810-E823,E825-E949)	11		25		11		355	18
MOTOR VEHICLE (E810-E823)	2		10		8		190	7
OTHER TRANS. (E800-E807,E825-E845)	1		1				23	
POISONING (E850-E877)							8	1
FALLS (E880-E887)	5		2		1		61	1
FIRES (E890-E899)			1				19	3
DROWNING & SUBMERSIONS (E910)			3				13	4
FIREARM MISSILES (E922)	1		1				5	1
INDUSTRIAL (E916-E921,E923-E928)			2		2		17	1
OTHER ACCIDENTS (E900-E949)	2		5				19	
SUICIDE (E950-E959)	3		2				69	2
HOMICIDE (E960-E978)			3				32	17
ALL OTHER EXTERNAL CAUSES (E980-E999)							33	10

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969

	ST LOUIS CITY		SALINE		SCHUYLER		SCOTLAND	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	5,880	6,366	303	16	63		74	
ATTENDED BY M.D.	5,763	6,360	292	16	5		33	
ATTENDED BY D.O.	114	6	10		58		41	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED	3		1					
TOTAL FETAL DEATHS	86	120	4				3	
ATTENDED BY M.D.	80	116	4				1	
ATTENDED BY D.O.	4						2	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED	2	4						
TOTAL DEATHS	6,513	3,085	324	33	68		82	
UNDER ONE YEAR OF AGE	128	248	4	1			1	
NEONATAL DEATHS	104	188	3				1	
MATERNAL DEATHS	1	2						
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	21	18						
SYPHILIS AND ITS SEQUELAE (090-097)	2	2						
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	20	15	2					
MALIGNANT NEOPLASMS (140-209)	1,097	465	62	2	8		12	
DIGEST. ORGANS (150-159)	337	146	16	1	3		4	
RESPIRATORY SYSTEM (160-163)	247	106	11		4		1	
BREAST (174)	95	24	4					
GENITAL ORGANS (180-187)	123	76	14	1	1		2	
URINARY ORGANS (188-189)	55	13	3					
LEUKEMIA (204-207)	38	14	3				2	
OTHER REMAINDER OF (140-209)	202	86	11				3	
DIABETES MELLITUS (250)	152	91	2	1				
MAJOR CARDIOVASCULAR DISEASE (390-448)	3,761	1,317	180	26	40		53	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	2,865	870	119	18	29		37	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969

	ST LOUIS CITY		SALINE		SCHUYLER		SCOTLAND	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	55	15			1			
HYPERTENSIVE HEART (402,404)	44	28	8	2	1		1	
ISCHEMIC HEART (410-414)	2,681	760	104	15	24		35	
OTHER HEART DISEASE (420-429)	85	67	7	1	3		1	
HYPERTENSION (400,401,403)	32	36	2	2				
CEREBROVASCULAR DISEASE (430-438)	635	331	52	6	9		14	
ARTERIOSCLEROSIS (440)	151	57	4					
OTHER CIRCULATORY (441-448)	78	23	3		2		2	
INFLUENZA/PNEUMONIA (470-474,480-486)	243	145	13		1		1	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	109	42	6	1	2		4	
PEPTIC ULCER (531-533)	34	16						
CIRRHOSIS OF LIVER (571)	116	67	2		3			
NEPHRITIS AND NEPHROSIS (580-584)	23	27	2					
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)	1	2						
CONGENITAL ANOMALIES (740-759)	30	44	1					
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	86	149	2				1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	34	18	1					
ALL OTHER DISEASES (RESIDUAL)	425	283	19	1	9		5	
ACCIDENTAL DEATHS								
(E800-E807,E810-E823,E825-E949)	250	136	26	2	4		3	
MOTOR VEHICLE (E810-E823)	101	50	9		2		1	
OTHER TRANS. (E800-E807,E825-E845)	6	1					1	
POISONING (E850-E877)	1	5	1					
FALLS (E880-E887)	87	24	8		2			
FIRES (E890-E899)	18	21	2					
DROWNING & SUBMERSIONS (E910)	10	7	2					
FIREARM MISSILES (E922)	3	4						
INDUSTRIAL (E916-E921,E923-E928)	9	9	1				1	
OTHER ACCIDENTS (E900-E949)	15	15	3	2				
SUICIDE (E950-E959)	47	9	4		1		3	
HOMICIDE (E960-E978)	43	192	2					
ALL OTHER EXTERNAL CAUSES (E980-E999)	19	47						

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969

	SCOTT		SHANNON		SHELBY		STODDARD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	511	84	130		105	1	331	31
ATTENDED BY M.D.	421	38	106		78		203	7
ATTENDED BY D.O.	84	9	22		27	1	128	21
ATTENDED BY MIDWIFES	4	35	2					3
OTHERS OR UNSPECIFIED	2	2						
TOTAL FETAL DEATHS	3	4					3	
ATTENDED BY M.D.	2	4					3	
ATTENDED BY D.O.	1							
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	336	43	97		157	3	353	11
UNDER ONE YEAR OF AGE	11	1	5		4		9	2
NEONATAL DEATHS	8	1	4		3		7	1
MATERNAL DEATHS								1
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1				1			
MALIGNANT NEOPLASMS (140-209)	52	7	16		25	1	52	2
DIGEST. ORGANS (150-159)	10	1	3		8		20	1
RESPIRATORY SYSTEM (160-163)	11	1	7		3		8	
BREAST (174)	4				3		4	
GENITAL ORGANS (180-187)	3	2	4		4		3	
URINARY ORGANS (188-189)	5				1	1	2	
LEUKEMIA (204-207)	2	1					5	
OTHER REMAINDER OF (140-209)	17	2	2		6		10	1
DIABETES MELLITUS (250)	5	1	3		2		11	1
MAJOR CARDIOVASCULAR DISEASE (390-448)	192	15	57		91	2	208	3
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	141	14	39		63	1	150	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969

	SCOTT		SHANNON		SHELBY		STODDARD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2		1					
HYPERTENSIVE HEART (402,404)	4	2	1		18	1	4	
ISCHEMIC HEART (410-414)	130	9	36		42		140	
OTHER HEART DISEASE (420-429)	5	3	1		3		6	
HYPERTENSION (400,401,403)			2		7		2	
CEREBROVASCULAR DISEASE (430-438)	40	1	13		16		46	3
ARTERIOSCLEROSIS (440)	5		2		5		9	
OTHER CIRCULATORY (441-448)	6		1			1	1	
INFLUENZA/PNEUMONIA (470-474,480-486)	22	5	6		9		16	1
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	4				4		5	
PEPTIC ULCER (531-533)							1	
CIRRHOSIS OF LIVER (571)	1						2	
NEPHRITIS AND NEPHROSIS (580-584)	2				3		2	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								1
CONGENITAL ANOMALIES (740-759)	2		2		1		3	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	6	1	3		1		4	1
SYMPTOMS & ILL-DEFINED COND. (780-796)	7	4	2		2		7	1
ALL OTHER DISEASES (RESIDUAL)	19	4	2		8		16	1
ACCIDENTAL DEATHS								
(E800-E807,E810-E823,E825-E949)	21	2	5		10		24	
MOTOR VEHICLE (E810-E823)	13	1	4		5		10	
OTHER TRANS. (E800-E807,E825-E845)							1	
POISONING (E850-E877)								
FALLS (E880-E887)	3				3		2	
FIRES (E890-E899)							3	
DROWNING & SUBMERSIONS (E910)	1		1				3	
FIREARM MISSILES (E922)							1	
INDUSTRIAL (E916-E921,E923-E928)	3	1			2		4	
OTHER ACCIDENTS (E900-E949)	1							
SUICIDE (E950-E959)	1		1				1	
HOMICIDE (E960-E978)	1	3					1	
ALL OTHER EXTERNAL CAUSES (E980-E999)		1						

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969

	STONE		SULLIVAN		TANEY		TEXAS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	140		85		137		254	
ATTENDED BY M.D.	136		38		130		194	
ATTENDED BY D.O.	4		47		7		58	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED							2	
TOTAL FETAL DEATHS	3		2				2	
ATTENDED BY M.D.	3		1				1	
ATTENDED BY D.O.			1				1	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	123		161		188		273	
UNDER ONE YEAR OF AGE	1		1		2		4	
NEONATAL DEATHS	1		1		1		3	
MATERNAL DEATHS							1	
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	2		1					
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		1		1			
MALIGNANT NEOPLASMS (140-209)	27		24		37		27	
DIGEST. ORGANS (150-159)	8		4		7		7	
RESPIRATORY SYSTEM (160-163)	6		5		7		10	
BREAST (174)	2		4		4			
GENITAL ORGANS (180-187)	3		4		5		4	
URINARY ORGANS (188-189)	3		1		7			
LEUKEMIA (204-207)			1		3			
OTHER REMAINDER OF (140-209)	5		5		4		6	
DIABETES MELLITUS (250)			5		2		10	
MAJOR CARDIOVASCULAR DISEASE (390-448)	64		88		86		174	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	47		55		58		120	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969

	STONE		SULLIVAN		TANEY		TEXAS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2				3			
HYPERTENSIVE HEART (402,404)			3				10	
ISCHEMIC HEART (410-414)	41		41		47		106	
OTHER HEART DISEASE (420-429)	4		11		8		4	
HYPERTENSION (400,401,403)			1				1	
CEREBROVASCULAR DISEASE (430-438)	14		30		21		47	
ARTERIOSCLEROSIS (440)	1				6		2	
OTHER CIRCULATORY (441-448)	2		2		1		4	
INFLUENZA/PNEUMONIA (470-474,480-486)	3		6		7		11	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		3		4		1	
PEPTIC ULCER (531-533)			3				1	
CIRRHOSIS OF LIVER (571)	1		1		5			
NEPHRITIS AND NEPHROSIS (580-584)	1				2			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)							1	
CONGENITAL ANOMALIES (740-759)								
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	1		1		1		2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	6		1		15		3	
ALL OTHER DISEASES (RESIDUAL)	5		16		10		13	
ACCIDENTAL DEATHS								
(E800-E807,E810-E823,E825-E949)	9		10		17		26	
MOTOR VEHICLE (E810-E823)	6		4		9		10	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)					1		3	
FALLS (E880-E887)			3		3		4	
FIRES (E890-E899)	1				2		4	
DROWNING & SUBMERSIONS (E910)	1		2				1	
FIREARM MISSILES (E922)	1						2	
INDUSTRIAL (E916-E921,E923-E928)			1				1	
OTHER ACCIDENTS (E900-E949)					2		1	
SUICIDE (E950-E959)			1		1		3	
HOMICIDE (E960-E978)							1	
ALL OTHER EXTERNAL CAUSES (E980-E999)	1							

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

**RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969**

	VERNON		WARREN		WASHINGTON		WAYNE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	226		122	7	276	2	112	
ATTENDED BY M.D.	196		98	2	239	1	95	
ATTENDED BY D.O.	30		24	5	35	1	17	
ATTENDED BY MIDWIFES					2			
OTHERS OR UNSPECIFIED								
TOTAL FETAL DEATHS	7		1		6		1	
ATTENDED BY M.D.	7		1		5		1	
ATTENDED BY D.O.					1			
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	277		108	7	176	1	110	1
UNDER ONE YEAR OF AGE	4		1		10			1
NEONATAL DEATHS	3		1		6			
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	1						1	
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)					3			
MALIGNANT NEOPLASMS (140-209)	41		14		19		25	
DIGEST. ORGANS (150-159)	18		3		3		7	
RESPIRATORY SYSTEM (160-163)	5		6		3		5	
BREAST (174)	1							
GENITAL ORGANS (180-187)	3		3		2		3	
URINARY ORGANS (188-189)	3		1		2		2	
LEUKEMIA (204-207)	2				1		1	
OTHER REMAINDER OF (140-209)	9		1		8		7	
DIABETES MELLITUS (250)	2		2		14		3	
MAJOR CARDIOVASCULAR DISEASE (390-448)	166		74	4	78		48	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	102		58	4	56		30	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969

	VERNON		WARREN		WASHINGTON		WAYNE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2				3			
HYPERTENSIVE HEART (402,404)	10		1		1		1	
ISCHEMIC HEART (410-414)	80		52	3	47		28	
OTHER HEART DISEASE (420-429)	10		5	1	5		1	
HYPERTENSION (400,401,403)	2				1		1	
CEREBROVASCULAR DISEASE (430-438)	57		13		19		16	
ARTERIOSCLEROSIS (440)	3		1		2			
OTHER CIRCULATORY (441-448)	2		2				1	
INFLUENZA/PNEUMONIA (470-474,480-486)	11		2		17		2	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	1		2		3		1	
PEPTIC ULCER (531-533)	1		1		2		1	
CIRRHOSIS OF LIVER (571)								
NEPHRITIS AND NEPHROSIS (580-584)	1				1		1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1				2		1	1
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	3		1		3			
SYMPTOMS & ILL-DEFINED COND. (780-796)	13				7		6	
ALL OTHER DISEASES (RESIDUAL)	16		6	1	11	1	8	
ACCIDENTAL DEATHS								
(E800-E807,E810-E823,E825-E949)	13		5	2	15		12	
MOTOR VEHICLE (E810-E823)	6		1		8		6	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)	1						1	
FALLS (E880-E887)	3		1				2	
FIRES (E890-E899)	1						2	
DROWNING & SUBMERSIONS (E910)				1				
FIREARM MISSILES (E922)			1		1			
INDUSTRIAL (E916-E921,E923-E928)	2		1	1	1		1	
OTHER ACCIDENTS (E900-E949)			1		5			
SUICIDE (E950-E959)	4		1		1		1	
HOMICIDE (E960-E978)	3							
ALL OTHER EXTERNAL CAUSES (E980-E999)								

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969

	WEBSTER		WORTH		WRIGHT	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	275		39		183	
ATTENDED BY M.D.	190		28		119	
ATTENDED BY D.O.	84		11		63	
ATTENDED BY MIDWIFES						
OTHERS OR UNSPECIFIED	1				1	
TOTAL FETAL DEATHS	1					
ATTENDED BY M.D.						
ATTENDED BY D.O.	1					
ATTENDED BY MIDWIFES						
OTHERS OR UNSPECIFIED						
TOTAL DEATHS	204		54		189	1
UNDER ONE YEAR OF AGE	6				1	
NEONATAL DEATHS	5				1	
MATERNAL DEATHS						
CAUSE OF DEATH						
TUBERCULOSIS, ALL FORMS (010-019)						
SYPHILIS AND ITS SEQUELAE (090-097)						
OTHER INFECTIVE & PARASITIC DISEASES						
REMAINDER OF (000-136)	2				2	
MALIGNANT NEOPLASMS (140-209)	36		11		34	
DIGEST. ORGANS (150-159)	8		2		4	
RESPIRATORY SYSTEM (160-163)	11		2		14	
BREAST (174)	4		2		2	
GENITAL ORGANS (180-187)	1		2		4	
URINARY ORGANS (188-189)	1				2	
LEUKEMIA (204-207)	3		1		1	
OTHER REMAINDER OF (140-209)	8		2		7	
DIABETES MELLITUS (250)	7		2		1	
MAJOR CARDIOVASCULAR DISEASE (390-448)	110		32		109	1
DISEASES OF HEART						
(390-398, 402, 404, 410-429)	67		18		64	1

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

**RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969**

	WEBSTER		WORTH		WRIGHT	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC						
RHEUMATIC HEART DISEASE (390-398)	2					
HYPERTENSIVE HEART (402,404)	1				2	
ISCHEMIC HEART (410-414)	61		16		52	1
OTHER HEART DISEASE (420-429)	3		2		10	
HYPERTENSION (400,401,403)						
CEREBROVASCULAR DISEASE (430-438)	34		9		34	
ARTERIOSCLEROSIS (440)	7		4		10	
OTHER CIRCULATORY (441-448)	2		1		1	
INFLUENZA/PNEUMONIA (470-474,480-486)	7		2		17	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3				4	
PEPTIC ULCER (531-533)						
CIRRHOSIS OF LIVER (571)					1	
NEPHRITIS AND NEPHROSIS (580-584)			1			
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)						
CONGENITAL ANOMALIES (740-759)	2				1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	3					
SYMPTOMS & ILL-DEFINED COND. (780-796)	1				5	
ALL OTHER DISEASES (RESIDUAL)	18		3		7	
ACCIDENTAL DEATHS						
(E800-E807,E810-E823,E825-E949)	14		2		7	
MOTOR VEHICLE (E810-E823)	7		1		5	
OTHER TRANS. (E800-E807,E825-E845)						
POISONING (E850-E877)	1					
FALLS (E880-E887)	3				1	
FIRES (E890-E899)			1			
DROWNING & SUBMERSIONS (E910)	1					
FIREARM MISSILES (E922)						
INDUSTRIAL (E916-E921,E923-E928)	1					
OTHER ACCIDENTS (E900-E949)	1				1	
SUICIDE (E950-E959)	1		1		1	
HOMICIDE (E960-E978)						
ALL OTHER EXTERNAL CAUSES (E980-E999)						

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

**RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969**

	BELLEFONTAINE NEIGHBORS		BERKELEY		BRENTWOOD		CAPE GIRARDEAU	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	60		247	36	186	10	410	45
ATTENDED BY M.D.	57		211	31	185	10	400	43
ATTENDED BY D.O.	3		36	5	2		10	2
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED					1			
TOTAL FETAL DEATHS			7		1		8	3
ATTENDED BY M.D.			7		1		8	2
ATTENDED BY D.O.								1
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	79		96	2	83	5	261	17
UNDER ONE YEAR OF AGE	1		7		1		10	1
NEONATAL DEATHS	1		6				8	1
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			1					1
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		1		1		1	
MALIGNANT NEOPLASMS (140-209)	17		15	1	12	2	49	3
DIGEST. ORGANS (150-159)	5		2		4		14	
RESPIRATORY SYSTEM (160-163)	6		4		2		9	
BREAST (174)			1			1	4	
GENITAL ORGANS (180-187)	3		2		3		6	2
URINARY ORGANS (188-189)								
LEUKEMIA (204-207)	2			1	2		5	
OTHER REMAINDER OF (140-209)	1		6		1	1	11	1
DIABETES MELLITUS (250)	1		1		4		3	
MAJOR CARDIOVASCULAR DISEASE (390-448)	42		46	1	45	1	143	8
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	32		34		30	1	106	4

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

**RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969**

	BELLEFONTAINE NEIGHBORS		BERKELEY		BRENTWOOD		CAPE GIRARDEAU	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			1		2		2	
HYPERTENSIVE HEART (402,404)			1					
ISCHEMIC HEART (410-414)	32		32		28	1	99	4
OTHER HEART DISEASE (420-429)							5	
HYPERTENSION (400,401,403)	1		1				1	1
CEREBROVASCULAR DISEASE (430-438)	7		4	1	13		31	2
ARTERIOSCLEROSIS (440)	2		4		2		2	
OTHER CIRCULATORY (441-448)			3				3	1
INFLUENZA/PNEUMONIA (470-474,480-486)	3		4		1		7	1
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		1				5	
PEPTIC ULCER (531-533)					1			
CIRRHOSIS OF LIVER (571)			2				2	
NEPHRITIS AND NEPHROSIS (580-584)			2					
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)			1			1	2	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	1		4				6	1
SYMPTOMS & ILL-DEFINED COND. (780-796)	5		2		6	1	2	
ALL OTHER DISEASES (RESIDUAL)	3		7		4		26	1
ACCIDENTAL DEATHS								
(E800-E807,E810-E823,E825-E849)	3		7		8		12	1
MOTOR VEHICLE (E810-E823)	1		4		3		4	
OTHER TRANS. (E800-E807,E825-E849)					1			
POISONING (E850-E877)								
FALLS (E880-E887)	2		1		3		3	
FIRES (E890-E899)			1		1		1	
DROWNING & SUBMERSIONS (E910)							1	
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)			1				2	
OTHER ACCIDENTS (E900-E949)							1	1
SUICIDE (E950-E959)			2		1		2	
HOMICIDE (E960-E978)							1	1
ALL OTHER EXTERNAL CAUSES (E980-E999)								

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16: CONT

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969

	CARTHAGE		CLAYTON		COLUMBIA		CRESTWOOD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	181	4	151	1	865	90	115	4
ATTENDED BY M.D.	180	4	151	1	862	90	115	4
ATTENDED BY D.O.	1				3			
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL FETAL DEATHS	2		5		7	2		
ATTENDED BY M.D.	2		5		7	2		
ATTENDED BY D.O.								
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	181	4	155		266	51	75	
UNDER ONE YEAR OF AGE	6		1		21	6	2	
NEONATAL DEATHS	5				17	5	2	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)						1		
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			1		1	1		
MALIGNANT NEOPLASMS (140-209)	30		38		45	10	18	
DIGEST. ORGANS (150-159)	8		2		18	1	8	
RESPIRATORY SYSTEM (160-163)	7		10		6	3	3	
BREAST (174)	2		4		2	2	1	
GENITAL ORGANS (180-187)	1		10		7	2	2	
URINARY ORGANS (188-189)	1		4		4		2	
LEUKEMIA (204-207)	1		1			1	2	
OTHER REMAINDER OF (140-209)	10		7		8	1		
DIABETES MELLITUS (250)	4		2		5	1	1	
MAJOR CARDIOVASCULAR DISEASE (390-448)	99	3	83		133	21	32	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	69	1	56		89	11	26	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

**RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969**

	CARTHAGE		CLAYTON		COLUMBIA		CRESTWOOD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)		1	3		2			
HYPERTENSIVE HEART (402,404)	2							
ISCHEMIC HEART (410-414)	64		53		82	11	25	
OTHER HEART DISEASE (420-429)	3				5		1	
HYPERTENSION (400,401,403)					2	1		
CEREBROVASCULAR DISEASE (430-438)	21	2	17		35	8	6	
ARTERIOSCLEROSIS (440)	5		4		2			
OTHER CIRCULATORY (441-448)	4		6		5	1		
INFLUENZA/PNEUMONIA (470-474,480-486)	4		3		14	1	1	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3	1	3		7		1	
PEPTIC ULCER (531-533)								
CIRRHOSIS OF LIVER (571)	2		1		4	3		
NEPHRITIS AND NEPHROSIS (580-584)							1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	3		1		4	1		
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	3				15	3	2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	3		6		1		3	
ALL OTHER DISEASES (RESIDUAL)	19		9		20	4	3	
ACCIDENTAL DEATHS								
(E800-E807,E810-E823,E825-E949)	9		4		9	3	10	
MOTOR VEHICLE (E810-E823)	3		2		6	2	8	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)					1			
FALLS (E880-E887)	5		2		1		1	
FIRES (E890-E899)	1							
DROWNING & SUBMERSIONS (E910)						1		
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)							1	
OTHER ACCIDENTS (E900-E949)					1			
SUICIDE (E950-E959)	1		1		5	1		
HOMICIDE (E960-E978)	1				2	1	1	
ALL OTHER EXTERNAL CAUSES (E980-E999)			3		1		2	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969

	FERGUSON		FLORISSANT		FULTON		GLADSTONE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	425	7	1,118	5	113	17	281	
ATTENDED BY M.D.	392	7	1,039	5	99	17	278	
ATTENDED BY D.O.	33		79		14		3	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL FETAL DEATHS	4		16		1		2	
ATTENDED BY M.D.	4		16		1		2	
ATTENDED BY D.O.								
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	173		304	1	111	15	57	
UNDER ONE YEAR OF AGE	11		18		6	1	5	
NEONATAL DEATHS	10		16		5	1	3	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			1					
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	1		1					
MALIGNANT NEOPLASMS (140-209)	34		57		24	4	8	
DIGEST. ORGANS (150-159)	7		19		10	1	1	
RESPIRATORY SYSTEM (160-163)	9		11		4		2	
BREAST (174)	2		2		1		1	
GENITAL ORGANS (180-187)	6		4		3	2	1	
URINARY ORGANS (188-189)	1		4		3			
LEUKEMIA (204-207)	2		3		2			
OTHER REMAINDER OF (140-209)	7		14		1	1	3	
DIABETES MELLITUS (250)	1		6		1			
MAJOR CARDIOVASCULAR DISEASE (390-448)	94		141		63	6	27	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	70		109		38	4	17	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

**RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969**

	FERGUSON		FLORISSANT		FULTON		GLADSTONE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	3		3		3		1	
HYPERTENSIVE HEART (402,404)	1		1		1	1		
ISCHEMIC HEART (410-414)	63		102		30	3	16	
OTHER HEART DISEASE (420-429)	3		3		4			
HYPERTENSION (400,401,403)	2		2					
CEREBROVASCULAR DISEASE (430-438)	13		20		25	2	5	
ARTERIOSCLEROSIS (440)	6		6				2	
OTHER CIRCULATORY (441-448)	3		4				3	
INFLUENZA/PNEUMONIA (470-474,480-486)	4		8		6	1		
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3				1		2	
PEPTIC ULCER (531-533)			1					
CIRRHOSIS OF LIVER (571)	1		2				2	
NEPHRITIS AND NEPHROSIS (580-584)			1					
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	1		8				1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	9		10		4		3	
SYMPTOMS & ILL-DEFINED COND. (780-796)	3		13		6	1	3	
ALL OTHER DISEASES (RESIDUAL)	8		20			1	1	
ACCIDENTAL DEATHS								
(E800-E807,E810-E823,E825-E949)	9		24		5	1	7	
MOTOR VEHICLE (E810-E823)	6		15		1		1	
OTHER TRANS. (E800-E807,E825-E845)								
POISONING (E850-E877)							4	
FALLS (E880-E887)	3		3		1	1		
FIRES (E890-E899)								
DROWNING & SUBMERSIONS (E910)			2		1			
FIREARM MISSILES (E922)			1				1	
INDUSTRIAL (E916-E921,E923-E928)								
OTHER ACCIDENTS (E900-E949)			3		2		1	
SUICIDE (E950-E959)	3		5		1		1	
HOMICIDE (E960-E978)			2	1		1	1	
ALL OTHER EXTERNAL CAUSES (E980-E999)	2		4				1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969

	HANNIBAL		INDEPENDENCE		JEFFERSON CITY		JENNINGS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	309	18	1,976	8	468	24	233	1
ATTENDED BY M.D.	307	18	1,866	8	376	18	215	1
ATTENDED BY D.O.	2		110		92	6	17	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED							1	
TOTAL FETAL DEATHS	3		24		5	2	2	
ATTENDED BY M.D.	3		21		4	1	2	
ATTENDED BY D.O.			3		1	1		
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	327	20	782	14	273	19	232	1
UNDER ONE YEAR OF AGE	8		35		7		3	
NEONATAL DEATHS	5		24		6		2	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			1		1			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			1					
MALIGNANT NEOPLASMS (140-209)	53	6	147	3	51	4	34	
DIGEST. ORGANS (150-159)	16	3	39	1	12	2	7	
RESPIRATORY SYSTEM (160-163)	5	1	20	1	17		7	
BREAST (174)	11		17		6	1	5	
GENITAL ORGANS (180-187)	9		16		5	1	4	
URINARY ORGANS (188-189)	4	1	9		2		3	
LEUKEMIA (204-207)	2	1	6		1		3	
OTHER REMAINDER OF (140-209)	6		40	1	8		5	
DIABETES MELLITUS (250)	9	1	15	1	3	1	6	
MAJOR CARDIOVASCULAR DISEASE (390-448)	174	9	358	6	164	10	149	
DISEASES OF HEART (390-398, 402, 404, 410-429)	117	4	270	4	120	5	119	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969

	HANNIBAL		INDEPENDENCE		JEFFERSON CITY		JENNINGS	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			9		4		1	
HYPERTENSIVE HEART (402,404)	2		3				2	
ISCHEMIC HEART (410-414)	106	4	243	3	112	5	111	
OTHER HEART DISEASE (420-429)	9		15	1	4		5	
HYPERTENSION (400,401,403)	2	1			1		1	
CEREBROVASCULAR DISEASE (430-438)	40	4	72	2	37	3	23	
ARTERIOSCLEROSIS (440)	11		7		4	1	4	
OTHER CIRCULATORY (441-448)	4		9		2	1	2	
INFLUENZA/PNEUMONIA (470-474,480-486)	19	2	45		6		5	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3		13	1	5		4	
PEPTIC ULCER (531-533)	2		2				1	
CIRRHOSIS OF LIVER (571)	5		10		2	1	2	
NEPHRITIS AND NEPHROSIS (580-584)			5	1	1		1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	3		9		2			
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	2		19		6		2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	12		46		1		8	
ALL OTHER DISEASES (RESIDUAL)	22	2	47	2	20	1	11	
ACCIDENTAL DEATHS								
(E800-E807,E810-E823,E825-E949)	16		47		9	2	7	
MOTOR VEHICLE (E810-E823)	9		21		4	1	3	
OTHER TRANS. (E800-E807,E825-E845)			3		1		2	
POISONING (E850-E877)			3					
FALLS (E880-E887)	1		4			1		
FIRES (E890-E899)	3		1		1			
DROWNING & SUBMERSIONS (E910)			1		1			
FIREARM MISSILES (E922)	1		3		2			
INDUSTRIAL (E916-E921,E923-E928)			1				2	
OTHER ACCIDENTS (E900-E949)	2		10					
SUICIDE (E950-E959)	5		8		1			
HOMICIDE (E960-E978)	1		3		1		2	
ALL OTHER EXTERNAL CAUSES (E980-E999)	1		6					

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969

	JOPLIN		KANSAS CITY (TOTAL)		KANSAS CITY (JACKSON CNTY)		KANSAS CITY (CLAY CNTY)	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	666	13	6,593	2,940	5,250	2,940	1,146	
ATTENDED BY M.D.	557	6	5,743	2,791	4,529	2,791	1,031	
ATTENDED BY D.O.	108	7	844	138	716	138	114	
ATTENDED BY MIDWIFES				1		1		
OTHERS OR UNSPECIFIED	1		6	10	5	10	1	
TOTAL FETAL DEATHS	7	1	93	50	77	50	14	
ATTENDED BY M.D.	7	1	80	46	65	46	13	
ATTENDED BY D.O.			13	3	12	3	1	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED				1		1		
TOTAL DEATHS	571	16	4,819	1,200	4,522	1,199	259	1
UNDER ONE YEAR OF AGE	18	1	133	103	113	103	18	
NEONATAL DEATHS	16	1	105	73	90	73	14	
MATERNAL DEATHS			4		4			
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)	3		16	4	16	4		
SYPHILIS AND ITS SEQUELAE (090-097)			1	1	1	1		
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)	2		32	8	32	8		
MALIGNANT NEOPLASMS (140-209)	73	3	795	155	736	154	54	1
DIGEST. ORGANS (150-159)	17	1	204	37	187	37	15	
RESPIRATORY SYSTEM (160-163)	19	1	185	36	168	36	16	
BREAST (174)	2		79	12	75	12	4	
GENITAL ORGANS (180-187)	12	1	100	27	95	27	3	
URINARY ORGANS (188-189)	1		46	10	44	9	2	1
LEUKEMIA (204-207)	2		31	3	30	3	1	
OTHER REMAINDER OF (140-209)	20		150	30	137	30	13	
DIABETES MELLITUS (250)	7	3	92	20	91	20		
MAJOR CARDIOVASCULAR DISEASE (390-448)	296	7	2,296	388	2,161	388	118	
DISEASES OF HEART (390-398, 402, 404, 410-429)	211	5	1,585	248	1,498	248	75	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969

	JOPLIN		KANSAS CITY (TOTAL)		KANSAS CITY (JACKSON CNTY)		KANSAS CITY (CLAY CNTY)	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	5		45	4	40	4		4
HYPERTENSIVE HEART (402,404)	14	2	30	7	29	7		1
ISCHEMIC HEART (410-414)	180	3	1,430	214	1,354	214		66
OTHER HEART DISEASE (420-429)	12		80	23	75	23		4
HYPERTENSION (400,401,403)	1		10	6	10	6		
CEREBROVASCULAR DISEASE (430-438)	64	2	524	114	487	114		35
ARTERIOSCLEROSIS (440)	10		122	9	115	9		4
OTHER CIRCULATORY (441-448)	10		55	11	51	11		4
INFLUENZA/PNEUMONIA (470-474,480-486)	28		158	45	148	45		10
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	16		85	15	81	15		4
PEPTIC ULCER (531-533)	6		20	3	19	3		1
CIRRHOSIS OF LIVER (571)	6		51	17	47	17		4
NEPHRITIS AND NEPHROSIS (580-584)	6		25	9	23	9		
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)			4		4			
CONGENITAL ANOMALIES (740-759)	3		38	13	33	13		5
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	12	1	82	55	71	55		10
SYMPTOMS & ILL-DEFINED COND. (780-796)	31		429	223	421	223		4
ALL OTHER DISEASES (RESIDUAL)	48	2	344	84	317	84		22
ACCIDENTAL DEATHS								
(E800-E807,E810-E823,E825-E949)	27		265	75	242	75		21
MOTOR VEHICLE (E810-E823)	17		117	33	104	33		13
OTHER TRANS. (E800-E807,E825-E845)			9		9			
POISONING (E850-E877)			4	2	4	2		
FALLS (E880-E887)	6		56	5	54	5		1
FIRES (E890-E899)	2		27	13	27	13		
DROWNING & SUBMERSIONS (E910)			11	9	10	9		1
FIREARM MISSILES (E922)	1		7	6	7	6		
INDUSTRIAL (E916-E921,E923-E928)	1		10	2	8	2		2
OTHER ACCIDENTS (E900-E949)			24	5	19	5		4
SUICIDE (E950-E959)	5		39	5	36	5		2
HOMICIDE (E960-E978)			31	71	29	71		2
ALL OTHER EXTERNAL CAUSES (E980-E999)	2		16	9	14	9		2

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

**RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969**

	KANSAS CITY (PLATTE CNTY)		KIRKSVILLE		KIRKWOOD		MAPLEWOOD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	197		302	4	365	57	253	4
ATTENDED BY M.D.	183		37	1	365	56	251	4
ATTENDED BY D.O.	14		265	3			2	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED						1		
TOTAL FETAL DEATHS	2		1		1	3	3	
ATTENDED BY M.D.	2				1	3	3	
ATTENDED BY D.O.			1					
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	38		178		233	23	171	2
UNDER ONE YEAR OF AGE	2		9		4	1	3	1
NEONATAL DEATHS	1		8		3		3	1
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)						1	1	
MALIGNANT NEOPLASMS (140-209)	5		33		58	4	25	
DIGEST. ORGANS (150-159)	2		16		8	2	4	
RESPIRATORY SYSTEM (160-163)	1		5		14		8	
BREAST (174)			6		4		2	
GENITAL ORGANS (180-187)	2		2		7		1	
URINARY ORGANS (188-189)					4		4	
LEUKEMIA (204-207)			3		4		1	
OTHER REMAINDER OF (140-209)			1		17	2	5	
DIABETES MELLITUS (250)	1		3		3		3	
MAJOR CARDIOVASCULAR DISEASE (390-448)	17		97		119	9	93	1
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	12		74		74	9	74	1

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969

	KANSAS CITY (PLATTE CNTY)		KIRKSVILLE		KIRKWOOD		MAPLEWOOD	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		1		1	1	1	
HYPERTENSIVE HEART (402,404)			1					
ISCHEMIC HEART (410-414)	10		67		72	7	71	1
OTHER HEART DISEASE (420-429)	1		5		1	1	2	
HYPERTENSION (400,401,403)			1					
CEREBROVASCULAR DISEASE (430-438)	2		16		32		14	
ARTERIOSCLEROSIS (440)	3		2		7		1	
OTHER CIRCULATORY (441-448)			4		6		4	
INFLUENZA/PNEUMONIA (470-474,480-486)			6		8	3	9	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)					4	1	2	
PEPTIC ULCER (531-533)							1	
CIRRHOSIS OF LIVER (571)			3		3	1	2	
NEPHRITIS AND NEPHROSIS (580-584)	2		1					
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)					2			
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	1		8		2		2	1
SYMPTOMS & ILL-DEFINED COND. (780-796)	4				5	2	12	
ALL OTHER DISEASES (RESIDUAL)	5		13		15	2	8	
ACCIDENTAL DEATHS								
(E800-E807,E810-E823,E825-E949)	2		10		10		9	
MOTOR VEHICLE (E810-E823)			5		4		1	
OTHER TRANS. (E800-E807,E825-E845)			1		1			
POISONING (E850-E877)								
FALLS (E880-E887)	1				2		2	
FIRES (E890-E899)							5	
DROWNING & SUBMERSIONS (E910)			1		1			
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)			1		1		1	
OTHER ACCIDENTS (E900-E949)	1		2		1			
SUICIDE (E950-E959)	1		4		3		1	
HOMICIDE (E960-E978)					1		2	
ALL OTHER EXTERNAL CAUSES (E980-E999)							1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

**RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969**

	MEXICO		MOBERLY		OVERLAND		POPLAR BLUFF	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	151	17	198	16	481	7	251	27
ATTENDED BY M.D.	115	14	132	12	434	7	229	23
ATTENDED BY D.O.	36	3	66	3	46		21	3
ATTENDED BY MIDWIFES					1		1	1
OTHERS OR UNSPECIFIED				1				
TOTAL FETAL DEATHS	1		6	1	5			1
ATTENDED BY M.D.	1		4	1	5			1
ATTENDED BY D.O.			2					
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	143	19	242	8	278	3	257	17
UNDER ONE YEAR OF AGE			2	1	7		4	
NEONATAL DEATHS			2		6		3	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			1		1			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			1				2	
MALIGNANT NEOPLASMS (140-209)	23	5	42	2	69		44	5
DIGEST. ORGANS (150-159)	7	1	14		24		3	1
RESPIRATORY SYSTEM (160-163)	4	1	6		13		14	1
BREAST (174)	1	1	5		3		2	
GENITAL ORGANS (180-187)	2		7		3		5	
URINARY ORGANS (188-189)	1		1		2		4	1
LEUKEMIA (204-207)	2		2		2		2	
OTHER REMAINDER OF (140-209)	6	2	7	2	22		14	2
DIABETES MELLITUS (250)	4		3	1	6		8	
MAJOR CARDIOVASCULAR DISEASE (390-448)	84	7	140	4	132		146	11
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	57	6	110	3	95		98	6

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969

	MEXICO		MOBERLY		OVERLAND		POPLAR BLUFF	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			1		2		4	
HYPERTENSIVE HEART (402,404)	4		11		1		1	
ISCHEMIC HEART (410-414)	47	5	90	3	86		92	6
OTHER HEART DISEASE (420-429)	6	1	8		6		1	
HYPERTENSION (400,401,403)					1		1	
CEREBROVASCULAR DISEASE (430-438)	23		23	1	23		42	4
ARTERIOSCLEROSIS (440)	3		6		8		3	
OTHER CIRCULATORY (441-448)	1	1	1		5		2	1
INFLUENZA/PNEUMONIA (470-474,480-486)	2		11	1	12		4	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	3	1	5		2		6	
PEPTIC ULCER (531-533)		1			3			
CIRRHOSIS OF LIVER (571)	5				4	1	2	
NEPHRITIS AND NEPHROSIS (580-584)	2						2	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)			1		1		1	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)			2		4		2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	4	3	4		12		9	1
ALL OTHER DISEASES (RESIDUAL)	5	1	17		14	2	13	
ACCIDENTAL DEATHS								
(E800-E807,E810-E823,E825-E949)	9		12		14		13	
MOTOR VEHICLE (E810-E823)	7		8		7		7	
OTHER TRANS. (E800-E807,E825-E845)	1				1		1	
POISONING (E850-E877)							2	
FALLS (E880-E887)			3		1			
FIRES (E890-E899)					1		1	
DROWNING & SUBMERSIONS (E910)	1		1		3			
FIREARM MISSILES (E922)					1			
INDUSTRIAL (E916-E921,E923-E928)							1	
OTHER ACCIDENTS (E900-E949)							1	
SUICIDE (E950-E959)	2		3		2		2	
HOMICIDE (E960-E978)		1					2	
ALL OTHER EXTERNAL CAUSES (E980-E999)					2		1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969

	RAYTOWN		RICHMOND HGHTS		ROLLA		ST ANN	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	428	2	166	46	205	1	316	3
ATTENDED BY M.O.	406	2	165	46	183	1	283	3
ATTENDED BY D.O.	22		1		21		33	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED					1			
TOTAL FETAL DEATHS	2		1		2		7	
ATTENDED BY M.O.	2		1		2		7	
ATTENDED BY D.O.								
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	165		156	11	107		83	
UNDER ONE YEAR OF AGE	7		3		4		6	
NEONATAL DEATHS	7		3		4		5	
MATERNAL DEATHS								
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)								
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			1					
MALIGNANT NEOPLASMS (140-209)	32		21	1	13		13	
DIGEST. ORGANS (150-159)	8		4	1	8		3	
RESPIRATORY SYSTEM (160-163)	7		6		1		2	
BREAST (174)	2		3				1	
GENITAL ORGANS (180-187)	4		4				1	
URINARY ORGANS (188-189)	2		3		2		1	
LEUKEMIA (204-207)	2				1		3	
OTHER REMAINDER OF (140-209)	7		1		1		2	
DIABETES MELLITUS (250)	1		2	2	2		5	
MAJOR CARDIOVASCULAR DISEASE (390-448)	89		101	4	61		38	
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	72		67	2	36		31	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969

	RAYTOWN		RICHMOND HGHTS		ROLLA		ST ANN	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	2		1				1	
HYPERTENSIVE HEART (402,404)	1		1		2			
ISCHEMIC HEART (410-414)	66		62	2	30		30	
OTHER HEART DISEASE (420-429)	3		3		4			
HYPERTENSION (400,401,403)			1		2			
CEREBROVASCULAR DISEASE (430-438)	12		25	2	19		5	
ARTERIOSCLEROSIS (440)	2		5		3		1	
OTHER CIRCULATORY (441-448)	3		3		1		1	
INFLUENZA/PNEUMONIA (470-474,480-486)	3		6	1	9		2	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		1		1			
PEPTIC ULCER (531-533)							1	
CIRRHOSIS OF LIVER (571)	1		3		2			
NEPHRITIS AND NEPHROSIS (580-584)					1		1	
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)								
CONGENITAL ANOMALIES (740-759)	2		1		1		2	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	5		2		3		2	
SYMPTOMS & ILL-DEFINED COND. (780-796)	8		2	2	3		2	
ALL OTHER DISEASES (RESIDUAL)	8		9		4		6	
ACCIDENTAL DEATHS								
(E800-E807,E810-E823,E825-E949)	8		6		5		7	
MOTOR VEHICLE (E810-E823)	7		3		2		4	
OTHER TRANS. (E800-E807,E825-E845)					1		1	
POISONING (E850-E877)								
FALLS (E880-E887)	1		1		1			
FIRES (E890-E899)								
DROWNING & SUBMERSIONS (E910)								
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)			1		1		1	
OTHER ACCIDENTS (E900-E949)			1				1	
SUICIDE (E950-E959)	3				1		2	
HOMICIDE (E960-E978)	3		1				2	
ALL OTHER EXTERNAL CAUSES (E980-E999)				1	1			

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969

	ST CHARLES		ST JOSEPH		ST LOUIS CITY		SEDALIA	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	801	10	1,176	56	5,880	6,366	305	28
ATTENDED BY M.D.	757	10	1,156	56	5,763	6,360	271	28
ATTENDED BY D.O.	43		19		114	6	34	
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED	1		1		3			
TOTAL FETAL DEATHS	8		15	1	86	120	6	2
ATTENDED BY M.D.	7		14	1	80	116	6	2
ATTENDED BY D.O.	1		1		4			
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED					2	4		
TOTAL DEATHS	273	6	1,055	46	6,513	3,085	343	33
UNDER ONE YEAR OF AGE	15	1	26	3	128	248	6	
NEONATAL DEATHS	12	1	18	3	104	188	5	
MATERNAL DEATHS					1	2		
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)					21	18		1
SYPHILIS AND ITS SEQUELAE (090-097)			1		2	2		
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			5		20	15	2	
MALIGNANT NEOPLASMS (140-209)	50		168	1	1,097	465	26	5
DIGEST. ORGANS (150-159)	8		39	1	337	146	6	1
RESPIRATORY SYSTEM (160-163)	11		43		247	106	5	1
BREAST (174)	4		19		95	24	3	
GENITAL ORGANS (180-187)	5		19		123	76	4	3
URINARY ORGANS (188-189)	3		7		55	13	1	
LEUKEMIA (204-207)	7		7		38	14	1	
OTHER REMAINDER OF (140-209)	12		34		202	86	6	
DIABETES MELLITUS (250)			24	1	152	91	12	2
MAJOR CARDIOVASCULAR DISEASE (390-448)	123	2	588	22	3,761	1,317	221	19
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	93	2	410	14	2,865	870	141	13

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969

	ST CHARLES		ST JOSEPH		ST LOUIS CITY		SEDALIA	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)			7		55	15	2	
HYPERTENSIVE HEART (402,404)			23	1	44	28	2	
ISCHEMIC HEART (410-414)	93	2	363	12	2,681	760	133	13
OTHER HEART DISEASE (420-429)			17	1	85	67	4	
HYPERTENSION (400,401,403)	3		8	1	32	36	1	
CEREBROVASCULAR DISEASE (430-438)	24		125	3	635	331	58	4
ARTERIOSCLEROSIS (440)			34	4	151	57	17	1
OTHER CIRCULATORY (441-448)	3		11		78	23	4	1
INFLUENZA/PNEUMONIA (470-474,480-486)	18	1	36		243	145	13	1
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	8		15	1	109	42	5	
PEPTIC ULCER (531-533)	2		4		34	16		
CIRRHOSIS OF LIVER (571)	1	1	8		116	67	1	
NEPHRITIS AND NEPHROSIS (580-584)			3		23	27	4	1
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)					1	2		
CONGENITAL ANOMALIES (740-759)	7		6		30	44	2	
DISEASES OF EARLY INFANCY (760-769,2,769,4-772,774-778)	7	1	15	3	86	149	5	
SYMPTOMS & ILL-DEFINED COND. (780-796)	7	1	64	5	34	18	4	
ALL OTHER DISEASES (RESIDUAL)	18		74	7	425	283	24	3
ACCIDENTAL DEATHS								
(E800-E807,E810-E823,E825-E949)	21		31	3	250	136	20	1
MOTOR VEHICLE (E810-E823)	17		16	2	101	50	8	
OTHER TRANS. (E800-E807,E825-E845)	1				6	1		
POISONING (E850-E877)					1	5		
FALLS (E880-E887)	2				87	24	7	
FIRES (E890-E899)	1		4	1	18	21		
DROWNING & SUBMERSIONS (E910)			1		10	7		
FIREARM MISSILES (E922)					3	4		
INDUSTRIAL (E916-E921,E923-E928)			3		9	9	3	
OTHER ACCIDENTS (E900-E949)			7		15	15	2	1
SUICIDE (E950-E959)	5		8	1	47	9	4	
HOMICIDE (E960-E978)	4		4	1	43	192		
ALL OTHER EXTERNAL CAUSES (E980-E999)	2		1	1	19	47		

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

**RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969**

	SIKESTON		SPRINGFIELD		UNIVERSITY CITY		WEBSTER GROVES	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	230	44	2,055	62	400	172	298	29
ATTENDED BY M.D.	201	23	1,997	60	396	172	297	29
ATTENDED BY D.O.	26		55	2	4		1	
ATTENDED BY MIDWIFES	2	19						
OTHERS OR UNSPECIFIED	1	2	3					
TOTAL FETAL DEATHS		1	24		4	1	5	
ATTENDED BY M.D.		1	23		4	1	5	
ATTENDED BY D.O.			1					
ATTENDED BY MIDWIFES								
OTHERS OR UNSPECIFIED								
TOTAL DEATHS	141	31	1,177	36	503	22	272	19
UNDER ONE YEAR OF AGE	5	1	26	5	3	2	4	
NEONATAL DEATHS	4	1	20	4	3	2	2	
MATERNAL DEATHS			1					
CAUSE OF DEATH								
TUBERCULOSIS, ALL FORMS (010-019)			2		1			
SYPHILIS AND ITS SEQUELAE (090-097)								
OTHER INFECTIVE & PARASITIC DISEASES								
REMAINDER OF (000-136)			3	1		1	2	
MALIGNANT NEOPLASMS (140-209)	22	4	187	3	108	6	59	5
DIGEST. ORGANS (150-159)	4		49	1	33	1	17	3
RESPIRATORY SYSTEM (160-163)	8		32	1	24		11	
BREAST (174)	2		21	1	10	1	8	1
GENITAL ORGANS (180-187)	2	2	22		6		2	
URINARY ORGANS (188-189)			7		4		3	
LEUKEMIA (204-207)	1	1	9		6		3	
OTHER REMAINDER OF (140-209)	5	1	47		25	4	15	1
DIABETES MELLITUS (250)	2		13	1	20	1	4	
MAJOR CARDIOVASCULAR DISEASE (390-448)	81	12	650	19	293	8	143	10
DISEASES OF HEART								
(390-398, 402, 404, 410-429)	68	11	435	12	217	7	96	8

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 16 CONT

RESIDENT LIVE BIRTHS AND FETAL DEATHS BY COLOR AND ATTENDANT
 INFANT DEATHS, MATERNAL DEATHS AND SELECTED CAUSES OF DEATH BY COLOR, MISSOURI 1969

	SIKESTON		SPRINGFIELD		UNIVERSITY CITY		WEBSTER GROVES	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
RHEUMATIC FEVER & CHRONIC								
RHEUMATIC HEART DISEASE (390-398)	1		9		4		2	
HYPERTENSIVE HEART (402,404)	3	1	7		4			
ISCHEMIC HEART (410-414)	62	7	410	11	202	6	91	8
OTHER HEART DISEASE (420-429)	2	3	9	1	7	1	3	
HYPERTENSION (400,401,403)			3	1	4		1	
CEREBROVASCULAR DISEASE (430-438)	13	1	162	4	51	1	36	
ARTERIOSCLEROSIS (440)			32	2	8		8	1
OTHER CIRCULATORY (441-448)			18		13		2	1
INFLUENZA/PNEUMONIA (470-474,480-486)	12	3	32	1	7	1	9	
BRONCHITIS/EMPHYSEMA/ASTHMA (490-493)	2		20		12		1	
PEPTIC ULCER (531-533)			6		1		2	
CIRRHOSIS OF LIVER (571)			10		5		1	
NEPHRITIS AND NEPHROSIS (580-584)	1		1			1		
COMPLICATIONS OF PREG, CHILDBIRTH, & PUERPERIUM (630-678)			1					
CONGENITAL ANOMALIES (740-759)	1		10	1	3		4	
DISEASES OF EARLY INFANCY (760-769.2,769.4-772,774-778)	3	1	15	4	3	1	1	
SYMPTOMS & ILL-DEFINED COND. (780-796)	3	4	62	3	9		9	1
ALL OTHER DISEASES (RESIDUAL)	5	4	75	1	21	1	23	2
ACCIDENTAL DEATHS								
(E800-E807,E810-E823,E825-E949)	7		72	2	14		12	
MOTOR VEHICLE (E810-E823)	6		42		8		5	
OTHER TRANS. (E800-E807,E825-E845)			4					
POISONING (E850-E877)			1				1	
FALLS (E880-E887)	1		10	2	4		3	
FIRES (E890-E899)			4		1		2	
DROWNING & SUBMERSIONS (E910)			3					
FIREARM MISSILES (E922)								
INDUSTRIAL (E916-E921,E923-E928)			3		1			
OTHER ACCIDENTS (E900-E949)			5				1	
SUICIDE (E950-E959)	1		12		3		1	
HOMICIDE (E960-E978)	1	2	1		2	1		1
ALL OTHER EXTERNAL CAUSES (E980-E999)		1	5		1	1	1	

NUMBERS IN PARENTHESES REFER TO CODE NUMBERS IN THE 8TH REV. OF THE INTERNATIONAL
 CLASSIFICATION OF CAUSES OF DEATH, 1967.

TABLE 17

RECORDED DEATHS BY TYPE OF ACCIDENT, AGE AND SEX, MISSOURI 1969

TYPE OF ACCIDENT	ALL AGES		0-4		5-14		15-24		25-44		45-64		65-74		OVER-74	
	MALE	FEML	M	F	M	F	M	F	M	F	M	F	M	F	M	F
1. GRAND TOTAL	2,043	973	89	67	152	67	502	144	447	137	442	173	189	103	222	282
10. WORK TOTAL	159	3	-	-	4	-	16	-	59	1	53	2	20	-	7	-
11. AGRICULTURE	53	1	-	-	4	-	4	-	9	-	19	1	12	-	5	-
12. MINING, QUARRYING, OIL/GAS WELL	8	-	-	-	-	-	-	-	6	-	2	-	-	-	-	-
13. CONSTRUCTION	40	-	-	-	-	-	4	-	23	-	10	-	3	-	-	-
14. MANUFACTURING	12	1	-	-	-	-	2	-	4	1	5	-	-	-	1	-
15. TRANS. AND PUBLIC UTILITIES	16	-	-	-	-	-	1	-	6	-	8	-	1	-	-	-
16. TRADE	11	-	-	-	-	-	3	-	3	-	3	-	1	-	1	-
17. SERVICE	11	-	-	-	-	-	1	-	5	-	4	-	1	-	-	-
18. GOVERNMENT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19. OTHER AND UNSPECIFIED INDUS.	8	1	-	-	-	-	1	-	3	-	2	1	2	-	-	-
20. HOME TOTAL	349	293	56	42	35	12	27	12	40	15	66	45	39	28	86	139
21. POISONINGS (GAS EXCEPTED)	14	6	2	2	1	-	2	1	3	1	6	2	-	-	-	-
22. POISONINGS BY GAS AND VAPOR	12	7	-	-	-	-	3	-	2	2	3	4	2	1	2	-
23. FALLS	111	151	7	7	2	1	3	2	5	2	17	15	16	15	61	109
24. FIRES	105	89	18	14	10	10	6	3	12	6	28	19	13	9	18	28
25. DROWNING	10	7	6	5	2	-	-	-	2	1	-	1	-	-	-	-
26. SUFFOCATION, INGESTED OBJECTS	8	5	3	1	2	1	-	-	-	1	2	2	1	-	-	-
27. SUFFOCATION, MECHANICAL	19	9	12	9	6	-	1	-	-	-	-	-	-	-	-	-
28. FIREARMS	33	7	2	1	9	-	10	5	6	1	3	-	1	-	2	-
29. OTHER AND UNSPECIFIED ACC.	37	12	6	3	3	-	2	1	10	1	7	2	6	3	3	2
30. MOTOR VEHICLE TOTAL	1,105	478	20	14	74	46	384	128	267	104	221	96	87	47	52	43
31. INJURY TO PEDESTRIAN	137	55	11	7	39	15	15	4	23	7	25	6	13	5	11	11
32. INJURY TO PEDAL CYCLIST	12	5	-	-	8	4	3	1	1	-	-	-	-	-	-	-
33. INJURY TO RIDER OF ANIMAL OR OCCUPANT OF ANML-DRAWN VEHICLE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
34. COLLISION WITH RAILROAD TRAIN	31	7	-	-	1	1	8	1	8	3	7	2	4	-	3	-
35. COLLISION WITH OTHER MOTOR V	437	257	6	6	12	15	121	59	115	60	106	63	54	30	23	24
36. COLLISION WITH FIXED OBJECT	129	27	-	-	1	3	64	13	37	5	21	4	5	1	1	1
37. NONCOLLISION	336	114	3	1	13	7	163	47	79	27	58	17	9	10	11	5
38. OTHER AND UNSPECIFIED ACC.	22	13	-	-	-	1	10	3	4	2	4	4	2	1	2	2

NOTE ALL AGES INCLUDES UNKNOWN AGE.

M = MALE F = FEMALE V = VEHICLE

TABLE 17 CONT


RECORDED DEATHS BY TYPE OF ACCIDENT, AGE AND SEX, MISSOURI 1969

TYPE OF ACCIDENT	ALL AGES		0-4		5-14		15-24		25-44		45-64		65-74		OVER-74	
	MALE	FEMALE	M	F	M	F	M	F	M	F	M	F	M	F	M	F
50. PUBLIC NON-MOTOR VEHICLE TOTAL	430	199	13	11	39	9	75	4	81	17	102	30	43	28	77	100
51. RAILROAD NOT WITH MOTOR V	13	3	-	-	2	-	3	-	1	-	4	1	1	-	2	2
52. OTHER V NOT WITH MOTOR V	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
53. WATER TRANSPORT	4	1	-	-	-	-	-	-	2	-	2	1	-	-	-	-
54. AIR-TRANSPORT	13	2	-	-	1	-	2	-	5	2	5	-	-	-	-	-
55. FALLS	104	108	1	1	3	-	1	-	7	3	26	10	14	14	52	80
56. FIRES	12	4	-	-	3	-	-	-	1	-	5	2	1	-	2	2
57. DROWNING	124	22	5	4	23	6	49	3	26	3	12	5	8	1	1	-
58. FIREARMS	34	-	1	-	4	-	10	-	8	-	8	-	2	-	1	-
59. OTHER AND UNSPECIFIED ACC.	126	58	6	6	3	2	10	1	31	9	40	11	17	13	19	16
60. TYPE OF ACCIDENT UNKNOWN	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE ALL AGES INCLUDES UNKNOWN AGE.
M = MALE F = FEMALE V = VEHICLE

MARRIAGES

GRAPH E.
MARRIAGE RATES 1949-1969
(per 1,000 population)



MARRIAGES

Year	Number	Rate	Year	Number	Rate
1949	34,689	8.8	1960	35,368	8.2
1950	34,300	8.7	1961	34,640	7.9
1951	30,880	7.7	1962	35,192	8.0
1952	28,373	7.0	1963	37,667	8.5
1953	33,012	8.1	1964	38,802	8.7
1954	33,520	8.2	1965	39,882	8.9
1955	34,162	8.3	1966	42,597	9.5
1956	34,382	8.3	1967	44,055	9.8
1957	31,395	7.5	1968	48,155	10.7
1958	31,965	7.5	1969	50,411	11.1
1959	34,352	8.1			

SOURCE: Number of marriages recorded by the Division of Health of Missouri, VITAL STATISTICS REPORTS, 1949 to date. Population estimates used for computing rates were: 1950 and 1960 taken from United States Bureau of Census, CENSUS OF POPULATION for Missouri; 1949, 1951 to 1959 and 1961 to date as computed by the Division of Health of Missouri.

TABLE 18

REPORTED MARRIAGES BY AGE OF GROOM, BY AGE OF BRIDE, MISSOURI 1969

AGE OF GROOM	TOTAL	AGE OF BRIDE														
		15 AND UND.	16	17	18	19	20	21	22	23	24	25	26	27	28	29
TOTAL	50,411	711	1,826	2,996	5,698	6,102	5,560	4,884	4,578	2,786	1,702	1,284	1,143	947	703	654
15 AND UNDER	26	4	7	8	1	3			1	1		1				
16 YEARS	173	35	52	45	23	9	6	1			1	1				
17 YEARS	1,199	93	278	352	290	102	50	18	6	4	1	2			2	
18 YEARS	2,680	185	431	632	843	382	115	42	25	11	2	3	2	1	3	1
19 YEARS	3,793	125	381	612	1,100	1,005	334	119	65	18	10	7	4	5	4	
20 YEARS	4,590	98	227	467	1,090	1,140	1,008	338	107	46	21	18	7	7		6
21 YEARS	4,920	51	163	298	777	1,057	1,080	889	342	114	51	32	17	13	6	6
22 YEARS	5,906	33	111	240	644	909	1,040	1,149	1,117	393	90	49	49	27	13	12
23 YEARS	4,297	26	64	126	373	552	634	770	879	473	185	62	55	33	14	8
24 YEARS	2,836	19	34	62	169	283	401	429	517	380	231	113	72	43	27	10
25 YEARS	2,293	4	20	39	106	210	247	308	411	301	216	148	90	55	25	28
26 YEARS	1,933	8	18	28	97	121	190	222	279	240	192	147	138	76	49	42
27 YEARS	1,611	13	5	26	43	86	146	171	216	205	165	137	114	99	42	40
28 YEARS	1,292	3	10	13	38	65	82	117	134	136	118	124	116	80	65	46
29 YEARS	949	3	7	13	22	36	57	69	112	90	79	86	75	63	54	47
30 YEARS	818		3	8	14	29	35	44	88	64	61	69	68	55	55	56
31 YEARS	690	3	1	4	8	27	24	43	54	64	48	47	58	49	52	44
32 YEARS	624	1	2	2	16	15	16	29	51	51	44	50	45	46	38	42
33 YEARS	526			2	11	9	20	24	33	43	26	42	24	34	35	29
34 YEARS	513	1	1	2	1	7	20	19	21	27	29	21	31	47	36	43
35-39 YEARS	2,028	2	5	9	18	28	37	50	73	79	75	78	106	131	99	88
40-44 YEARS	1,743	1	4	3	7	17	11	19	31	30	29	28	37	48	44	69
45-49 YEARS	1,370	1	1	3	3	4	3	8	9	14	20	11	25	21	23	25
50-54 YEARS	1,002	1		1	2	4	2	5	5	1	4	3	3	6	11	4
55-59 YEARS	785	1						1			3	2	4	7	1	5
60-64 YEARS	633						1		1		1	1	1	1	3	1
65-69 YEARS	503		1									1				
70-74 YEARS	338															
75 YEARS AND OVER	316						1			1						1
NOT STATED	24			1	2	2			1			1	2		2	1

TABLE 18 CONT

REPORTED MARRIAGES BY AGE OF GROOM, BY AGE OF BRIDE, MISSOURI 1969

AGE OF GROOM	AGE OF BRIDE														NOT STAT- ED
	30	31	32	33	34	35 TO 39	40 TO 44	45 TO 49	50 TO 54	55 TO 59	60 TO 64	65 TO 69	70 TO 74	75+	
TOTAL	485	479	417	371	340	1,630	1,344	1,131	820	623	529	340	186	116	26
15 AND UNDER															
16 YEARS															
17 YEARS			1												
18 YEARS						1				1					
19 YEARS	1					3									
20 YEARS	2		1	1		2			1				1		2
21 YEARS	6		2		2	5	5	2						1	1
22 YEARS	11	5	3	3	2	1	1		2						2
23 YEARS	7	10	3	6	2	10	2	2							1
24 YEARS	9	6	6	1	3	15	3		2						1
25 YEARS	25	9	11	4	6	19	6	3	1	1					
26 YEARS	15	14	13	13	6	20	4	1							
27 YEARS	24	22	17	11	7	20	2								
28 YEARS	29	19	23	25	13	29	5	1	1						
29 YEARS	29	22	18	14	12	30	5	2	2	1	1				
30 YEARS	30	33	22	13	10	41	12	8							
31 YEARS	25	24	27	18	13	44	8	4		1					
32 YEARS	29	30	22	20	12	46	9	7		1					
33 YEARS	26	30	26	23	16	49	15	5	4						
34 YEARS	29	23	24	28	18	54	22	7	2						
35-39 YEARS	104	97	96	86	91	383	199	63	23	5	1			1	1
40-44 YEARS	51	80	56	57	66	413	364	177	71	23	5	1			1
45-49 YEARS	23	38	29	29	40	242	331	281	121	51	8	2	1	1	2
50-54 YEARS	7	11	12	12	11	127	177	261	195	92	34	9	2		
55-59 YEARS	1	4	3	5	8	45	102	175	179	148	74	15	2		
60-64 YEARS		1	1	1	1	19	54	85	126	121	146	49	14	5	
65-69 YEARS		1	1		1	7	14	35	48	108	130	115	27	12	2
70-74 YEARS	2			1		4	2	7	27	48	72	83	69	21	2
75 YEARS AND OVER						1	2	5	14	22	58	66	70	75	
NOT STATED									1						11

TABLE 19

REPORTED MARRIAGES BY MARTIAL STATUS AND SELECTED AGE GROUPS,
GROOMS AND BRIDES, MISSOURI 1969

AGE	GROOM					BRIDE				
	TOTAL	SINGLE	AN- NULLLED	WIDOWED	DIVORCED	TOTAL	SINGLE	AN- NULLLED	WIDOWED	DIVORCED
TOTAL	50,411	36,710	20	2,298	11,283	50,411	37,125	15	2,806	10,344
15 AND UNDER	26	25			1	711	706			5
16 YEARS	173	173				1,826	1,823			1
17 YEARS	1,199	1,196				2,996	2,961		1	33
18 YEARS	2,680	2,673			5	5,698	5,584	2	7	98
19 YEARS	3,793	3,754	1	2	34	6,102	5,875		10	208
20 YEARS	4,590	4,514	1	1	71	5,560	5,170	3	16	364
21 YEARS	4,920	4,720	1	8	184	4,884	4,417	1	20	439
22 YEARS	5,906	5,563	2	13	324	4,578	3,899		32	641
23 YEARS	4,297	3,890	3	11	389	2,786	2,191	2	28	560
24 YEARS	2,836	2,413		6	409	1,702	1,187	2	24	486
25 YEARS	2,293	1,764	2	5	520	1,284	758	3	30	492
26 YEARS	1,933	1,379	4	9	538	1,143	588		24	531
27 YEARS	1,611	1,035		18	556	947	400		30	511
28 YEARS	1,292	699	1	14	575	703	280		23	396
29 YEARS	949	509		9	429	654	213	1	24	414
30 YEARS	818	403		14	399	485	138		26	321
31 YEARS	690	273	1	11	405	479	130		26	323
32 YEARS	624	221		11	391	417	85		31	298
33 YEARS	526	177		13	336	371	75		34	261
34 YEARS	513	163		19	330	340	58		23	257
35-39 YEARS	2,028	454	1	79	1,485	1,630	241		179	1,197
40-44 YEARS	1,743	297		130	1,312	1,344	123		256	961
45-49 YEARS	1,370	163	1	200	999	1,131	70		347	706
50-54 YEARS	1,002	92		248	655	820	50		370	397
55-59 YEARS	785	62		307	410	623	33		360	221
60-64 YEARS	633	36	1	320	272	529	30	1	358	135
65-69 YEARS	503	28		335	136	340	19		269	50
70-74 YEARS	338	12	1	253	71	186	8		152	22
75 YEARS AND OVER	316	7		261	45	116	2		103	11
NOT STATED	24	15		1	2	26	11		3	5

TOTAL FOR GROOM AND BRIDE INCLUDES NOT STATED

TABLE 20

REPORTED MARRIAGES BY MARTIAL STATUS,
MISSOURI 1969

GROOM	TOTAL	SINGLE	BRIDE			
			WIDOWED	DIVORCED	ANNULLED	NOT STATED
SINGLE	36,710	33,304	411	2,959	8	28
WIDOWED	2,298	271	1,272	750		5
DIVORCED	11,283	3,524	1,122	6,624	5	8
ANNULLED	20	12	1	5	2	
NOT STATED	100	14		6		80
TOTAL	50,411	37,125	2,806	10,344	15	121

TABLE 21


REPORTED MARRIAGES BY COLOR OF GROOM, MISSOURI 1969

COLOR	NUMBER
WHITE	45,315
NONWHITE	4,834
OTHER *	43
NOT STATED	219
TOTAL	50,411

* INCLUDES INDIANS, MEXICANS, JAPANESE & CHINESE

DIVORCES

GRAPH F.
DIVORCE RATES 1949-1969
(per 1,000 population)



DIVORCES

Year	Number	Rate	Year	Number	Rate
1949	12,912	3.3	1960	11,320	2.6
1950	12,177	3.1	1961	11,574	2.7
1951	12,131	3.0	1962	11,882	2.7
1952	12,943	3.2	1963	12,652	2.9
1953	12,342	3.0	1964	12,785	2.9
1954	11,705	2.9	1965	13,261	3.0
1955	11,351	2.8	1966	13,758	3.1
1956	10,993	2.6	1967	14,520	3.2
1957	10,861	2.6	1968	16,473	3.6
1958	10,747	2.5	1969	17,578	3.9
1959	11,695	2.8			

SOURCE: Number of Divorces recorded by the Division of Health of Missouri, VITAL STATISTICS REPORTS, 1949, to date. Population estimates used for computing rates were: 1950 and 1960 taken from United States Bureau of Census, CENSUS OF POPULATION for Missouri; 1949, 1951 to 1959 and 1961 to date as computed by the Division of Health of Missouri.

TABLE 22

REPORTED DIVORCES AND ANNULMENTS BY NUMBER OF PREVIOUS MARRIAGES.
HUSBAND VS WIFE, MISSOURI 1969

HUSBAND	WIFE							
	DIVORCES							
	TOTAL	NONE	ONE	TWO	THREE	FOUR	FIVE OR MORE	NOT STATED
TOTAL	17,469	12,021	3,907	1,055	274	76	35	101
NONE	11,943	10,342	1,319	195	48	14	2	23
ONE	3,840	1,332	1,865	473	114	25	14	17
TWO	1,095	242	484	280	56	16	8	9
THREE	324	48	139	73	41	13	8	2
FOUR	92	14	46	18	6	5	1	2
FIVE OR MORE	42	6	22	8	2	1	2	1
NOT STATED	133	37	32	8	7	2		47
	ANNULMENTS							
	TOTAL	109	53	44	6	3	1	2
	NONE	50	41	7	1			1
	ONE	39	9	24	3	2	1	
	TWO	6	2	3	1			
	THREE	6	1	5				
	FOUR	3		2		1		
	FIVE OR MORE	2		2				
	NOT STATED	3		1	1			1

TABLE 23

REPORTED DIVORCES AND ANNULMENTS BY DURATION OF MARRIAGE, MISSOURI 1969

DURATION OF MARRIAGE (IN YEARS)	TOTAL	DIVORCES	ANNULMENTS
TOTAL	17,578	17,469	109
UNDER 1 YEAR	550	509	41
1 YEAR	1,934	1,890	44
2 YEARS	1,899	1,884	15
3 YEARS	1,692	1,690	2
4 YEARS	1,409	1,408	1
5 YEARS	1,207	1,206	1
6 YEARS	963	963	
7 YEARS	829	828	1
8 YEARS	683	682	1
9 YEARS	583	582	1
10 YEARS	531	531	
11 YEARS	481	481	
12 YEARS	453	453	
13 YEARS	395	395	
14 YEARS	351	351	
15 YEARS	333	333	
16 YEARS	280	280	
17 YEARS	283	283	
18 YEARS	288	288	
19 YEARS	257	256	1
20-24 YEARS	1,157	1,157	
25-29 YEARS	583	582	1
30-34 YEARS	238	238	
35-39 YEARS	84	84	
40 YEARS AND OVER	89	89	
NOT STATED	26	26	

TABLE 24

REPORTED DIVORCES AND ANNULMENTS BY NUMBER OF CHILDREN AFFECTED, MISSOURI 1969

CHILDREN REPORTED	TOTAL	DIVORCES	ANNULMENTS
TOTAL	17,578	17,469	109
NO CHILDREN	7,689	7,581	108
ONE CHILD	4,124	4,123	1
TWO CHILDREN	2,980	2,980	
THREE CHILDREN	1,529	1,529	
FOUR CHILDREN	678	678	
FIVE CHILDREN	312	312	
SIX CHILDREN	136	136	
SEVEN CHILDREN	60	60	
EIGHT CHILDREN	23	23	
NINE OR MORE CHILDREN	16	16	
NOT STATED	31	31	

TABLE 25

REPORTED DIVORCES AND ANNULMENTS BY COMPLAINANT VS TO WHOM DECREE GRANTED
DECREE TO WHOM GRANTED

COMPLAINANT	DIVORCES					ANNULMENTS				
	TOTAL	HUSBAND	WIFE	SEPARATE MAINT.		TOTAL	HUSBAND	WIFE	SEPARATE MAINT.	
				HUSBAND	WIFE				HUSBAND	WIFE
						NOT STATED				NOT STATED
TOTAL	17,469	3,848	13,592			29	109	20	87	2
HUSBAND	4,457	3,684	766			7	21	19	2	
WIFE	12,977	157	12,799			21	87	1	85	1
OTHERS	1		1							
NOT STATED	34	7	26			1	1			1

TABLE 26

REPORTED DIVORCES AND ANNULMENTS BY COMPLAINANT VS DISPOSITION OF CHILDREN
DISPOSITION OF CHILDREN

COMPLAINANT	TOT.	DIVORCES					ANNULMENTS				
		HUS- BAND	WIFE	GUARD- IAN	CUST. NOT JNT OTHER	NO STAT CHILD	HUS- BAND	WIFE	GUARD- IAN	CUST. NOT JNT OTHER	NO STAT CHILD
TOTAL	17,469	678	8,702	1	211	59 150	7,668	109	1		108
HUSBAND	4,457	509	1,326		91	35 97	2,399	21	1		20
WIFE	12,977	168	7,362	1	120	24 53	5,249	87			87
OTHERS	1		1								
NOT STATED	34	1	13				20	1			1

TABLE 27

REPORTED DIVORCES AND ANNULMENTS BY ALIMONY AND SETTLEMENT, MISSOURI 1969

ALIMONY AND SETTLEMENT	NUMBER		ANNUL- MENTS
	TOTAL	DIVORCES	
TOTAL	17,578	17,469	109
NO ALIMONY OR SUPPORT	8,625	8,519	106
ALIMONY TO WIFE	958	957	1
ALIMONY TO HUSBAND			
PROPERTY SETTLEMENT	18	18	
SUPPORT TO CHILDREN	3,801	3,801	
ALIMONY AND CHILD SUPPORT	4,068	4,068	
ALIMONY OR SUPPORT TO OTHERS	1	1	
NOT STATED	107	105	2

TABLE 28

REPORTED DIVORCES AND ANNULMENTS BY LEGAL GROUNDS FOR DECREE

LEGAL GROUNDS FOR DECREE	NUMBER		ANNUL- MENTS
	TOTAL	DIVORCES	
TOTAL	17,578	17,469	109
ADULTERY	116	116	
CRUELTY	197	197	
DESERTION	865	865	
DRUNKENNESS	71	71	
NON-SUPPORT	98	98	
BIGAMY	7	7	
CONVICTION OF CRIME	40	40	
GENERAL INDIGNITIES	16,033	16,033	
INSANITY	1	1	
ANNULMENTS	109		109
SOCIAL DISEASE			
NOT STATED	41	41	

TABLE 29

REPORTED DIVORCES AND ANNULMENTS BY COLOR, HUSBAND VS WIFE, MISSOURI 1969

HUSBAND	DIVORCES	WIFE				NOT STATED
		TOTAL	WHITE	NONWHITE	OTHER	
TOTAL		17,469	15,196	2,076	18	179
WHITE		15,173	15,112	8	15	38
NONWHITE		2,082	15	2,054	1	12
OTHER		9	6		2	1
NOT STATED		205	63	14		128
ANNULMENTS						
TOTAL		109	104	4		1
WHITE		103	103			
NONWHITE		4		4		
OTHER						
NOT STATED		2	1			1

TABLE 30

REPORTED DIVORCES AND ANNULMENTS BY NUMBER OF CASES CONTESTED, MISSOURI 1969

CONTESTANT	TOTAL	DIVORCES	ANNULMENTS
TOTAL	17,578	17,469	109
HUSBAND	820	819	1
WIFE	519	518	1
NO CONTEST	16,150	16,045	105
NOT STATED	89	87	2

